Author Index to Volumes 31 and 32

Abd El-Ghaffar, M. A. See Moustafa, A. B., 1403
Abdel-Hafiz, S. A. See Hebeish, A., 1645, 4453
Abd El-Hakim, A. A. See Moustafa, A. B., 1403
Abd-El-Nour, K. N. See Lawandy, S. N., 841
Abd-El-Zaher, N. See Lawandy, S. N., 5713
Abdou, L. A. See Hebeish, A., 197
Abdul-Rasoul, F. A. See Abu-Zeid, M. E., 1575, 3345
Abed-Ali, S.
—; Ahmed, M. A. K.; McWhinnie, W. R.; Scott, G.: Mechanisms of Antioxidant Action: Tellurium Dithiocarbamates as Antioxidants for Polypropylene, 4857
Abou-Sekkena, M. M. See Moharram, M. A., 5439
Abu-Isa, I. A. See Myers, M. E., 3515
Abu-Zeid, M. E.
Accelerated Weathering of Butadiene–Styrene-Based Rubber, 2875
—; Nofal, E. E.: Effect of Catalyst Residues on the Degradation of Rigid Foam Polyurethane, 2407
—; Youssef, Y. A.; Abdul-Rasoul, F. A.: Thermal Degradation of Butadiene–Styrene-Based Rubber, 1575
—; Youssef, Y. A.; Abdul-Rasoul, F. A.: Accelerated Aging of Natural Rubber, 3345
Achwal, W. B.
—; Murali, R.: Characterization of Acidic Groups in Oxycelluloses IV. Effect of Accelerated Aging on Yellowing as Well as Carboxyl Groups and Lactones in Pulp, 3913
Acosta, J. L.
—; Ojeda, M. C.; Morales, E.; Linares, A.: Morphological, Structural, and Interfacial Changes Produced in Composites on the Basis of Polypropylene and Surface-Treated Sepiolite with Organic Acids II. Thermal Properties, 1869
—; Ojeda, M. C.; Morales, E.; Linares, A.: Morphological, Structural, and Interfacial Changes Produced in Composites on the Basis of Polypropylene and Surface-Treated Sepiolite with Organic Acids. III. Isothermal and Nonisothermal Crystallization, 4119
Adeniyi, J. B.
—; Al-Malaika, S.; Scott, G.: Mechanisms of Antioxidant Action: The Role of Nitroxyl Radicals in the Stabilization of PVC, 6063
Agari, Y.
—; Uno, T.: Estimation on Thermal Conductivities of Filled Polymers, 5705
Agrawal, J. P.
—; Kulkarni, K. S.: Tetrachlorophthalic Anhydride-Based Flame-Retardant Chloropolyesters for Inhibition of Double-Base Propellants, 5203
Ahmad, J. See Youn Kim, C. S., 3027
Ahmed, M. A. K. See Abed-Ali, S., 4857
Aiba, S. See Minoura, N., 1935
Akashi, I. See Suemitsu, R., 75
Akhtar, S.
—; De, P. P.; De, S. K.: Tensile Failure of γ-Ray Irradiated Blends of High-Density Polyethylene and Natural Rubber, 4169
—; De, P. P.; De, S. K.: Short Fiber-Reinforced Thermoplastic Elastomers from Blends of Natural Rubber and Polyethylene, 5123
Akimoto, A. See Matsui, K., 4137
Akovali, G.
Plasma, Polymerization of Ethane and Some Properties of PP Ethane as a Protective Coat, 4027
Albihn, P.
—; Franzén, B.; Kubát, J.; Rigdahl, M.: Short Fiber Formation during Extrusion of Polyethylene–Sodium Ligonsulfonate Blends, 4837
Alfonso, G. C.
—; Costa, G.; Pasolini, M.; Russo, S.; Ballistreri, A.; Montaudo, G.; Puglisi, C.: Flame-Resistant Polycaproamide by Anionic Polymerization of ε-Caprolactam in the Presence of Suitable Flame-Retardant Agents, 1373
Alger, K. W. See Cimecioglu, A. L., 4719
Al-Jarrah, M. M. F. See Shalash, R. J. A., 4473
Al-Malaika, S. See Adeniyi, J. B., 6063
—; Marogi, A. M.; Scott, G.: Mechanisms of Antioxidant Action: Time-Controlled Photoantioxidants for Polyethylene Based on Soluble Iron Compounds, 685
Al-Sammerrai, D.
Investigation of Thermal Degradation of Polyethylene–Polypropylene-Based Grease, 1
Amari, T. See Otsubo, Y., 323
—; See Watanabe, K., 3435
Ambrovič, P. See Šimkovic, I., 2433
Aminabhavi, T. M.
—; Manjeshwar, L. S.; Cassidy, P. E.: Water Permeation through Elastomer Laminates. IV. NBR/EPDM, 3719
Amudeswari, S.
—; Reddy, C. R.; Joseph, K. T.: Hydrogels Based on Graft Copolymers of Collagen Synthesis, 4939
Anderson, W. See Okor, R. S., 291
Andreopoulos, A. G.
—; Kampouris, E. M.: Mechanical Properties of Crosslinked Polyethylene, 1061
Annis, P. A. See Bresee, R. R., 2839
Antal, M. See Ebringerová, A., 303
—; Šimkovic, I.; Ebringerová, A.; Micko, M. M.: New Aspects in Cationization of Lignocellulose Materials. IV. Modification of Aspen Wood Meal with Quarternary Ammonium Groups, 621
Anzai, J.-I.
—; Kobayashi, Y.; Ueno, A.; Osa, T.: Selective Permeation of o-, m-, and p-Isomers of Benzene Derivatives Through Polymer Membranes Based on Cyclodextrin Complexation in the Bulk Aqueous Solution, 1199
Appleby-Hougham, G. See Tong, H-M., 2509
Araki, Y. See Hara, H., 3109, 3675
Aronhime, M. T.
—; Peng, X.; Gillham, J. K.; Small, R. D.: Effect of Time-Temperature Path of Cure On the Water Adsorption of High T_g Epoxy Resins, 3589
—; Peng, X.; Gillham, J. K.; Small, R. D.: Erratum to "Effect of Time-Temperature Path of Cure on the Water Absorption of High T_g Epoxy Resins", 6353
Arroyo, M.
—; Perez, F.; Vigo, J. P.: Optimization of a Composite Based on Polyehtylene Blends and Sepiolite. Effect of Surface Treatment of the Filler and Morphology of the Composites on Mechanical Properties, 5105
Ash, R.
—; Barrie, J. A.: Time Lag in Diffusion, 1209
Ashtiani, M. See Klempner, D., 4197

Avny, Y.
—; Rebenfeld, L.: Chemical Modification of Polyester Fiber Surfaces by Amination Reactions with Multifunctional Amines, 4009
Avramova, N.
—; Fakirov, S.; Schultz, J. M.: Cold-drawing Behavior of Naturally Aged Poly(ethylene Terephthalate), 1631
Aziz, A. W.
—; Lawandy, S. N.: Ultrasonic Detection of Segmental Relaxations in Thermoplastic Polyurethanes, 1585

Bachmann, M. A. See Lane, J. W., 1155
Bacon, D. W. See Ho, F. K. W., 5287
Baddour, R. F. See Loh, I.-H., 901
Badran, A. S. See Moustafa, A. B., 1403
Bahadir, M. See Mair, P., 5273
Baise, A. I.
Optimizing Polyimide Cure Using Infrared Spectroscopy and a Factorial Design, 4043
Bajaj, P. See Jha, N. K., 4393
Balaraman, K. S.
—; Kulkarni, B. D.; Mashelkar, R. A.; Madhavan, K. P.: Nonisothermal Bulk Copolymerization of Styrene and Methyl Methacrylate in a CSTR: Multiplicity and Stability Analysis, 885
Balcr, M. See Kaštánek, A., 1567
Baliga, S. See Lin, C-C., 2483
Balkaş, T. I. See Okay, O., 1785
Ballistreri, A. See Alfonso, G. C., 1373
Bandyopadhyay, P. C. See Chaki, T. K., 3551
Barker, R. H. See Lawler, T. E., 567
Barlow, J. W. See Fernandes, A. C., 5357, 6073
—; See Shah, V. S., 3863
—; See Woo, E. M., 3889
Barr-Howell, B. D.
—; Peppas, N. A.; Squires, T. G.: Transport of Penetrants in the Macromolecular Structure of Coals III. Dynamic Swelling of Stiff Polymer Networks That Simulate the Coal Structure, 39
Barrie, J. A. See Ash, R., 1209
—; See Singh, V. B., 295
Basak, A. See Nayak, P. L., 4271
Basu, D. K. See Datta, R. N., 5849
Baysal, B. M. See Ramelow, U., 5865
Beirnes, K. J.
—; Burns, C. M.: Thermal Analysis of the Glass Transition of Plasticized Poly(vinyl Chloride), 2561
Belayche, J. See Ziderman, I. I., 3255, 5791
Bellobono, I. R.
—; Selli, E.; Marcandalli, B.: Photochemical Grafting of Acrylated Azo Dyes onto Polymeric Surfaces. VII. Kinetics and Mechanism of Dye-Sensitized Photoinitiation of Some Diacrylates, 4323
Belton, D. J.
—; Sullivan, E.: Infrared and Liquid Chromatographic Characterization of Epoxy Cresol Novolac-Phenol Formaldehyde Novolac-Tertiary Amine Resin Systems, 1309
Beltrame, P. L. See Dubini-Paglia, E., 1251
Ben-Dor, L. See Yellin, N., 1261
Beninate, J. V. See Trask, B. J., 4945
Bertoniere, N. R.
—; King, W. D.; Rowland, S. P.: Effect of Mode of Agent Removal on Pore Structure of Liquid Ammonia Treated Cotton Cellulose, 2769
Bertran, M. S.
—; Dale, B. E.: Determination of Cellulose Accessibility by Differential Scanning Calorimetry, 4241
Bhatawdekar, S. P. See Paralikar, K. M., 6001
Bhatnagar, H. L. See Kaur, B., 667, 6127
Bhattacharyya, S. N.
—; Maldas, D.: Molecular Weight Distribution of the Graft Copolymer Comprimising Mixtures of Styrene and Acrylamiae on Cellulose Acetate Film by means of Gel Permeation Chromatography, 1671
Bhowmick, A. K. See Phadke, A. A., 4063

Bialski, A. M.
—; Bradford, H.; Lewis, N. G.; Luthe, C. E.: Lignosulfonate Polymerization: Effect of Cross-linking Agents, 1363
Bisarya, S. C. See Verma, S. K., 2675
Biswas, M. See Mohanty, B., 2969
Björk, F. See Stenberg, B., 487
Blažej, A. See Spilda, I., 589
Boardman, H. See Breslow, D. S., 4657
Bogdanović, V.
—; Srdanović, J.: Differences between Low Density Polyethylenes Synthesised at Homogeneous and Heterogeneous Reacting Conditions, 1143
Bogue, D. C. See Lee, S., 2791
Bohdanecký, M. See Kaštánek, A., 1567
Borwankar, R. P.
—; Chung, S. I.; Wasan, D. T.: Drop Sizes in Turbulent Liquid–Liquid Dispersions Containing Polymeric Suspension Stabilizers. I. The Breakage Mechanism, 5749
Bottaro, J. See Youn Kim, C. S., 3027
Bourland, L. G.
—; Braunstein, D. M.: Multiphase Polymer Systems: PVC/Styrene Copolymer Alloys, 6131
—; Braunstein, D. M.: Single Phase Polymer Systems: CPVC/Styrene Copolymer Alloys, 6151
Boyer, R. F.
Regression Analysis Studies of Polymer Transitions II. T_{11} from Specific Heat and Other Data for Polyisobutylene, 4075
Brack, K. See Breslow, D. S., 4657
Bradford, H. See Bialski, A. M., 1363
Bradley, W. V.
—; Williams, H. L.: Prediction of Stress–Relaxation Data of Some Nylons from Stress–Strain Data, 2889
Braimah, J. A. See Noah, A. O., 5841
Brar, A. S.
—; Saini, A. K.: Sequence Determination in MMA-EMA Copolymers by ^{13}C NMR, 4607
Braunstein, D. M. See Bourland, L. G., 6131, 6151
—; See Bourland, L. G., 6151
Bresee, R. R.
—; Annis, P. A.; Reagan, B. M.: Localization of Methyl Acrylate Graph Copolymerization in Exposed Cortex of Abraided Wool Fibers, 2839
Breslow, D. S.
—; Brack, K.; Boardman, H.: A One-Component Sealant Based on 1,3-Dipoles, 4657
Brikenstein, A. A. See Enikolopian, N. S., 6107
Briscoe, B. J.
—; Mahgerefteh, H.: The Heat Transfer Characteristics of PTFE During Quasiadiabatic Decompression in Nitrogen Gas, 5523
Brody, H.
Orientation Suppression in Fibers Spun From Polymer Melt Blends, 2753
Buchholz, F. L.
—; Wilson, L. R.: High Shear Rheology and Shear Degradation of Aqueous Polymer Solutions, 5399
Buck, R. P. See Reid, J. D., 1771
Bukowski, A.
—; Liszyńska, B.: Investigations on Methyl Methacrylate Polymerization Course in the Presence of Petroleum Asphalt Group Components, 283
—; See Narębska, A., 1537
Burillo, S. G.
—; Ogawa, T.: The Gamma-Ray-Induced Crosslinking of Polyacrylamide, 3783
Burkhardt, C. W.
—; Parazak, D. P.; McCarthy, K. J.; Jackson, G. J.: Specific Counterion Binding to Cationic Polyelectrolytes, 4701
Burns, C. M. See Beirnes, K. J., 2561
—; See Kim, W-N., 2989
Byrd, E. See Nguyen, T., 6339

Camberlin, Y. See Knaub, P., 5627
Campbell, A. G. See Walsh, A. R., 4291

Carbonell, R. G. See Sarti, G. C., 3627
Carciello, N. See Sugama, T., 3469
Carniti, P. See Dubini-Paglia, E., 1251
Caron, M. See Sapieha, S., 5661
Caruthers, J. M. See Kosinski, L. E., 3393
Cassidy, P. E. See Aminabhavi, T. M., 3719
Castells, R. C.
—; Mazza, G. D.: Study of Polymer–Solvent Interactions by Gas Chromatography. Copolymers of Vinyl Acetate and Vinyl Alcohol with Hydrocarbons and Alcohols, 5917
Castillo, M. D. See Hsieh, Y.-L., 509
Casur, E.
—; Smith, T. G.: Sorption of *N*-Butane, Propane, and Ethane in Ethylcellulose, 1425
—; Smith, T. G.: Permeation of *N*-Butane, Propane and Ethane Through Ethylcellulose, 1441
Cawse, J. L.
—; Stanford, J. L.; Still, R. H.: Polymers from Renewable Sources. IV. Polyurethane Elastomers Based on Myrcene Polyols, 1549
Cerqueira, M. See De Groote, R. A. M. C., 6121
Cha, Y.
—; Tsunooka, M.; Tanaka, M.: Preparation of Polymers with Pendant Quinonoid Groups and Their Photocrosslinking with Visible Light Irradiation, 861
Chaki, T. K.
—; Bandyopadhyay, P. C.: Microwave Dielectric and Mechanical Behavior of Foams from Polystyrene and Poly(methyl methacrylate) Blends, 3551
Chakrabarti, A.
—; Jaganathan, R.; Chaudhari, R. V.: Analysis of Mass Transfer Effects in Ethyl Cellulose Manufacture, 2467
Challa, R. R.
—; Drew, J. H.; Stahel, E. P.; Stannett, V.: Radiation-Induced Emulsion Polymerization of Vinyl Acetate in a Pilot Plant Reactor II. Kinetics, 27
Chan, C.-M.
—; Venkatraman, S.: Crosslinking of Poly(arylene Ether Ketone)s 1. Rheological Behavior of the Melt and Mechanical Properties of Cured Resin, 5933
Chan, S. O. See Gan, L. M., 4109
Chang, T. C. See Lai, J. Y., 4709
Chao, D. Y. See Chen, M. L., 4383
Chatterjee, A. M. See Icenogle, R. D., 1859
Chaudhari, R. V. See Chakrabarti, A., 2467
Chauvin, C.
—; Sacher, E.; Yelon, A.: The Density and Composition of Polyimide Surface Layers, 583
Chen, M. L.
—; Sheu, Y. G.; Chao, D. Y.: The Correlation Between Phase Behavior and Structure of a Four-Component System, Poly-Ethylene Glycol/Sodium Dodecyl Sulfate/Pentanol/H_2O, 4383
Chen, R. L.
—; Kokta, B. V.; Daneault, C.; Valade, J. L.: Some Water-Soluble Copolymers from Lignin, 4815
Cheng, C.-H. See Yeo, R. S., 5733
Chien, J. C. W. See Xu, B., 123
Chin, W.-K. See Lee, Y.-D., 6317, 6329
Chiou, J. S.
—; Paul, D. R.: Sorption and Transport of CO_2 in PVF_2/PMMA Blends, 2897
—; Paul, D. R.: Sorption and Transport of Inert Gases in PVF_2/PMMA Blends, 4793
Chiu, W.-Y.
—; Hsueh, T.-C.: The Viscoelastic Properties of PP/Glass Fiber Composites in Molten State, 4662
Chodák, I.
—; Lazár, M.: Peroxide-Initiated Crosslinking of Polypropylene in the Presence of *p*-Benzoquinone, 5431
Choi, K. Y. See Floyd, S., 2935
—; See Hsu, J., 3117
Chouliotis, A. See Noël, D., 3097
Choy, C. L.
—; Leung, W. P.; Ng, H. C.: Mechanical Relaxations and Moduli of Isotropic and Oriented Linear Low-Density Polyethylene, 5883
Chu, S. G. See Han, C. D., 5597
Chundury, D. See Omichi, H., 4827
Chung, C. I.
The Concept of Solid Solvent as a Processing Aid, 2739
Chung, S. I. See Borwankar, R. P., 5749
Chung, T.-S.
—; McMahon, P. E.: Thermotropic Polyester Amide-Carbon Fiber Composites, 965
—; McMahon, P. E.: Erratum to "Thermotropic Polyester Amide-Carbon Fiber Composites", 5245
Chuquilín Terán, C.
—; Macchi, E. M.; Figini, R. V.: Phase Equilibria and Fractionation of Linear Homopolymers in Solution: A Thermodynamic Numerical Interpretation, 3847
Cimecioglu, A. L.
—; Zeronian, S. H.; Alger, K. W.; Collins, M. J.: Properties of Oligomers Present in Poly(ethylene Terephthalate), 4719
Cizmecioglu, M.
—; Gupta, A.; Fedors, R. F.: Influence of Cure Conditions on Glass Transition Temperature and Density of an Epoxy Resin, 6177
Cohen, R. E. See Loh, I.-H., 901
Cole, K. C. See Noël, D., 3097
Collette, J. W.
—; Corcoran, P.; Tannenbaum, H. P.; Zimmt, W. S.: Mechanism and Kinetics of the Reaction of Acrylic Polyols with Hexa (Methoxymethyl) Melamine, 4209
Collins, M. J. See Cimecioglu, A. L., 4719
Conner, A. H. See Wood, B. F., 3703
Cooper, W. J.
—; Krasicky, P. D.; Rodriguez, F.: Dissolution Rates of Poly(Methyl Methacrylate) Films in Mixed Solvents, 65
Corcoran, P. See Collette, J. W., 4209
Cortazar, M. See Eguiazabal, J. I., 5945
Costa, G. See Alfonso, G. C., 1373
Couso, D. A. See Frontini, G. L., 1019
Crisafulli, S. T. See Robeson, L. M., 5965
Cruz-Ramos, C. A. See Vazquez-Torres, H., 6095
Czekaj, T.
Cinnamylidene-Amine-Sensitized Photodegradation of Polyethylene, 3299
Członkowska-Kohutnicka, Z. See Daniewska, I., 2401
Dalal, J. C. See Ghosh, P., 189
Dale, B. E. See Bertran, M. S., 4241
Dandge, D. K.
—; Heller, J. P.; Wilson, K. V.: Poly-1-Hexene, Synthesis and Solubility in Dense Carbon Dioxide, 3775
—; Heller, J. P.; Lien, C.; Wilson, K. V.: Kinetics of 1-Hexene Polymerization, 5373
Daneault, C. See Chen, R. L., 4815
Daniewska, I.
—; Dobkowski, Z.; Członkowska-Kohutnicka, Z.: Solvent-Vapor-Induced Crystallization of Branched Polydisperse Polycarbonate, 2401
Danusso, F. See Tanzi, M. C., 1083
Das, P. K. See Datta, R. N., 5849
Das, S.
—; Rodriguez, F.: The Kinetics of Solution Copolymerization of Vinyl Chloroacetate with Vinyl Acetate in a CSTR, 5981
Datta, R. N.
—; Das, P. K.; Basu, D. K.: Studies on the Reactions between Thiocarbamyl Sulfenamide and 2-(Iminodithio)benzothiazole Accelerator System in the Early Stage of Vulcanization of NR, 5849
Davies, D.
—; Horrocks, A. R.: Nitrogen–Phosphorous Antagonism in Flame-Retardant Cotton, 1655

—; Horrocks, A. R.: Erratum to "Nitrogen-Phosphorous Antagonism in Flame-Retardant Cotton", 5691
De, P. P. See Akhtar, S., 4169, 5123
De, S. K. See Akhtar, S., 4169, 5123
—; See Phadke, A. A., 4063
Dean, B. D.
Graft Copolymers from Peroxidized EPDM Rubber, 5619
De Groote, R. A. M. C.
—; Neumann, M. G.; Cerqueira, M.: Determination of Weight-Average Molecular Weights of Polymers in Chromophoric Solvents Using Low-Angle Laser Light Scattering, 6121
De La Vega, J. See Lee, S., 2791
Dellacherie, E. See Lapicque, F., 2851
Densley, R. J. See Garton, A., 3941
Deopura, B. L. See Verma, A., 747
De Rosa, C. See Guerra, G., 5811
De Saja, J. A. See Gonzalez, A., 717
Deshmukh, S. R.
—; Singh, R. P.: Drag Reduction Characteristics of Graft Copolymers of Xanthangum and Polyacrylamide, 6163
Deshpande, D. D. See Pandya, M. V., 4959
Deuskar, V. D. See Roy-Chowdhury, P., 145
De Virgilio, J. See Wagner, C. K., 1797
Dharumaraj, V. See Kishore, K., 2829
Dibona, D. M.
—; Fibiger, R. F.; Gurnee, E. F.; Shuetz, J. E.: Copolymerization Kinetics for 2-Isopropenyl-2-Oxazoline (Methods and Results), 1509
Dickinson, B. L. See Robeson, L. M., 5965
Dobkowski, Z. See Daniewska, I., 2401
Donnet, J. B. See Haidar, B., 385
Doss, N. L. See Nosseir, M. H., 2705
Dougherty, E. P.
The SCOPE Dynamic Model for Emulsion Polymerization I. Theory, 3051
The SCOPE Dynamic Model for Emulsion Polymerization II. Comparison with Experiment and Applications, 3079
Douglas, P. See Petrak, K., 553
—; See Petrak, K., 1093
Drew, J. H. See Challa, R. R., 27
Drews, M. J. See Lawler, T. E., 567
Dubini-Paglia, E.
—; Beltrame, P. L.; Marcandalli, B.; Carniti, P.; Seves, A.; Vicini, L.: Thermal Cis-Trans Isomerization and Photofading of Some Azo Dyes in Poly(ethylene Terephthalate) Matrices: A Kinetic Study, 1251
Ducháček, V.
—; Kuta, A.: Long-Time Sulfenamide-Accelerated Sulfur Vulcanization of Natural Rubber/Chlorobutyl Rubber Compounds, 4849
Duda, J. L. See Vrentas, J. S., 739
Dufka, O. See Kaštánek, A., 723
Dunky, M. See Lederer, K., 4751
Ďurindová, M. See Šimkovic, I., 2433
Dutta, B. See Misra, A., 441
Dweltz, N. E. See Kulshreshtha, A. K., 1413
—; See Rao, M. V. S., 1239, 4439
Dworkin, A. See Lapierre, C., 4561

Earnshaw, R. G.
—; Price, C. A.; O'Donnell, J. H.; Whittaker, A. K.: Determination of Residual Unsaturation in Highly Crosslinked, Dough-moulded Poly(methyl methacrylate) Dental Polymers by Solid-State ^{13}C NMR, 5337
Ebewele, R. O.
—; River, B. H.; Koutsky, J. A.: Wood Processing Variables and Adhesive Joint Performance, 2979
Ebhoaye, J. E. See Okieimen, E. F., 1275, 4971
Ebringerová, A.
—; See Antal, M., 621
—; Antal, M.; Šimkovic, I.; Micko, M. M.: New Aspects in Cationization of Lignocellulose Materials. III. Influence of Delignification on Reactivity and Extractability of TMAHP–Hemicelluloses, 303
Egawa, H.
—; Nonaka, T.: Studies of Selective Adsorption Resin. XXIV. Preparation and Properties of Macroreticular Chelating Resins Containing Both Polyethylenepolyamine Side Chains and Mercapto Groups, 1677
Eguiazabal, J. I.
—; Iruin, J. J.; Cortazar, M.; Guzman, G. M.: Ternary Polymer Mixtures: Polyarylate/Phenoxy/Poly(Butylene Terephthalate), 5945
El-Aasser, M. S. See Tseng, C. M., 5007
Eldin, S. H.
The Adhesive Properties of Hydantoin Vinyl Ether Polymers, 3971
El-Gammal, A. A. See Nagieb, Z. A., 179
El-Hibri, M. J.
—; Paul, D. R.: Gas Transport in Poly(vinylidene Fluoride): Effects of Uniaxial Drawing and Processing Temperature, 2533
—; Paul, D. R.: Effects of Mechanical Drawing on Gas Transport in an Emulsion Acrylic Multipolymer, 2583
Eliçabe, G. E. See Frontini, G. L., 1019
El-Naggar, A. M. K. See Hebeish, A., 249
—; See Hebeish, A., 273, 6237
El Rafie, M. H. See Hebeish, A., 1645, 4453
El Sheltawi, S. T. See Hebeish, A., 197
Endo, T. See Morio, K., 5727
Eng, F. P.
—; Ishida, H.: Fourier Transform Infrared Studies on the Thermal Degradation of Polyvinylimidazoles: Part I, 5021
—; Ishida, H.: Fourier Transform Infrared Studies on the Thermal Degradation of Polyvinylimidazoles. Part II, 5035
Enikolopian, N. S.
—; Fridman, A. A.; Popov, W. L.; Stalnova, I. O.; Brikenstein, A. A.; Rudakov, W. M.; Gherasina, N. P.; Tchalykh, A. E.: Characteristics of Polymerization-Filled Polyethylenes (Norplastics) and Compositions on the Basis of Norplastics, 6107
Errede, L. A.
Polymer Swelling 2: A Restudy of Poly(Styrene-co-Divinylbenzene) Swelling in Terms of the Cross-link Density, 1749
—; Stoesz, J. D.; Sirvio, L. M.: Swelling of Particulate Polymers Enmeshed in Poly(tetrafluoroethylene), 2721

Fakirov, S. See Avramova, N., 1631
—; See Seganov, I., 3371
Fang, S. See Hua, J., 2667
Farzan, M. See Youn Kim, C. S., 3027
Faulkner, D. L.
The Role of Surfactant Structure and Monoethanolamine in the Environmental Stress Cracking of Polycarbonate, 4909
Fayt, R. See Ouhadi, T., 5647
Fedors, R. F. See Cizmecioglu, M., 6177
Fernandes, A. C.
—; Barlow, J. W.; Paul, D. R.: Phase Behavior of Binary Mixtures of Styrene/Acrylonitrile Copolymers and Aliphatic Polyesters, 5357
—; Barlow, J. W.; Paul, D. R.: Blends Containing Polymers of Epichlorohydrin and Ethylene Oxide. II. Polyacrylates, 6073
Fibiger, R. F. See Dibona, D. M., 1509
Figini, R. V. See Chuquilin Terán, C., 3847
Flodin, P. See Zadorecki, P., 1699
Floyd, S.
—; Choi, K. Y.; Taylor, T. W.; Ray, W. H.: Polymerization of Olefins through Heterogeneous Catalysis. III. Polymer Particle Modelling with an Analysis of Intraparticle Heat and Mass Transfer Effects, 2935
Foks, J.
—; Michler, G.: Electron-Microscopical Investigation of the Morphology of Segmented Polyurethanes, 1281

Fornes, R. E. See Netravali, A. N., 1531
Fouassier, J. P.
—; Lougnot, D. J.: Ionic Photoinitiators for Radical Polymerization in Direct Micelles: The Role of the Excited States, 6209
Foun, C. C. See Moroni, A., 3761
Francis, D. J. See George, K. E., 2867
Franzén, B. See Albihn, P., 4837
Fridman, A. A. See Enikolopian, N. S., 6107
Frisch, K. C. See Klempner, D., 4197
Fritzsche, A. K.
Effect of Ionizing Radiation on Styrene/Acrylonitrile Copolymer Hollow Fiber Membranes, 3541
Frontini, G. L.
—; Eliçabe, G. E.; Couso, D. A.; Meira, G. R.: Optimal Periodic Control of a Continuous "Living" Anionic Polymerization. I. Theoretical Study, 1019
Fujisaki, K. See Numata, S., 101
Fujiwara, Y. See Minoura, N., 1935
Fukuda, A.
—; Hasegawa, K.; Horiuchi, H.: Study on the Curing Behavior of Resol. IV. Comparison of the Curing Behavior of Resols Prepared with either Sodium Hydroxide or Barium Hydroxide, 7
Funakoshi, N. See Takeshima, M., 3457
Furuhata, K. See Sabaa, M. W., 1131
Furuta, M.
—; Hikasa, T.; Kato, E.: Changes of Spin–spin Relaxation Time for EPR Composites During Mixing Process, 2661

Galbraith, M. N.
—; Hodgkin, J. H.; Vit, I.: Combustion Products from Polydiallylamine, 733
Galeski, A. See Kowalewski, T., 2919
Gan, L. M.
—; Ong, H. W. K.; Tan, T. L.; Chan, S. O.: Hydrolytic Stability of Single-Package Silicone Sealant, 4109
García-Rejón, A.
—; Rios, L.: Effect of Synthesis Conditions on the Rheological Properties of Styrene Butyl Acrylate Copolymers, 1483
Garg, V. N. See Kulshreshtha, A. K., 1413
Garton, A.
—; McLean, P. D.; Wiebe, W.; Densley, R. J.: Exposure of Cross-linked Epoxy Resins to the Space Environment, 3941
Gent, A. N.
—; Kaang, S.: Pull-Off Forces for Adhesive Tapes, 4689
—; Shimizu, N.: Elasticity, Tear Strength, and Strength of Adhesion of Soft PVC Gels, 5385
George K. E.
—; Joseph, R.; Francis, D. J.: Studies on NBR/PVC Blends, 2867
Germann, G. See Wagner, C. K., 1797
Ghazi, I. M. See Kassim, E. A., 823
Gherasina, N. P. See Enikolopian, N. S., 6107
Ghosh, P.
—; Dalal, J. C.: Graft Copolymerization of Methyl Methacrylate (MMA) on Hydrazine Treated Oxycellulose in Limited Aqueous System, 189
—; Ratan Bandyopadhyay, A.: (Photo) Graft Copolymerization of Methyl Methacrylate (MMA) on Polyamine-Modified Oxycellulose in a Limited Aqueous System, 1499
Gilbert, R. D. See Netravali, A. N., 1531
Gillham, J. K. See Aronhime, M. T., 3589, 6353
Goel, T. C. See Varma, I. K., 3987
Goh, S. H.
—; Siow, K. S.: Miscible Blends of Poly(styrene-co-Acrylonitrile) and Poly(α-Methyl Styrene-co-Acrylonitrile) with Hydroxyl-Containing Polymethacrylates, 3407
Golub, M. A.
—; Lerner, N. R.; Hsu, M. S.: Kinetic Study of Polymerization/Curing of Filament-Wound Composite Epoxy Resin Systems with Aromatic Diamines, 5215
Gonzalez, A.
—; Martin-Gil, J.; De Saja, J. A.; Rodriguez, R.: Thermal Degradation of Stabilized Rigid Poly (vinyl Chloride) Monitored by Microhardness Measurements, 717
Goring, D. A. I. See Mary, M., 957
Gostoli, C. See Sarti, G. C., 3627
Goto, K. See Yamada, K., 5231
Graczyk, T.
Effect of Stirring on Cellulose Graft Copolymerization. VI. Grafting of Methyl Acrylate by Ceric Salt, 1069
Grassi, L. See Tanzi, M. C., 1083
Grens, E. A. See Ilano, A. L., 3649
Grinshpun, V.
—; Rudin, A.: A New Method for Determining Molecular Weight Distributions of Copolymers, 4303
Guerra, G.
—; De Rosa, C.; Petraccone, V.: Manufacturing of Polypropylene Laminates and Related Structural Reorganization in the Crystalline Phase, 5811
Gupta, A. See Cizmecioglu, M., 6177
Gupta, A. K.
—; Purwar, S. N.: Dynamic Mechanical and Impact Properties of PP/SEBS Blend, 535
Gupta, J. P.
—; Sefton, M. V.: Carbon Tetrachloride Absorption in L-O-W-Density Polyethylene Pellets: Mathematical Analysis of Concentration Profiles, 1721
—; Sefton, M. V.: Carbon Tetrachloride Absorption in Low-Density Polyethylene Pellets: Concentration Profiles by Electron Microprobe Analysis, 4313
Gupta, S. K.
Drying Rates of Polyamic Acid Solution Film under (i) Natural Convection and (ii) Induced Draft Drying Conditions, 4541
Modeling of Melamine Formaldehyde Polymerization. II. Development of a Simpler Model, 2805
—; Quesnel, D. J.; Lambropoulos, J.: An Experimental Examination of Fracture Criteria Using Brittle Polystyrene, 5585
Gur, I. S. See Kaur, B., 667, 6127
Gurnee, E. F. See Dibona, D. M., 1509
Guzman, G. M. See Eguiazabal, J. I., 5945

Ha, C. S.
—; Ihm, D. J.; Kim, S. C.: Structure and Properties of Dynamically Cured EPDM/PP Blends, 6281
Habeger, C. C.
—; Wink, W. A.: Ultrasonic Velocity Measurements in the Thickness Direction of Paper, 4503
Haggag, K. See Hebeish, A., 197
Haidar, B.
—; Vidal, A.; Donnet, J. B.: Structural Differences Exhibited by Networks Prepared by Chemical and Photochemical Reactions IV Chemical Relaxation, 385
Hájek, K. See Kaštánek, A., 723
Hakeem, N. A. See Moharram, M. A., 5439
Hall, G. See Wagner, C. K., 1797
Han, C. D.
—; Jhon, M. S.: Correlations of the First Normal Stress Difference with Shear Stress and of the Storage Modulus with Loss Modulus for Homopolymers, 3809
—; Ma, Y.-J.; Chu, S. G.: Rheological Behavior of Partially Hydrolyzed Poly(vinyl Acetate-Co-Ethylene), 5597
Hanhela, P. J.
—; Huang, R. H. E.; Paul, D. B.; Symes, T. E. F.: Water Immersion of Polysulfide Sealants. II. An Interpretation of the Influence of Curing Systems on Water Resistance, 5415
Haque, Y.
—; Ratner, B. D.: Preparation and Properties of Plasma-Deposited Films with Surface Energies Varying Over a Wide Range, 4369

Hara, H.
—; Araki, Y.; Orii, S.: Crosslinking of Amidated Polybutadiene with Resole. I, 3109
—; Araki, Y.; Orii, S.: Cross-linking of Amidated Polybutadiene with Resole. II., 3675
Harran, D.
—; Laudouard, A.: Rheological Study of the Isothermal Reticulation of an Epoxy Resin, 6043
Harrell, E. R. See Nakajima, N., 3749
Harris, F. W. See Havens, S. J., 5957
Harrison, D. J.
—; Yates, W. R.; Johnson, J. F.: Aging of Pressure-Sensitive Adhesives III. Studies of Surface Oxidation with Multidetector Size Exclusion Chromatography, 1393
Haruvy, Y.
—; Rajbenbach, L. A.; Jagur-Grodzinski, J.: Grafting of Acrylamide to Nylon-6 by Electron Beam Preirradiation. IV. Sorption of Water in Nylon Grafted Acrylamide Membranes, 4649
Hase, F. See Senuma, M., 1687
Hasegawa, K. See Fukuda, A., 7
Haudin, J. M. See Navard, P., 5829
Havens, S. J.
—; Harris, F. W.; Hergenrother, P. M.: Polyphenylquinoxalines Containing Alkylenedioxy Groups, 5957
Hayakawa, K.
—; Kawase, K.; Yamakita, H.; Taoda, H.: Depolymerization of Poly(fluoroalkyl methacrylate-co-methyl methacrylate) as Studied with Thermogravimetry, 3565
Hayashi, H.
—; Matsuzawa, S.: Gas Chromatographic Determination of Acid-Catalyzed Transesterified Antioxidant Additive Irganox 1076® in Polypropylene, 1709
Hayashi, S. See Hirai, T., 3919
He, T.
Estimating Cross-sectional Area of a Polymer Chain by Additive Method, 1521
—; Li, B.; Ren, S.: Glass Transition Temperature and Chain Flexibility of 1,2-Polybutadiene, 873
Hebeish, A.
—; El Rafie, M. H.; Khalil, E. M.; Abdel-Hafiz, S. A.: Effect of Degradative Treatments on Cotton Graft Copolymers. Part V. Behavior of Poly(Acrylamide)-Cotton Graft Copolymers Toward Acid Treatments, 1645
—; El-Rafie, M. H.; Khalil, E. M.; Abdel-Hafiz, S. A.: Effect of Degradative Treatments on Cotton Graft Copolymers. Part IV. Hydrolytic Susceptibility of Poly(acrylonitrile)-Cotton Graft Copolymers, 4453
—; Nasr, H. I.; Abdou, L. A.; El Sheltawi, S. T.; Haggag, K.: Effect of Structural Changes of Cotton by Acid Hydrolysis and Crosslinking on Soiling and Soil Release, 197
—; Zahran, A. H.; El-Naggar, A. M. K.; Rabie, A. M.: Moisture Regain and Dyeability of Poly(acrylic Acid)- and Poly(styrene)-Carbamoylethylated Cotton Graft Copolymers Induced by Gamma Radiation, 249
—; Zahran, A. H.; El-Naggar, A. M. K.: Oxidative Susceptibility of Partially Carboxymethylated Cotton to Gamma Radiation, 273
—; Zahran, A. H.; Rabie, A. M.; El-Naggar, A. M. Kh.: Modification of Partially Carboxymethylated Cotton via Crafting with Acrylic Acid and Styrene Using Gamma Radiation, 6237
Hechler, J.-J. See Noël, D., 3097
Helaly, F. H. See Lawandy, S. N., 5279
Heller, J. P. See Dandge, D. K., 3775, 5373
Hellmuth, E. W. See Sharma, A. K., 4553
Henderson, A. M.
—; Rudin, A.: Effects of Die Temperature on Extrudate Swell in Screw Extrusion, 353
Hergenrother, P. M. See Havens, S. J., 5957
Hergenrother, W. L.
Determination of the Molecular Weight Between Cross-links of Elastomeric Stocks by Tensile Retraction Measurements I. SBR Vulcanizates, 3039
Determination of the Molecular Weight Between Cross-links of Elastomeric Stocks by Tensile Retraction Measurements. II. Polyurethanes, 3683
Higuchi, A.
—; Iijima, T.: Membrane Potentials and Permeation of NaCl in Poly(vinyl Alcohol-co-Itaconic Acid) Membranes, 419
—; Iijima, T.: Permeation of Solutes in Water-Swollen Poly(vinyl Alcohol-Co-Itaconic Acid) Membranes, 3229
Hikasa, T. See Furuta, M., 2661
Hill, Jr., C. G. See Wood, B. F., 3703
Hinkley, J. A.
Small Compact Tension Specimens for Polymer Toughness Screening, 5653
—; Holmes, B. S.: Effect of Water on the Strength of Filled Polychloroprene Vulcanizates, 4873
Hirai, T.
—; Okazaki, A.; Hayashi, S.: Effect of Sequence Distribution of Poly(vinyl Alcohol-vinyl Acetate) on the Coloring Reaction with Iodine, 3919
Ho, F. K. W.
—; Hsu, C. C.; Bacon, D. W.: Application of Statistical Experimental Design in Ziegler–Natta Polymerization of Butadiene, 5287
Hodgkin, J. H. See Galbraith, M. N., 733
Hogue, M. See Storey, R. F., 4919
Holmes, B. S. See Hinkley, J. A., 4873
Hopfenberg, H. B. See Yang, D. K., 1619
Horibe, A. See Kondo, S., 4255
Horio, M. See Kaneda, T., 3133, 3151
Horiuchi, H. See Fukuda, A., 7
Hornberger, L. E. See Shih, H. H., 4897
Horrocks, A. R. See Davies, D., 1655, 5691
Hosaka, T. See Kishimoto, Y., 5161
Hou, A. C. See Vrentas, J. S., 739
Hourston, D. J.
—; Huson, M. G.; McCluskey, J. A.: Semi- and Fully Interpenetrating Polymer Networks Based on Polyurethane-Polyacrylate Systems. IX. Properties of an Isomerically Related Interpenetrating Network, 709
—; Huson, M. G.; McCluskey, J. A.: Semi- and Fully Interpenetrating Polymer Networks Based on Polyurethane-Polyacrylate Systems. X. Polyurethane-Poly(ethyl Acrylate) Interpenetrating Polymer Networks, 3881
—; McCluskey, J. A.: Semi- and Fully Interpenetrating Polymer Networks Based on Polyurethane-Polyacrylate Systems. VIII. The Influence of the Degree of Crosslinking of the Second Formed Network on the Morphology and Properties of Polyurethane–Polymethylacrylate Interpenetrating Polymer Networks, 645
Hsiao, S.-H. See Yang, C.-P., 979
Hsieh, T. S. See Lai, J. Y., 4709
Hsieh, Y.-L.
—; Shinawatra, M.; Castillo, M. D.: Postirradiation Polymerization of Vinyl Monomers on Poly(ethylene Terephthalate), 509
—; Shinawatra, M.: Postirradiation Polymerization of Acrylic Acid and Vinyl Pyrrolidinone on Polypropylene, 1515
Hsiue, G.-H.
—; Hsu, B.-K.: Preparation and Characterization of 4-Vinyl Pyridine-Grafted SBS Triblock Copolymer, 4615
—; Huang, W.-K.: Studies on Structural Transformation of the Styrene-Grafted Polyethylene Film and Fabric—Grafting Behavior and Cavity Formation Mechanism, 1119
Hsu, B.-K. See Hsiue, G.-H., 4615
Hsu, C. C. See Ho, F. K. W., 5287
Hsu, J.
—; Choi, K. Y.: Kinetics of Transesterification of Dimethyl Terephthalate With 1,4-Butanediol Catalyzed by Tetrabutyl Titanate, 3117
Hsu, M. S. See Golub, M. A., 5215
Hsueh, T.-C. See Chiu, W.-Y., 4663

Hua, J.
—; Liu, L.; Yin, R.; Fang, S.; Jiang, Y.: A Study of Polyion-Enzyme Complexes: Quaternized Poly(vinyl Dimethylaminobenzal)-Glucose Oxidase-Potassium Poly (acrolein Bissulfate) Complex, 2667
Huang, R. H. E. See Hanhela, P. J., 5415
Huang, W.-K. See Hsiue, G.-H., 1119
Huglin, M. B.
—; Zakaria, M. B.: Swelling Properties of Copolymeric Hydrogels Prepared by Gamma Irradiation, 457
Huigen, Y. See Zhiqiang, S., 3349
Hundiwale, D. G. See Pandya, M. V., 4959
Huson, M. G. See Hourston, D. J., 709, 3881
Hussain, G. F. S. See Nachane, R. P., 1101

Ibiyeye, M. K. See Olayemi, J. Y., 237
Icenogle, R. D.
—; Chatterjee, A. M.: Effect of Nucleating Agents on the Temperature-Dependent Melt Crystallization Kinetics of Poly(1-Butene), 1859
Ichimura, K. See Watanabe, S., 4127
Ichinose, C. See Kunugi, T., 429
Ihara, Y.
Adsorption of Fatty Acid Sodium Salts on Ion Exchange Resins, 5665
Ihm, D. J. See Ha, C. S., 6281
Iijima, T. See Higuchi, A., 419, 3229
Iko, K. See Nakamura, Y., 4865
Ilano, A. L.
—; Williams, M. C.; Grens, E. A.: Degradation of Polymers During Aerosol Formation from Antimisting Polymer Solutions, 3649
Imaizumi, J. See Numata, S., 101
Impallomeni, G.
—; Montaudo, G.; Puglisi, C.; Scamporrino, E.; Vitalini, D.: The Role of Intumescence on the Flammability of Vinyl and Vinylidene Polymers, 1269
Imrich-Schwarz, G. See Lederer, K., 4751
Inagaki, H. See Ito, H., 2491, 3413
Inagaki, N.
—; Oh-ishi, K.; Suzuki, K.: Capacitive Moisture Sensor Devices from Plasma Films, 2473
Inata, H.
—; Matsumura, S.: Chain Extenders for Polyesters. III. Addition-Type Nitrogen-Containing Chain Extenders Reactive with Hydroxyl End Groups of Polyesters, 4581
—; Matsumura, S.: Chain Extenders for Polyester. II. Reactivities of Carboxyl-Addition-Type Chain Extenders; Bis Cyclic-Imino-Ethers, 5193
Inoue, H.
—; Kohama, S.: Photocrosslinking of Chlorinated Polydimethylsiloxanes, 3853
Inoue, M.
—; Lepoutre, P.: Kinetics of Gelatinization of Cornstarch Adhesive, 2779
Irani, C. A.
Lower Critical Solution Temperature Behavior of Ethylene Propylene Copolymers in Multicomponent Solvents, 1879
Iruin, J. J. See Eguiazabal, J. I., 5945
Ishida, H. See Eng, F. P., 5021
—; See Eng, F. P., 5035
Ishigaki, I. See Yoshii, F., 5669
Ishimura, H. See Muroi, S., 5095
Ishizu, A. See Isogai, A., 341
Isogai, A.
—; Ishizu, A.; Nakano, J.: Preparation of Tri-*O*-Alkylcelluloses by the Use of a Nonaqueous Cellulose Solvent and Their Physical Characteristics, 341
Ito, H.
—; Miyamoto, T.; Inagaki, H.; Noishiki, Y.; Iwata, H.; Matsuda, T.: *In Vivo* and *In Vitro* Blood Compatibility of Polyelectrolyte Complexes Formed Between Cellulose Derivatives, 3413
—; Shibata, T.; Miyamoto, T.; Noishiki, Y.; Inagaki, H.: Formation of Polyelectrolyte Complexes between Cellulose Derivatives and Their Blood Compatibility, 2491
Ito, S.
—; Okada, C.; Kamada, K.: Distribution of End Groups and Comonomer of the Acrylonitrile-Vinyl Acetate Copolymer, 4001
—; Plant, O.: On Loci of Acrylonitrile Polymerization with Bisulfite-Persulfate Initiators under the Conditions of Low Water/Monomer Ratio, 849
Itoh, K-I.
—; Tsujita, Y.; Takizawa, A.; Kinoshita, T.: Sorption and Permeation Behavior of Water Vapor and Carbon Dioxide Gas through Ethylene Ionomer Membranes, 3335
Iwata, H. See Ito, H., 3413
Izrailov, L. See Ram, A., 85

Jabarin, S. A.
—; Lofgren, E. A.: Solid State Polymerization of Poly(ethylene Terephthalate): Kinetic and Property Parameters, 5315
Jackson, G. J. See Burkhardt, C. W., 4701
Jaganathan, R. See Chakrabarti, A., 2467
Jagur-Grodzinski, J. See Haruvy, Y., 4649
Jang, B. Z.
—; Zhu, G. H.: Monitoring the Dynamic Mechanical Behavior of Polymers and Composites Using Mechanical Impedance Analysis (MIA), 2627
Jérôme, R. See Ouhadi, T., 5647
Jew, P.
—; Shimizu, J. A.; Svazic, M.; Woodhams, R. T.: Polyethylene-Modified Bitumen for Paving Applications, 2685
Jha, N. K.
—; Bajaj, P.; Misra, A. C.; Maurya, P. L.: Flame Retardation of Polypropylene: Effect of Organoantimony Compounds on the Flammability and Thermal Behavior, 4393
Jhon, M. S. See Han, C. D., 3809
Jiang, Y. See Hua, J., 2667
Jog, J. P. See Nadkarni, V. M., 5817
—; Nadkarni, V. M.: Crystallization Kinetics of Polyaryl Ether Ketones, 3317
Johnson, J. F. See Harrison, D. J., 1393
Joseph, K. T. See Amudeswari, S., 4939
Joseph, M. See Kishore, K., 2829
Joseph, R. See George, K. E., 2867

Kaang, S. See Gent, A. N., 4689
Kaeriyama, K. See Senuma, M., 1687
Kaito, A.
—; Nakayama, K.; Kanetsuna, H.: Roller Drawing of Polyoxymethylene, 3499
Kaji, K.
Distribution of Grafted Poly(acrylic Acid) in Polyethylene Film, 4405
Kalfoglou, N. K.
—; See Kallitsis, J. K., 5261
Effect of Fillers on the Compatibility of Polymer Blends, 5247
Kallitsis, J. K.
—; Kalfoglou, N. K.: Property–Composition Dependence of Isotactic Poly(butene-1)-Chlorinated Polyethylene Blends, 5261
—; Tsolis, A. K.: Synthesis of *N,N'*-Bis [(Dialkoxyphosphinyl)Methyl]-1,4-Benzenediamines and the Corresponding Polymers, 635
Kalyanaraman, A. R.
Orientation Behavior of Ethylene Diamine-Treated Cottons with Stress, 1219
Swelling of Cotton in Ethylene Diamine: Variation of the Spiral Angle and the Angle of Crystallite Dispersion with Stress, 2443
Kamada, K. See Ito, S., 4001
Kamath, V. See Wagner, C. K., 1797
Kambe, H. See Ohmiya, Y., 4735
Kamide, K. See Lai, J.-Y., 4625
Kamiyama, S. See Nakamura, S., 955
Kampouris, E. M. See Andreopoulos, A. G., 1061

Kaneda, T.
—; Katsura, T.; Nakagawa, K.; Makino, H.; Horio, M.: High-Strength–High-Modulus Polyimide Fibers I. One-Step Synthesis of Spinnable Polyimides, 3133
—; Katsura, T.; Nakagawa, K.; Makino, H.; Horio, M.: High-Strength–High-Modulus Polyimide Fibers II. Spinning and Properties of Fibers, 3151
Kanetsuna, H. See Kaito, A., 3499
Kao, K. C. See Kim, S. H., 5543
Karasawa, M. See Suto, S., 1327
Karasz, F. E. See Maeda, Y., 4423
Karino, I. See Kodama, M., 5057, 5345
Kasai, S. See Tsuji, W., 5175
Kassim, E. A.
—; Ghazi, I. M.; Nagieb, Z. A.: Effect of Pretreatment of Cellulosic Wastes on the Production of Cellulase Enzymes by *Trichoderma Reesei*, 823
Kaštánek, A.
—; Hájek, K.; Dufka, O.: Analytical and Physical Investigation of Alkyd Resin in the Course of its Preparation. I. Determination of Composition of Reaction Mixture Using Volatile Monocarboxylic Acid for Alkyd Synthesis, 723
—; Balcr, M.; Bohdanecký, M.; Lešek, F.; Kitzler, J.: Estimation of the Inherent Friction Factor per Main-Chain Friction Unit of Liquid Low-Molecular-Weight Unsaturated Polyesters, 1567
Kataoka, T. See Yoshida, H., 4185
Kato, E. See Furuta, M., 2661
Katsura, T. See Kaneda, T., 3133, 3151
Kaur, B.
—; Gur, I. S.; Bhatnagar, H. L.: Studies on Thermal Degradation of Cellulose and Cellulose Phosphoramides, 667
—; Gur, I. S.; Bhatnagar, H. L.: Erratum to "Studies on Thermal Degradation of Cellulose and Cellulose Phosphoramides", 6127
Kawai, T. See Lai, J.-Y., 4625
Kawasaki, H. See Mitsuishi, K., 4229
Kawase, K. See Hayakawa, K., 3565
Keitz, J. D. See Shah, V. S., 3863
Kennedy, J. P. See Miyabayashi, T., 2523
Keskkula, H. See Pfennig, J.-L. G., 3657
—; Paul, D. R.: Thermal Behavior of Polyethyloxazoline, 941
—; Paul, D. R.: Miscibility of Polyethyloxazoline with Thermoplastic Polymers, 1189
Khalil, E. M. See Hebeish, A., 1645, 4453
Khanna, D. N. See Xu, B., 123
Khouider, A.
—; Vergnaud, J. M.: Effect of Temperature of Motionless Air on the Cure of Vulcanizates after Removal from the Mold, 5301
Kim, K. J.
—; Ko, S. W.: The Evaluation of the Surface Characteristic of the PET Film and Fabric Treated with PEG–Diamine, 6017
Kim, S. C. See Ha, C. S., 6281
Kim, S. H.
—; Xie, H. K.; Kao, K. C.: Dielectric and Optical Properties of Nitrogen-Incorporated Polyethylene Films Fabricated by Plasma Polymerization, 5543
Kim, W-N.
—; Burns, C. M.: Compatibility Studies of Polystyrene–Polybutadiene Blends by Thermal Analysis, 2989
Kim, Y. See Ong, E. S., 367
Kimura, H. See Suzuki, F., 4573
King, W. D. See Bertoniere, N. R., 2769
Kinjo, N. See Numata, S., 101
Kinoshita, T. See Itoh, K-I., 3335
—; See Tsujita, Y., 4295
Kiparissides, C. See Ponnuswamy, S., 3239
Kiplinger, C. L.
—; Persico, D. F.; Lagow, R. J.; Paul, D. R.: Gas Transport in Partially Fluorinated Low-Density Polyethylene, 2617
Kishi, H. See Shiraishi, N., 3189
Kishimoto, Y.
—; Hosaka, T.; Shimotsuma, W.: Thermosensitive Dielectric Properties in Polyamice–Phenol Hybrid Compounds and Their Application to the Temperature-Sensing Wire, 5161
Kishore, K.
—; Joseph, M.; Dharumaraj, V.; Vijayshree, M. N.: The Effect of Some Catalysts on the Curing of Oxiranes with *p*-Phenylenediamine, 2829
Kita, H.
—; Okamoto, K.; Mukai, S.: Dielectric Properties of Polymers Containing Dispersed TCNQ Salts, 1383
Kitzler, J. See Kaštánek, A., 1567
Klempner, D.
—; Wang, C. L.; Ashtiani, M.; Frisch, K. C.: Sound Attenuation of Interpenetrating Polymer Network Foams, 4197
Knaub, P.
—; Camberlin, Y.: New Linear Polyurethaneureas Based on Polyoxytetramethylene, Aliphatic Diisocyanates, and Aromatic Diamines, 5627
Ko, S. W. See Kim, K. J., 6017
Kobayashi, N. See Tsuji, W., 5175
Kobayashi, Y. See Anzai, J.-I., 1199
—; Matsuo, R.: Manufacture and Physical Properties of Alginate Fiber Papers as an Analysis Model of Cellulosic Fiber Papers, 1735
Kodama, M.
—; Karino, I.: Effects of Polar Groups of Polymer Matrix on Reinforcement-Matrix Interaction in Kevlar Fiber-Reinforced Composites, 5057
—; Karino, I.: Polar–Polar Interaction between the Reinforcement and Matrix for Kevlar Fiber-Reinforced Composite: Effect of Using the Blend of Polar Polymers as Matrix, 5345
Kodama, S. See Mitsuishi, K., 4229
Kohama, S. See Inoue, H., 3853
Kokta, B. V. See Chen, R. L., 4815
Kolinský, M. See Ševčík, S., 4977
Kondo, K. See Matsui, K., 4137
Kondo, S.
—; Nakanishi, M.; Yamane, K.; Horibe, A.; Tsuda, K.: Synthesis of Polystyrenes Having 2-Pyridylthio Group and Their Use as Phase Transfer Catalysts for the Reduction of Carbonyl Compounds by Sodium Borohydride, 4255
Königstein, J. See Šimkovic, I., 2433
Koros, W. J. See Yang, D. K., 1619
Korte, F. See Mair, P., 5273
Košík, M. See Spilda, I., 589
Kosinski, L. E.
—; Caruthers, J. M.: The Effect of Particle Concentration on the Rheology of Polydimethylsiloxane Filled with Fumed Silica, 3393
Koszinowski, J.
Diffusion and Solubility of *n*-Alkanes in Polyolefines, 1805
Diffusion and Solubility of Hydroxy Compounds in Polyolefines, 2711
Diffusion and Solubility of *n*-Alkanes in Polyolefines, 4765
Kotliar, A. M. See Murthy, N. S., 2569
Koutsky, J. A. See Ebewele, R. O., 2979
Kowalewski, T.
—; Galeski, A.: Influence of Chalk and its Surface Treatment on Crystallization of Filled Polypropylene, 2919
Koyama, Y. See Kurita, K., 1169
—; Taniguchi, A.: Studies on Chitin X. Homogeneous Cross-linking of Chitosan for Enhanced Cupric Ion Adsorption, 1951
Kozakiewicz, J. See Raszczuk, A., 135
Kozłowski, M. See Pigłowski, J., 627
Krasicky, P. D. See Cooper, W. J., 65
Kratochvil, P. See Procházka, O., 919
Krishna Iyer, K. R. See Nachane, R. P., 1101
Krishnamurti, N.
—; Shirsalkar, M. M.; Sivasamban, M. A.: Surface Coatings Based on Water-Soluble Epoxy Allyl Ether Polymer Systems, 3177

Krishnan, K. See Ninan, K. N., 6033
Kroenke, W. J.
Melaminium Molybdate Smoke and Fire Retarders for Poly(vinyl chloride), 4155
—; Lattimer, R. P.: The Effects of a Synergistic Molybdenum–Copper Smoke Retarder Additive During the Pyrolysis and Combustion of Rigid Poly(vinyl chloride) Compounds, 3737
Kubát, J. See Albihn, P., 4837
Kudo, M. See Suto, S., 1327
Kukacka, L. E. See Sugama, T., 3469
Kulkarni, B. D. See Balaraman, K. S., 885
Kulkarni, K. S. See Agrawal, J. P., 5203
Kulshreshtha, A. K.
—; Garg, V. N.; Sharma, Y. N.; Dweltz, N. E.: Effect of Comonomer Content and Annealing on Morphological Changes in Acrylic Copolymers and Fibers, 1413
Kumar, R. See Rao, M. V. S., 4439
Kumazawa, H. See Sada, E., 5567
Kunugi, T.
—; Ichinose, C.; Suzuki, A.: Preparation of High-Modulus and High-Strength Poly(ethylene Terephthalate) Film by Zone-Annealing Method, 429
Kurita, K.
—; Koyama, Y.; Taniguchi, A.: Studies on Chitin. IX. Crosslinking of Water-Soluble Chitin and Evaluation of the Products as Adsorbents for Cupric Ion, 1169
Kuroda, S. See Suzuki, F., 4573
Kuroki, N. See Yoshida, H., 4185
Kusy, R. P.
—; Whitley, J. Q.: Use of a Sequential Extraction Technique to Determine the MWD of Bulk UHMWPE, 4263
Kuta, A. See Ducháček, V., 4849
Kuwabara, S. See Senuma, M., 1687
Kyu, T.
—; Vadhar, P.: Cocrystallization and Miscibility Studies of Blends of Ultrahigh Molecular Weight Polyethylene with Conventional Polyethylenes, 5575

Lagow, R. J. See Kiplinger, C. L., 2617
Lai, J. Y.
—; Chang, T. C.; Wu, Z. J.; Hsieh, T. S.: Vinyl Monomer Irradiation-Grafted Nylon 4 Membranes, 4709
—; Wei, S. L.: Preparation of Vinylpyridine Irradiation-Grafted Poly(4-Methyl-Pentene-1) Membrane for Oxygen Enrichment, 5763
Lai, J.-Y.
—; Yamada, S.; Kamide, K.; Manabe, S-I.; Kawai, T.: Gas Permeability of Composite Membranes, 4625
Lambropoulos, J. See Gupta, S. K., 5585
Lance-Gomez, E. T.
—; Ward, T. C.: Viscoelastic Character of Poly(ethylene Oxide) in Aqueous Solutions: Effect of Shear Rate, Concentration, Salt, and Anionic Surfactant, 333
Lane, J. W.
—; Seferis, J. C.; Bachmann, M. A.: Dielectric Studies of the Cure of Epoxy Matrix Systems, 1155
Laogun, A. A.
Beta Dielectric Dispersion in Natural Rubber LAtex, 5085
Lapicque, F.
—; Dellacherie, E.: Specific-Enzyme Release of Cellulose-Bound Drugs, Experimental and Theoretical Study, 2851
Lapierre, C.
—; Monties, B.; Vassal-Gonthier, A.; Dworkin, A.: Differential Calorimetric Study of Pine and Poplar Lignins between 300 and 525 K, 4561
Lattimer, R. P. See Kroenke, W. J., 3737
Laudouard, A. See Harran, D., 6043
Lawandy, S. N. See Aziz, A. W., 1585
—; Abd-El-Nour, K. N.: Dielectric Properties and Stress–Strain Measurements of Chloroprene Rubber Based on Different Carbon Black Fillers, 841
—; Abd-El-Zaher, N.: Radiation Resistance and Thermal Stability of Nylon 6, Acrylonitrile Copolymer and Polyester Fabrics, 5713
—; Helaly, F. H.: Diffusion of a Volatile Liquid in Polychloroprene Rubber, 5279
Lawler, T. E.
—; Drews, M. J.; Barker, R. H.: Pyrolysis of Model Compounds of The Flame Retardant Poly(*N*-Dimethylphosphonomethyl Acrylamide), 56[illegible]
Lawrence, W. H. See Reid, J. D., 1771
Lazár, M. See Chodák, I., 5431
Lederer, K.
—; Imrich-Schwarz, G.; Dunky, M.: Simultaneous Calibration of Separation and Axial Dispersion in Size Exclusion Chromatography Coupled with Light Scattering, 4751
Lee, M. C. H. See Trexler, H. E., 3899
Lee, S.
—; De La Vega, J.; Bogue, D. C.: Residual Stresses and Birefringences in Large, Quenched Samples, 2791
Lee, T-W. See Yang, C-P., 3005
Lee, Y.-D.
—; Wang, L.-F.: Properties of Polypropylene Structural Foam Crosslinked by Vinyltrimethoxy Silane, 4639
—; Wang, S.-K.; Chin, W.-K.: Liquid-Rubber-Modified Epoxy Adhesives Cured with Dicyandiamide. I. Preparation and Characterization, 6317
—; Wang, S.-K.; Chin, W.-K.: Liquid-Rubber-Modified Epoxy Adhesives Cured with Dicyandiamide. II.—Morphology and Adhesion Strengths, 6329
Lenka, S. See Patra, S., 5071
Lepoutre, P. See Inoue, M., 2779
Lerner, N. R. See Golub, M. A., 5215
Lešek, F. See Kaštánek, A., 1567
Lesnikovich, A. I.
—; Levchik, S. V.; Levchik, G. F.: Invariant Kinetic Parameters of Polymer Thermolysis. I. Oxidative Degradation of Flame-Retardant Polyesters, 1943
Leung, W. P. See Choy, C. L., 5883
Levchik, G. F. See Lesnikovich, A. I., 1943
Levchik, S. V. See Lesnikovich, A. I., 1943
Lewis, N. G. See Bialski, A. M., 1363
Leyshon, L. L. See Petrak, K., 553, 1093
Li, B. See He, T., 873
Lien, C. See Dandge, D. K., 5373
Lillya, C. P. See Xu, B., 123
Lin, C.-C.
—; Baliga, S.: A Study on the Polycondensation of Bis-Hydroxyethyl Terephthalate, 2483
Lin, K.-F. See Mijovic, J., 3211
Lin, Y. G.
—; Sautereau, H.; Pascault, J. P.: Epoxy Network Structure Effect on Physical Aging Behavior, 4595
Linares, A. See Acosta, J. L., 1869, 4119
Liszyńska, B. See Bukowski, A., 283
Liu, L. See Hua, J., 2667
Lofgren, E. A. See Jabarin, S. A., 5315
Loh, I.-H.
—; Cohen, R. E.; Baddour, R. F.: Plasma Surface Modification of Polymer Powders with Application to Thermal Energy Storage, 901
Lougnot, D. J. See Fouassier, J. P., 6209
Lu, F.-M.
—; Spruiell, J. E.: Influence of Processing Conditions on Structure Development and Mechanical Properties of Poly(butylene Terephthalate) Filament, 1595
Lundberg, R. D.
Solution Studies of Metal Sulfonate Ionomers IV: Effects of Cosolvents, 1843
Luoma, G. A.
—; Rowland, R. D.: Environmental Degradation of an Epoxy Resin Matrix, 5777
Luthe, C. E. See Bialski, A. M., 1363

Ma, Y.-J. See Han, C. D., 5597
Macchi, E. M. See Chuquilin Terán, C., 3847
MacKnight, W. J. See Maeda, Y., 4423
Madhavan, K. P. See Balaraman, K. S., 885
Maeda, Y.
—; Karasz, F. E.; MacKnight, W. J.: Effect of Pressure on Phase Behavior in Polymer Blends of Poly(2,6-Dimethyl-1,4-Phenylene Oxide) and Poly(*o*-Fluorostryrene-co-*p*-Fluorostyrene) Copolymers, 4423
Maegawa, K. See Tsuji, W., 5175
Maekawa, M. See Yoshida, H., 4185
Magoshi, J. See Nakamura, S., 955
Mahapatra, L. M. See Samal, B. B., 2883
Mahato, B. M. See Shit, S. C., 55
Mahgerefteh, H. See Briscoe, B. J., 5523
Mair, P.
—; Bahadir, M.; Korte, F.: Pentachlorophenylcellulose Preparation and Investigation on its Applicability as a Controlled Release Fungicide, 5273
Maiti, M. M. See Shit, S. C., 55
Maiti, S. See Shit, S. C., 55
Maiti, S. N.
—; Singh, K.: Influence of Wood Flour on the Mechanical Properties of Polyethylene, 4285
Makino, H. See Kaneda, T., 3133, 3151
Makuuchi, K. See Yoshii, F., 1343, 5669
Maldas, D. See Bhattacharyya, S. N., 1671
Manabe, S-I. See Lai, J.-Y., 4625
Manjeshwar, L. S. See Aminabhavi, T. M., 3719
Marcandalli, B. See Dubini-Paglia, E., 1251
—; See Bellobono, I. R., 4323
Marogi, A. M. See Al-Malaika, S., 685
Martin-Gil, J. See Gonzalez, A., 717
Martins, C. M. O. A. See Noah, A. O., 5841
Mary, M.
—; Revol, J.-F.; Goring, D. A. I.: Mass Loss of Wood and Its Components During Transmission Electron Microscopy, 957
Mashelkar, R. A. See Balaraman, K. S., 885
—; See Ravindranath, K., 3713
Mathew, J. See Ninan, K. N., 6033
Mathias, L. J. See Moore, D. R., 6299
Matsuda, T. See Ito, H., 3413
Matsui, K.
—; Tobita, E.; Sugimoto, K.; Kondo, K.; Seita, T.; Akimoto, A.: Novel Anion Exchange Membranes Having Fluorocarbon Backbone: Preparation and Stability, 4137
Matsumoto, M. See Sugii, A., 4931
Matsumoto, T. See Nakamura, Y., 4865
—; See Okubo, M., 1075
Matsumura, S. See Inata, H., 4581, 5193
Matsuo, R. See Kobayashi, Y., 1735
Matsuzawa, S. See Hayashi, H., 1709
—; See Tanigami, T., 4491
—; See Yamaura, K., 493, 521, 4343
Mattila-Nurmi, M.-R. See Nousiainen, P., 597
Maurya, P. L. See Jha, N. K., 4393
Mazza, G. D. See Castells, R. C., 5917
McCarthy, K. J. See Burkhardt, C. W., 4701
McCluskey, J. A. See Hourston, D. J., 645, 709, 3881
McHugh, A. J. See Vrahopoulou, E. P., 399
—; See Yilmaz, L., 997
McLean, P. D. See Garton, A., 3941
McMahon, P. E. See Chung, T.-S., 965, 5245
McWhinnie, W. R. See Abed-Ali, S., 4857
Meira, G. R. See Frontini, G. L., 1019
Memory, J. D. See Netravali, A. N., 1531
Michalak, G. See Urbanczyk, G. W., 3841, 4887
Michler, G. See Foks, J., 1281
Micko, M. M. See Antal, M., 621
—; See Ebringerová, A., 303
Mihálov, V. See Šimkovic, I., 2433
Mijovic, J. See Moroni, A., 3761
—; Cure Kinetics of Neat Versus Reinforced Epoxies, 1177
—; Lin, K-F.: Time-Dependent Changes in Morphology of Neat and Reinforced Epoxy Resins Part I. Neat Epoxies, 3211
Mikos, A. G.
—; Takoudis, C. G.; Peppas, N. A.: Reaction Engineering Aspects of Suspension Polymerization, 2647
Minoura, N.
—; Aiba, S.; Fujiwara, Y.: Control of Solute Permeability Based on pH-Induced Reversible Conformational Change in Block Copolypeptide Membrane, 1935
Misra, A.
—; Dutta, B.; Prasad, V. K.: Drawing of Nylon-6 by the Novel Incremental Drawing Process, 441
Misra, A. C. See Jha, N. K., 4393
Misra, B. M. See Ramachandhran, V., 5743
Mitsuishi, K.
—; Kodama, S.; Kawasaki, H.: Effect of the Molecular Weight of Poly(ethylene Glycol), Used for the Surface Treatment of Calcium Carbonate, on the Tensile Modulus of Filled Oriented Polypropylene, 4229
Miuccio, A. See Tanzi, M. C., 1083
Miyabayashi, T.
—; Kennedy, J. P.: Characterization of Polyisobutylene-Based Model Urethane Networks, 2523
Miyamoto, T. See Ito, H., 2491, 3413
Miyanaga, K. See Tsuji, W., 5175
Miyasaka, K. See Tanigami, T., 4491
Miyauchi, S.
—; Togashi, E.; Sorimachi, Y.; Tsubata, I.: The Hall Effect Measurement of the Polymer–Filler Composition, 4299
Mizumachi, H. See Takemura, A., 1351, 3489
Mizutani, I. See Yamaura, K., 521
Mizutani, Y.
—; Nishimura, M.: Preparation of Microporous Membrane-Containing Sulfonic Acid Group, 1147
Mladenova, S. See Nedelcheva, M., 1901
Moet, A. See Napolitano, M. J., 4989
Mohanty, A. K.
—; Singh, B. C.: Vanadium-Cyclohexanone-Initiated Graft Copolymerization of Methyl Methacrylate onto Jute Fibers, 1763
Mohanty, B.
—; Palit, S. K.; Biswas, M.: The Redox Aqueous Polymerization of Acrylonitrile under Pressure, 2969
Mohanty, T. R. See Samal, B. B., 2883
Moharram, M. A.
—; Abou-Sekkena, M. M.; Hakeem, N. A.: Electrical Conductivity of γ-Irradiated Native and Mercerized Cotton Celluloses, 5439
Mondragon, I.
—; Nazabal, J.: Control of Interchange Reactions of Polycarbonate/Polyarylate Blends and Their Influence on Physical Behavior, 6191
Monma, K. See Yamaura, K., 521
Montaudo, G. See Alfonso, G. C., 1373
—; See Impallomeni, G., 1269
Monties, B. See Lapierre, C., 4561
Moore, D. R.
—; Mathias, L. J.: Molecular Composites via *In Situ* Polymerization: Poly(Phenylene Terephthalamide)–Nylon 3, 6299
Morales, E. See Acosta, J. L., 1869, 4119
Morio, K.
—; Murase, H.; Tsuchiya, H.; Endo, T.: Thermoinitiated Cationic Polymerization of Epoxy Resins by Sulfonium Salts, 5727
Morita, H. See Zhang, Y.-C., 6005
Morita, M.
—; Sakata, I.: Chemical Conversion of Wood to Thermoplastic Material, 831
Morita, Z.
—; Saito, T.; Motomura, H.: Reaction and Diffusion of Reactive Disperse Dye in Nylon 6, 3929
—; Tanaka, T.; Motomura, H.: Diffusion/Adsorption Model of Cellulose Dyeing. I. The Diffusion through Never-Dry Cellulose, 777
Moroni, A.
—; Mijovic, J.; Pearce, E. M.; Foun, C. C.: Cure Kinetics of Epoxy Resins and Aromatic Diamines, 3761

Morooka, T.
—; Norimoto, M.; Yamada, T.: Cyanoethylated Cellulose Prepared by Homogeneous Reaction in Paraformaldehyde-DMSO System, 3575
Motomura, H. See Morita, Z., 777, 3929
Moustafa, A. B.
—; Abd El-Hakim, A. A.; Badran, A. S.; Abd El-Ghaffar, M. A.; Sakr, M. A. I. E.: Effect of Modified Calcium Phosphate Surface on the Aqueous Polymerization of Methyl Methacrylate, 1403
Mukai, S. See Kita, H., 1383
Muñoz, M. E.
—; Peña, J. J.; Santamaría, A.: A Comparison of Some Rheological Properties of Concentrated Solutions of Chlorinated Polyethylene and Polyvinyl Chloride in Dioctyl Phthalate, 911
Murali, R. See Achwal, W. B., 3913
Murase, H. See Morio, K., 5727
Muroi, S.
—; Ishimura, H.; Outsuka, M.: Reactivity of Epoxy Resin in Dispersed Dicyandiamide System and Dynamic Viscoelasticity of the Resulting Product, 5095
Murthy, N. S.
—; Kotliar, A. M.; Sibilia, J. P.; Sacks, W.: Structure and Properties of Talc-Filled Polyethylene and Nylon 6 Films, 2569
Myers, M. E.
—; Abu-Isa, I. A.: Elastomer Solvent Interactions III-Effects of Methanol Mixtures on Fluorocarbon Elastomers, 3515

Nachane, R. P.
—; Hussain, G. F. S.; Patel, G. S.; Krishna Iyer, K. R.: Inverse Relaxation in Spun Yarns, 1101
Nadkarni, V. M. See Jog, J. P., 3317
—; See Rajan, C. R., 4479
—; Jog, J. P.: Thermal and Crystallization Behavior of Alloys of Polyphenylene Sulfide and High-Density Polyethylene, 5817
Naé, H. N.
Phase Separation in Rubber-Modified Thermoset Resins: Optical Microscopy and Laser Light Scattering, 15
Nagai, T. See Noguchi, T., 1913
Nagieb, Z. A.
—; See Kassim, E. A., 823
Effect of Temperature on the Soda and Kraft Cooking of Corn Stalks, 1609
—; El-Gammal, A. A.: Grafting of Cellulose–Thiocarbamate with Vinyl Monomers: Antimicrobial Activity, 179
Nakagawa, K. See Kaneda, T., 3133, 3151
Nakajima, N.
—; Yavornitzky, C. M.; Roche, E. J.; Harrell, E. R.: The Glass Transition and Gelation of PVC Resins in Plastisol, 3749
Nakamura, S.
—; Saegusa, Y.; Yamaguchi, Y.; Magoshi, J.; Kamiyama, S.: Physical Properties and Structure of Silk. XI. Glass Transition Temperature of Wild Silk Fibroins, 955
Nakamura, Y.
—; Tabata, H.; Suzuki, H.; Iko, K.; Okubo, M.; Matsumoto, T.: Internal Stress of Epoxy Resin Modified with Acrylic Core-Shell Particles Prepared by Seeded Emulsion Polymerization, 4865
Nakanishi, M. See Kondo, S., 4255
Nakano, J. See Isogai, A., 341
Nakano, M. See Suemitsu, R., 75
Nakao, T. See Tsuji, W., 5175
Nakayama, K. See Kaito, A., 3499
Nango, M. See Yoshida, H., 4185
Napolitano, M. J.
—; Moet, A.: The Effect of Processing Conditions on Structure Evolution in Melt Spun Poly(Ethylene Terephthalate) Fibers, 4989
Narębska, A.
—; Wódzski, R.; Bukowski, Z.: Percolation Transition and Conductivity in Macroscopically Anisotropic Two-Component Polymer Membranes, 1537
Nasr, H. I. See Hebeish, A., 197
Natansohn, A.
Synthesis and Characterization of Some Aromatic Polyphosphonates, 2961
Navard, P.
—; Haudin, J. M.; Quenin, I.; Peguy, A.: Shear Rheology of Diluted Solutions of High Molecular Weight Cellulose, 5829
Nayak, P. L. See Patra, S., 5071
—; Basak, A.: Graft Copolymerization onto Natural Rubber. XV. Graft Copolymerization of Methyl Methacrylate onto Natural Rubber Using a Potassium Permanganate-Ascorbic Acid Redox System, 4271
Nazabal, J. See Mondragon, I., 6191
Nedelcheva, M.
—; Mladenova, S.; Valcheva, E.: Thermodynamics of the Process of Adsorption of Aliphatic Amidpolyamine on Cellulose, 1901
Netravali, A. N.
—; Fornes, R. E.; Gilbert, R. D.; Memory, J. D.: Thermogravimetric Analysis of Water-Epoxy Interaction, 1531
Neumann, M. G. See De Groote, R. A. M. C., 6121
Ng, H. C. See Choy, C. L., 5883
Ng, T. H.
—; Williams, H. L.: Stress–Strain Properties of Linear Aromatic Polyesters in the Nonlinear Viscoelastic Range, 4883
Nguyen, T.
—; Byrd, E.; Tsao, A.: Characterization of Epoxy Coatings on Steel by Reflection/Absorption Fourier Transform Infrared Spectroscopy. I. Effects of Film Thickness and Angle of Incidence, 6339
Ninan, K. N.
—; Krishnan, K.; Mathew, J.: Addition Polyimides. I. Kinetics of Cure Reaction and Thermal Decomposition of Bismaleimides, 6033
Nishimura, M. See Mizutani, Y., 1147
Nishiyama, Y.
—; Sperling, L. H.: Ionomer/
—; Sperling, L. H.: Semi-1 Thermoplastic Interpenetrating Polymer Networks of Physically Crosslinked Poly(*n*-Butyl Acrylate) and Polystyrene, 6227
Noah, A. O.
—; Martins, C. M. O. A.; Braimah, J. A.: The Effect of Electrolytes on Direct Dyes for Cotton, 5841
Noël, D.
—; Cole, K. C.; Hechler, J.-J. Chouliotis, A.; Overbury, K. C.: High-Speed Reverse-Phase Liquid Chromatography with 3 μm Packing for Analysis of Fiber-Reinforced Epoxy Composite Formulations, 3097
Nofal, E. E. See Abu-Zeid, M. E., 2407
Noguchi, T.
—; Nagai, T.; Seto, J.: Melt Viscosity and Electrical Conductivity of Carbon Black-PVC Composite, 1913
Noishiki, Y. See Ito, H., 2491, 3413
Nonaka, T. See Egawa, H., 1677
Norimoto, M. See Morooka, T., 3575
Nosseir, M. H.
—; Doss, N. L.; Toufik, S. Y.: Preparation and Testing of Local Polyester Composites Based on Unsaturated Polyesters as Binder, 2705
Nousiainen, P.
—; Mattila-Nurmi, M.-R.: Flame-Retardant Viscose–Polyester Fabrics, 597
Numata, S.
—; Oohara, S.; Fujisaki, K.; Imaizumi, J.; Kinjo, N.: Thermal Expansion Behavior of Various Aromatic Polyimides, 101

O'Connor, K. M. See Rim, P. B., 4679
O'Donnell, J. H. See Earnshaw, R. G., 5337
Ogawa, N. See Sugii, A., 4931
Ogawa, T. See Burillo, S. G., 3783
Ohigashi, K. See Tsuji, W., 5175

Oh-ishi, K. See Inagaki, N., 2473
Ohmiya, Y.
—; Kambe, H.: Elastic and Tensile Properties of Aromatic Polyamideimide Composite Films with Aromatic Polyamide Fiber Reinforcements Having Various Textures and Fiber Orientations, 4735
Ohsawa, K. See Tanigami, T., 4491
Ohta, S. See Yoshida, H., 4185
Ojeda, M. C. See Acosta, J. L., 1869, 4119
Okada, C. See Ito, S., 4001
Okamoto, K. See Kita, H., 1383
Okay, O.
Heterogeneous Styrene–Divinylbenzene Copolymers. Stability Conditions of the Porous Structures, 5533
—; Balkaş, T. I.: Heterogeneous Styrene–Divinylbenzene Copolymers in Collapsed and Reexpanded States, 1785
Okazaki, A. See Hirai, T., 3919
Okieimen, E. F.
—; Ebhoaye, J. E.: Grafting Acrylonitrile and Acrylic Acid Monomers on Cellulosic Materials, 1275
—; Ebhoaye, J. E.: Adsorption Behavior of Heavy Metal Ions on Cellulose Graft Copolymers, 4971
Okor, R. S.
—; Anderson, W.: Variation in Polymer Film Structure and Thickness-Dependent Permeability, 291
Okubo, M. See Nakamura, Y., 4865
—; Yamaguchi, S.; Matsumoto, T.: Morphology of Composite Polymer Emulsion Particles Consisting of Two Kinds of Polymers Between Which Ionic Bonding Intermolecular Interaction Operates, 1075
Olayemi, J. Y.
—; Ibiyeye, M. K.: Blends of Poly(vinyl Acetate) and Poly(ethyl Methacrylate): Some Mechanical Properties, 237
Omichi, H.
—; Chundury, D.; Stannett, V. T.: Electrical and Other Properties of Mutual Radiation-Induced Methacrylic Acid Grafted Polyethylene Films, 4827
Onari, Y.
Chelating Polymer Bearing Triazolylazophenol Moiety as the Functional Group, 1663
Ong, E. S.
—; Kim, Y.; Williams, H. L.: Dynamic Mechanical Properties of Some Nylons and Their Blends, 367
Ong, H. W. K. See Gan, L. M., 4109
Onozato, K. See Suzuki, F., 4573
Oohara, S. See Numata, S., 101
Oprea, C. V.
—; Popa, M.; Petrovan, S.: On the Mathematical Modeling of Mechanochemical Degradation of Acrylonitrile–α-Methyl Styrene–Vinyl Acetate Terpolymer in Conditions Simulating the Wet-Spinning, 5557
—; Weiner, F.: Mechanochemical Grafting of Some Inorganic Supports, 951
Orii, S. See Hara, H., 3109, 3675
Orzechowski, A. See Raszczuk, A., 135
Osa, T. See Anzai, J.-I., 1199
Osanaiye, G. J.
The Application of Limited Swelling in the Studies of the Cohesive Energy Density of Polyethylene Thin Film, 4465
Otsubo, Y.
—; Amari, T.; Watanabe, K.: Rheological Studies of Ultraviolet Curing with an Oscillating Plate Rheometer, 323
Ouhadi, T.
—; Fayt, R.; Jérôme, R.; Teyssié, Ph.: Molecular Design of Multicomponent Polymer Systems, XI, Emulsifying Effect of Poly(hydrogenated Diene-*b*-Methyl Methacrylate) in Poly(vinylidene Fluoride)/Polyolefins Blends, 5647
Outsuka, M. See Muroi, S., 5095
Overbury, K. C. See Noël, D., 3097
Palit, S. K. See Mohanty, B., 2969
Pandya, M. V.
—; Deshpande, D. D.; Hundiwale, D. G.: Effect of Diisocyanate Structure on Viscoelastic, Thermal, Mechanical and Electrical Properties of Cast Polyurethanes, 4959
Papaspyrides, C. D.
Some Aspects of Plasticizer Migration from Poly(Vinyl Chloride) Sheets, 6025
Paralikar, K. M.
—; Bhatawdekar, S. P.: Electron Diffraction Study of Enzyme-Hydrolyzed Cotton Samples, 6001
Parazak, D. P. See Burkhardt, C. W., 4701
Pascault, J. P. See Lin, Y. G., 4595
—; See Sabra, A., 5147
Pasolini, M. See Alfonso, G. C., 1373
Patel, G. S. See Nachane, R. P., 1101
Patra, S.
—; Lenka, S.; Nayak, P. L.: Synthetic Resins: II: Preparation and Characterization of Resins Prepared from Aminoacetophenone, 5071
Paul, D. B. See Chiou, J. S., 2897
—; See Hanhela, P. J., 5415
Paul, D. R. See Chiou, J. S., 2897, 4793
—; See El-Hibri, M. J., 2533, 2583
—; See Fernandes, A. C., 5357, 6073
—; See Keskkula, H., 941, 1189
—; See Kiplinger, C. L., 2617C., 2483
—; See Pfennig, J.-L. G., 3657
—; See Shah, V. S., 3863
—; See Woo, E. M., 3889
Pearce, E. M. See Moroni, A., 3761
Peguy, A. See Navard, P., 5829
Peña, J. J. See Muñoz, M. E., 911
Pence, S. B.
—; Sporer, A. H.: Topographic Orientation on Buffed Polymeric Substrates: the Mechanism of Wax Buffing, 477
Peng, F. M.
Polybutadiene Hydroperoxide by Singlet Oxygen: Its Grafting and Morphology in Polystyrene Matrix, 1827
Peng, X. See Aronhime, M. T., 3589, 6353
Peppas, N. A. See Barr-Howell, B. D., 39
—; See Mikos, A. G., 2647
Perez, F. See Arroyo, M., 5105
Persico, D. F. See Kiplinger, C. L., 2617
Petraccone, V. See Guerra, G., 5811
Petrak, K.
—; Douglas, P.; Leyshon, L. L.: Photoregulated Sorption of Dyes to Polymers I. The Effect of Polymers on Some Photochemical Properties of Acid Yellow 38, 553
—; Leyshon, L.; Douglas, P.: Photoregulated Sorption Dyes to Polymers. II. Adsorption of Acid Yellow 38 to Hydrophilic Polymers and Its Light-Induced Desorption, 1093
Petrovan, S. See Oprea, C. V., 5557
Petrović, Z. S.
—; Zavargo, Z. Z.: Reliability of Methods for Determination of Kinetic Parameters from Thermogravimetry and DSC Measurements, 4353
Pfennig, J.-L. G.
—; Keskkula, H.; Paul, D. R.: Water Extraction of Polyethyloxazoline from Miscible and Immiscible Polymer Blends, 3657
Phadke, A. A.
—; Bhowmick, A. K.; De, S. K.: Effect of Cryoground Rubber on Properties of NR, 4063
Pigłowski, J.
—; Kozlowski, M.: Adhesive Behavior of the Two Phase System: Polyisobutylene–Sodium Carboxymethylcellulose, 627
Plant, O. See Ito, S., 849
Podkościelny, W.
—; Szubińska, S.: Linear Polythioesters. XI. Products of Polycondensation of Some Isometric Di(mercaptomethyl)Dimethylbenzenes with Isophthaloyl and Terephthaloyl Chlorides, 3277
Ponirides, P. H. See Theocaris, P. S., 6267
Ponnuswamy, S.
—; Shah, S. L.; Kiparissides, C.: On-Line

Monitoring of Polymer Quality in a Batch Polymerization Reactor, 3239
Ponrathnam, S. See Rajan, C. R., 4479
Popa, M. See Oprea, C. V., 5557
Popov, W. L. See Enikolopian, N. S., 6107
Pornaro, F. See Tanzi, M. C., 1083
Prasad, V. K. See Misra, A., 441
Price, C. A. See Earnshaw, R. G., 5337
Procházka, O.
—; Kratochvíl, P.: Analysis of the Accuracy of Determination of Molar Mass Distribution by the GPC with the On-Line Light-Scattering Detector, 919
Prud'homme, R. K. See Richards, W. D., 763
Puglisi, C. See Alfonso, G. C., 1373
—; See Impallomeni, G., 1269
Purwar, S. N. See Gupta, A. K., 535

Qipeng, G. See Zhikuan, C., 6259
Quenin, I. See Navard, P., 5829
Quesnel, D. J. See Gupta, S. K., 5585

Rabie, A. M. See Hebeish, A., 249, 6237
Rajan, C. R.
—; Ponrathnam, S.; Nadkarni, V. M.: Poly(phenylene Sulfide): Polymerization Kinetics and Characterization, 4479
Rajbenbach, L. A. See Haruvy, Y., 4649
Ram, A.
—; Izrailov, L.: Shear Modification of Polyethylene, 85
Ramachandhran, V.
—; Misra, B. M.: Studies on the Radiation Stability of Ion Exchange Membranes, 5743
Ramelow, U.
—; Baysal, B. M.: Copolymer Analysis by UV Spectroscopy, 5865
Ramli Wan Daud
Calendering of Non-Newtonian Fluids, 2457
Ram Mohan Rao, M. V.
—; Yaseen, M.: Determination of Intrinsic Viscosity by Single Specific Viscosity Measurement, 2501
Rånby, B. See Rodehed, C., 3309, 3323
Rao, M. V. S.
—; Dweltz, N. E.: Influence of Molecular Weight on the Ordered State in Poly(ethylene Terephthalate), 1239
—; Kumar, R.; Dweltz, N. E.: Studies on the Structural Dependence of Melting Behavior of Poly(ethylene terephthalate) by Differential Scanning Calorimetry, 4439
Raszczuk, A.
—; Kozakiewicz, J.; Orzechowski, A.: Viscoelastic Properties of Elastic Polyurethaneureas in the Curing Process, 135
Ratan Bandyopadhyay, A. See Ghosh, P., 1499
Ratner, B. D. See Haque, Y., 4369
Ravindranath, K.
—; Mashelkar, R. A.: Effect of Reversible and Interchange Reactions on MWD of Condensation Polymers in a CSTR, 3713
Ray, A. R. See Samal, B. B., 2883
Ray, W. H. See Floyd, S., 2935
Reagan, B. M. See Bresee, R. R., 2839
Rebenfeld, L. See Avny, Y., 4009
Reddy, C. R. See Amudeswari, S., 4939
Reid, J. D.
—; Lawrence, W. H.; Buck, R. P.: Dielectric Properties of an Epoxy Resin and Its Composite I. Moisture Effects on Dipole Relaxation, 1771
Ren, S. See He, T., 873
Revol, J.-F. See Mary, M., 957
Riccardi, C. C.
—; Williams, R. J. J.: A Kinetic Scheme for an Amine-Epoxy Reaction with Simultaneous Etherification, 3445
Riccioli, G. See Sarti, G. C., 3627
Richards, W. D.
—; Prud'homme, R. K.: The Viscosity of Concentrated Polymer Solutions Containing Low Molecular Weight Solvents, 763
Riegel, B. See Wagner, C. K., 1797
Rigdahl, M. See Albihn, P., 4837
Rim, P. B.
—; O'Connor, K. M.: Kinetics of Hydrolysis of Poly(α-olefin-co-maleic anhydride), 4679
Rios, L. See García-Rejón, A., 1483
River, B. H. See Ebewele, R. O., 2979
Robeson, L. M.
—; Dickinson, B. L.; Crisafulli, S. T.: Microcavity Formation in Poly(Ester–carbonate) Exposed to Hot, Humid Environments, 5965
Roche, E. J. See Nakajima, N., 3749
Rodehed, C.
—; Rånby, B.:Characterization of Sorbed Water in Saponified Start–g-Polyacrylonitrile with Differential Scanning Calorimetry, 3309
—; Rånby, B.: Structure and Molecular Properties of Saponified Starch–Graft-Polyacrylonitrile, 3323
Rodriguez, E. L.
Thermal Effects in Polytetrafluoroethylene at High Hydrostatic Pressures, 4049
Rodriguez, F. See Cooper, W. J., 65
—; See Das, S., 5981
Rodriguez, R. See Gonzalez, A., 717
Rowland, R. D. See Luoma, G. A., 5777
Rowland, S. P. See Bertoniere, N. R., 2769
Roy-Chowdhury, P.
—; Deuskar, V. D.: Rheological Properties of Concentrated Polymer Solution: Polybutadiene in Good and θ Solvents, 145
Rudakov, W. M. See Enikolopian, N. S., 6107
Rudin, A. See Grinshpun, V., 4303
—; See Henderson, A. M., 353
—; See Schertzer, R., 809
Russo, S. See Alfonso, G. C., 1373
Rutkowska, M.
Polyester Polyurethane Ionomers, 1469
—; See Zieliński, R., 1111

Sabaa, M. W.
—; Watamoto, H.; Sakamoto, M.; Furuhata, K.: Effect of the Chemical Modification of Cotton Fabric with Propane Sultone and through Grafting with Acrylonitrile on the Dyeability with Basic Dyes, 1131
Sabra, A.
—; Pascault, J. P.; Seytre, G.: Epoxy Thermosetting Systems Based on Cycloaliphatic Diamines, 5147
Sacher, E. See Chauvin, C., 583
Sacks, W. See Murthy, N. S., 2569
Sada, E.
—; Kumazawa, H.: Diffusion of an Acid Dye in Nylon—in Relation to Sorption and Diffusion of a Gas in Glassy Polymers, 5567
Saegusa, Y. See Nakamura, S., 955
Sağlam, M.
Qualitative and Quantitative Analysis of Methyl Acrylate or Methyl Methacrylate of Acrylonitrile Fibers by Pyrolysis Gas Chromatography, 5719
Sahoo, P. K.
—; Samantaray, H. S.; Samal, R. K.: Graft Copolymerization with New Class of Acidic Peroxo Salts as Initiators. I. Grafting of Acrylamide onto Cotton–Cellulose Using Potassium Monopersulfate, Catalyzed by Co(II), 5693
Saini, A. K. See Brar, A. S., 4607
Saito, T. See Morita, Z., 3929
Sakamoto, M. See Sabaa, M. W., 1131
Sakata, I. See Morita, M., 831
Sakr, M. A. I. E. See Moustafa, A. B., 1403
Samal, B. B.
—; Mahapatra, L. M.; Mohanty, T. R.; Ray, A. R.: Studies on Fiber Properties of Sodium Hydroxide-Treated and Grafted Murga Fibers —Microscopical Study, 2883
Samal, R. K. See Sahoo, P. K., 5693
Samantaray, H. S. See Sahoo, P. K., 5693

Santamaría, A. See Muñoz, M. E., 911
—; White, J. L.: Rheological Properties, Shrinkage and Melt Spinning Instability of Blends of Linear Polyolefins with Low Density Polyethylene, 209
Sapieha, S.
—; Caron, M.; Schreiber, H. P.: Kinetics and Equilibria of Water Sorption in LLDPE–Cellulose Composites, 5661
Sarti, G. C.
—; Gostoli, C.; Riccioli, G.; Carbonell, R. G.: Transport of Swelling Penetrants in Glassy Polymers: Influence of Convection, 3627
Sasaki, T. See Yoshii, F., 1343
Sautereau, H. See Lin, Y. G., 4595
Saxena, S. See Varma, I. K., 3987
Scamporrino, E. See Impallomeni, G., 1269
Schertzer, R.
—; Rudin, A.; Schreiber, H. P.: Shear and Thermal History Effects in Polypropylene Melts, 809
Schreiber, H. P. See Sapieha, S., 5661
—; See Schertzer, R., 809
Schultz, J. M. See Avramova, N., 1631
—; See Seganov, I., 3371
Scott, G. See Abed-Ali, S., 4857
—; See Adeniyi, J. B., 6063
—; See Al-Malaika, S., 685
Seferis, J. C. See Lane, J. W., 1155
Sefton, M. V. See Gupta, J. P., 1721, 4313
Seganov, I.
—; Schultz, J. M.; Fakirov, S.: Effect of Diethylene Glycol Content and Annealing Temperature on the Structure and Properties of Poly(ethylene Terephthalate), 3371
Seita, T. See Matsui, K., 4137
Selli, E. See Bellobono, I. R., 4323
Sengupta, A. K. See Verma, A., 747
Senuma, M.
—; Kuwabara, S.; Kaeriyama, K.; Hase, F.; Shimura, Y.: Polymer Complex from Coplolymers of Acrylonitrile and Ionic Vinyl Benzyl Compounds, 1687
Seppälä, J. V.
Copolymers of Ethylene with Butene-1 And Long Chain α-Olefins. II. Dodecene-1 as Long Chain α-Olefin, 657
Copolymers of Ethylene with Butene-1 and Long Chain α-Olefins, III. Hexadecene-1 As Long Chain α-Olefin, 699
Seto, J. See Noguchi, T., 1913
Ševčík, Š.
—; Kolinský, M.: Determination of the Density Distribution of Suspension Poly(vinyl Chloride) by the Density Titration Method, 4977
Seves, A. See Dubini-Paglia, E., 1251
Seytre, G. See Sabra, A., 5147
Shah, S. L. See Ponnuswamy, S., 3239
Shah, V. S.
—; Keitz, J. D.; Paul, D. R.; Barlow, J. W.: Miscible Ternary Blends Containing Polycarbonate, SAN, and Aliphatic Polyesters, 3863
Shalash, R. J. A.
—; Al-Jarrah, M. M. F.: Effect of Thermal Aging on the Mechanical and Optical Properties of a Polyester Resin, 4473
Sharma, A. K.
—; Hellmuth, E. W.: Molecular Intermediates in Glow Discharge Polymerization, 4553
Sharma, Y. N. See Kulshreshtha, A. K., 1413
Sheth, G. N.
Studies in Interaction between Polyvinyl Pyrrolidone and Stilbene Fluorescent Compounds. Part I: Interaction with Individual Compounds, 1227
Studies in Interaction Between Polyvinyl Pyrrolidone and Stilbene Fluorescent Compounds II. Interaction with Mixture of Compounds, 4333
Sheu, Y. G. See Chen, M. L., 4383
Shibata, T. See Ito, H., 2491
Shibayama, K. See Tsujita, Y., 4295
Shih, H. H.
—; Hornberger, L. E.; Siemens, R. L.; Zachariades, A. E.: The Reversible Plasticization of the Aromatic Copolyester of Poly(ethylene Terephthalate) And 60 Mol % *p*-Acetoxybenzoic Acid with 1,1,1,3,3,3-Hexafluoro-2-Propanol, 4897
Shimizu, J. A. See Jew, P., 2685
Shimizu, N. See Gent, A. N., 5385
Shimotsuma, W. See Kishimoto, Y., 5161
Shimura, Y. See Senuma, M., 1687
Shinawatra, M. See Hsieh, Y.-L., 509, 1515
Shiozawa, K. See Takemura, A., 1351
Shiraishi, N.
—; Kishi, H.: Wood–Phenol Adhesives Prepared from Carboxymethylated Wood. I, 3189
Shirsalkar, M. M. See Krishnamurti, N., 3177
Shit, S. C.
—; Mahato, B. M.; Maiti, M. M.; Maiti, S.: New Block Copolymers II. Synthesis and Characterization of an ABA-Type Block Copolymer, 55
Shuetz, J. E. See Dibona, D. M., 1509
Shukri, S. See Tsuji, W., 5175
Sibilia, J. P. See Murthy, N. S., 2569
Sideridou-Karayannidou, I.
Poly(*p*-Benzoquinono)Diimidazoles from Two-Ring Aromatic Dicarboxylic Acids, 4145
Siemens, R. L. See Shih, H. H., 4897
Simkovic, I. See Antal, M., 621
—; See Ebringerová, A., 303
—; Ďurindová, M.; Mihálov, V.; Königstein, J.; Ambrovič, P.: Thermal Degradation of Cellulose Model Compounds in Inert Atmosphere, 2433
Singh, B. C. See Mohanty, A. K., 1763
Singh, K. See Maiti, S. N., 4285
Singh, R. P. See Deshmukh, S. R., 6163
Singh, V. B.
—; Barrie, J. A.; Walsh, D. J.: Sorption of Water in Polyethersulfone/Poly(ethylene Oxide) Blends, 295
Siow, K. S. See Goh, S. H., 3407
Sirvio, L. M. See Errede, L. A., 2721
Sivasamban, M. A. See Krishnamurti, N., 3177
Small, R. D. See Aronhime, M. T., 3589, 6353
Smith, C. H. See Smith, R. E., 929
Smith, R. E.
—; Smith, C. H.: Epoxy Resin Cure III: Boron Trifluoride Catalysts, 929
Smith, T. G. See Casur, E., 1425, 1441
Sorimachi, Y. See Miyauchi, S., 4299
Špaček, P.
Chromatographic Separation of Micelle-Forming Three-Block Copolymers: Effect of the Finite Rate of Micelle Formation on the Chromatographic Result, 4281
Spencer, H. G. See Yavorsky, J. A., 501
Sperling, L. H. See Nishiyama, Y., 5903, 6227
Spilda, I.
—; Košík, M.; Blažej, A.: The Mass Burning Rate of Flame-Retarded Polypropylene in an Oxygen-Enriched Atmosphere, 589
Sporer, A. H. See Pence, S. B., 477
Spruiell, J. E. See Lu, F.-M., 1595
Squires, T. G. See Barr-Howell, B. D., 39
Srdanović, J. See Bogdanović, V., 1143
St. Clair, A. K. See Stoakley, D. M., 225
—; Sykes, G. F., 3725
Stacy, C. J.
Molecular Weight Distribution of Polyphenylene Sulfide by High Temperature Gel Permeation Chromatography, 3959
Stahel, E. P. See Challa, R. R., 27
—; See Vitta, S. B., 5799
Stalnova, I. O. See Enikolopian, N. S., 6107
Stanford, J. L. See Cawse, J. L., 1549
Stannett, V. See Challa, R. R., 27
Stannett, V. T. See Yang, D. K., 1619
—; See Omichi, H., 4827
—; See Vitta, S. B., 5799
Stenberg, B.
—; Björk, F.: Efficiency of Antioxidants in Thick-Walled Natural Rubber Samples Evaluated by Differential Scanning Calorimetry and Compression Stress–Relaxation, 487

Still, R. H. See Cawse, J. L., 1549
Stoakley, D. M.
—; St. Clair, A. K.: The Effect of Cobalt Complex Addition on the Cure and Properties of an Epoxy Matrix Resin, 225
Stoesz, J. D. See Errede, L. A., 2721
Storey, R. F.
—; Sudhakar, D.; Hogue, M.: Tertiary Aromatic Amines As Cure Reaction Promters For Unsaturated Polyester Resins. II. Low Temperature Studies, 4919
Suda, Y. See Watanabe, S., 4127
Sudhakar, D. See Storey, R. F., 4919
Suemitsu, R.
—; Uenishi, R.; Akashi, I.; Nakano, M.: The Use of Dyestuff-treated Rice Hulls for Removal of Heavy Metals from Waste Water, 75
Sugama, T.
—; Kukacka, L. E.; Carciello, N.; Warren, J. B.: Factors Affecting Improvement in the Flexural Modulus of Polyacrylic Acid-Modified Crystalline Films, 3469
Sugii, A.
—; Ogawa, N.; Matsumoto, M.: Preparation of New Hydrophilic Poly-vinylpyridine Beads and Their Application to Immobilization of Urease, 4931
Sugimoto, K. See Matsui, K., 4137
Sullivan, E. See Belton, D. J., 1309
Suto, S.
—; Kudo, M.; Karasawa, M.: Static Tensile and Dynamic Mechanical Properties of Hydroxypropylcellulose Films Prepared under Various Conditions, 1327
Suzuki, A. See Kunugi, T., 429
Suzuki, F.
—; Kimura, H.; Onozato, K.; Kuroda, S.: Preparation of *N*-Methoxymethylated Nylon-3 and Application of Its Membrane to Pervaporation of Water/Alcohol Mixture, 4573
Suzuki, H. See Nakamura, Y., 4865
Suzuki, K. See Inagaki, N., 2473
Svazic, M. See Jew, P., 2685
Sykes, G. F.
—; St. Clair, A. K.: The Effect of Molecular Structure on the Gas Transmission Rates of Aromatic Polyimides, 3725
Symes, T. E. F. See Hanhela, P. J., 5415
Szewczyk, P.
A Polydispersity Corrected Limiting Viscosity Number-Molecular Weight Relationship for Polypropylene Oxide Benzene Solutions, 1151
Szőcs, F.
ESR Spectrum of the γ-Irradiated Copolymer of Methyl Methacrylate and Ethylene Dimethacrylate, 5673
Szubińska, S. See Podkościelny, W., 3277

Tabata, H. See Nakamura, Y., 4865
Tada, M. See Yamaura, K., 493
Takayanagi, M. See Yamada, K., 5231
Takemura, A.
—; Shiozawa, K.; Tomita, B.-I.; Mizumachi, H.: Dynamic Mechanical Properties and Adhesive Strengths of Epoxy Resins Modified with Liquid Rubber. II. Modification with CTBN, 1351
—; Tomita, B-I.; Mizumachi, H.: Synthesis of IPN-Related Materials from Solution of Polyacrylates, 3489
Takeshima, M.
—; Funakoshi, N.: Molecular Orientation Distribution in Injection-Molded Polycarbonate Discs, 3457
Takizawa, A. See Itoh, K-I., 3335
—; See Tsujita, Y., 4295
Takoudis, C. G. See Mikos, A. G., 2647
Tamura, N. See Yoshii, F., 1343
Tan, T. L. See Gan, L. M., 4109
Tanaka, M. See Cha, Y., 861
Tanaka, T. See Morita, Z., 777
Tanigami, T.
—; Yamaura, K.; Matsuzawa, S.; Ohsawa, K.; Miyasaka, K.: Crazelike Features in Deformation of Hard Elastic Poly(4-Methyl-1-Pentene) Film, 4491
Tanigami, T. See Yamaura, K., 493, 521, 4343
Taniguchi, A. See Kurita, K., 1169
—; See Koyama, Y., 1951
Tannenbaum, H. P. See Collette, J. W., 4209
Tanzi, M. C.
—; Pornaro, F.; Miuccio, A.; Grassi, L.; Danusso, F.: N-Phenyl Piprazine-Polyester Derivative as Curing Activator of Unsaturated Resins, 1083
Taoda, H. See Hayakawa, K., 3565
Tashiro, T.
Erratum to "Removal of Polyethylene Glycol Mono-*p*-Nonylphenyl Ether and Dodecylbenzenesulfonate by Chloromethylated Polystyrene–Polyethylenepolyamines and –Polyethyleneimines", 6129
Removal of Polyethylene Glycol Mono-*p*-Nonylphenyl Ether and Dodecylbenzenesulfonate by Chloromethylated Polystyrene–Polyethylenepolyamines and –Polyethyleneimines, 791
Removal of Polyethylene Glycol Mono-*p*-Nonylphenyl Ether and Dodecylbenzenesulfonate by Chloromethylated Polystyrene–Polyethylenepolyamines and –Polyethyleneimines, 3791
Taverdet, J. L.
—; Vergnaud, J. M.: Modelization of Matter Transfers Between Plasticized PVC and Liquids in Case of a Maximum for Liquid-Time Curves, 111
Taylor, T. W. See Floyd, S., 2935
Tchalykh, A. E. See Enikolopian, N. S., 6107
Teshirogi, T.
Active Ester of Carboxymethyl Cellulose, 5657
Tesoro, G. C. See Wu, Y., 1041
Teyssié, Ph. See Ouhadi, T., 5647
Theocaris, P. S.
Authors' Reply to the Remarks made by Dr. S. Paipetis Concerning Their Paper Entitled: Glass Transition Behavior of Particle Composites Modelled on the Concept of Interphase [*J. Appl. Polym. Sci.*, 27(8), 3019–3025 (1982)], 2845
—; Ponirides, P. H.: Adhesion Quality and Extent of Mesophase in Particulates along the Whole Viscoelastic Spectrum, 6267
Theotokoglou, E. E.
—; Tsamasphyros, G.: Plastic Zones in Glassy Polymers around Cracks Approaching a Bimaterial Interface under Small-Scale Yielding, 163
Tiangui, W. See Zhikuan, C., 6259
Tobita, E. See Matsui, K., 4137
Togashi, E. See Miyauchi, S., 4299
Tomita, B.-I. See Takemura, A., 1351, 3489
Tong, H-M.
—; Appleby-Hougham, G.: Prediction of Thermoset Viscosity Using a Thermomechanical Analyzer, 2509
Toufik, S. Y. See Nosseir, M. H., 2705
Trask, B. J.
—; Beninate, J. V.: Thermal Analyses of Flame-Retardant Twills Containing Cotton, Polyester and Wool, 4945
Trexler, H. E.
—; Lee, M. C. H.: Effect of Types of Carbon Black and Cure Conditions on Dynamic Mechanical Properties of Elastomers, 3899
Tripathi, A. See Varma, I. K., 3987
Tsamasphyros, G. See Theotokoglou, E. E., 163
Tsao, A. See Byrd, E., 6339
Tseng, C. M.
—; El-Aasser, M. S.; Vanderhoff, J. W.: Optimization of Polymer-Solvent Interaction in a Multisolvent System by the UNIFAC Group-Contribution Method, 5007
Tsolis, A. K. See Kallitsis, J. K., 635
Tsubata, I. See Miyauchi, S., 4299

Tsuchiya, H. See Morio, K., 5727
Tsuda, K. See Kondo, S., 4255
Tsuji, W.
—; Nakao, T.; Ohigashi, K.; Maegawa, K.; Kobayashi, N.; Shukri, S.; Kasai, S.; Miyanaga, K.: Chemical Modification of Cotton Fiber by Alkali-Swelling and Substituion Reactions—Acetylation, Cyanoethylation, Benzoylation, and Oleoyation, 5175
Tsujita, Y. See Itoh, K-I., 3335
—; Shibayama, K.; Takizawa, A.; Kinoshita, T.; Uematsu, I.: Viscoelastic Behaviors of Ethylene Ionomer Treated by Nitric Acid, 4295
Tsunooka, M. See Cha, Y., 861

Uchida, M. See Yamada, K., 5231
Uematsu, I. See Tsujita, Y., 4295
Uenishi, R. See Suemitsu, R., 75
Ueno, A. See Anzai, J.-I., 1199
Uno, T. See Agari, Y., 5705
Urbanczyk, G. W.
—; Michalak, G.: The Influence of Annealing on the Thermal Properties of Poly(ethylene Terephthalate) Fibers I. The Heat Capacity of Annealed PET Fibers, 3841
—; Michalak, G.: The Influence of Annealing on the Thermal Properties of Poly(ethylene Terephthalate) Fibers II. The Thermal Volume Expansivity of Annealed Pet Fibers, 4787

Vadhar, P. See Kyu, T., 5575
Valade, J. L. See Chen, R. L., 4815
Valcheva, E. See Nedelcheva, M., 1901
Vanderhoff, J. W. See Tseng, C. M., 5007
Varma, D. S. See Varma, I. K., 3987
Varma, I. K.
—; Saxena, S.; Tripathi, A.; Goel, T. C.; Varma, D. S.: Effect of Metal Halides on Thermal, Mechanical, and Electrical Properties of Polypyromellitimide Films, 3987
Vassal-Gonthier, A. See Lapierre, C., 4561
Vazquez-Torres, H.
—; Cruz-Ramos, C. A.: Compatibility Studies on Blends of Poly(ethylene Ortho-phthalate) and Poly(vinyl Acetate), 6095
Venkatraman, S. See Chan, C.-M., 5933
Vergnaud, J. M. See Khouider, A., 5301
—; See Taverdet, J. L., 111
Verma, A.
—; Deopura, B. L.; Sengupta, A. K.: A Study on Blends of Nylon-6 and Nylon-66, 747
Verma, S. K.
—; Bisarya, S. C.: Improvement in Properties of Poly(vinyl acetate): Emulsion with Dibasic Acids, 2675
Vicini, L. See Dubini-Paglia, E., 1251
Vidal, A. See Haidar, B., 385
Vigo, J. P. See Arroyo, M., 5105
Vijayshree, M. N. See Kishore, K., 2829
Vit, I. See Galbraith, M. N., 733
Vitalini, D. See Impallomeni, G., 1269
Vitta, S. B.
—; Stahel, E. P.; Stannett, V. T.: The Preparation and Properties of Acrylic and Methacrylic Acid Grafted Cellulose Prepared by Ceric Ion Initiation. II. Water Retention Properties, 5799
Vrahopoulou, E. P.
—; McHugh, A. J.: Thermodynamics of Flow-Induced Phase Separation in Polymers. II. The Effect of Molecular Weight Distribution, 399
Vrentas, J. S.
—; Duda, J. L.; Hou, A. C.: Segmentwise Diffusion in Molten Polystyrene, 739

Wagner, C. K.
—; Hall, G.; Riegel, B.; De Virgilio, J.; Kamath, V.; Germann, G.: Cross-linked Polystyrene-Dithiocarbamate Polymers: Use in Heavy Metal Removal, 1797
Wakelyn, N. T.
Estimation of Crystallinity in a Model Thermoplastic Composite, 1525
—; Erratum to "Estimation of Crystallinity in a Model Thermoplastic Composite", 6125
Walsh, A. R.
—; Campbell, A. G.: Rapid Determination of the MW of a PF Resin by HPSEC Using a Bondagel Column, 4291
Walsh, D. J. See Singh, V. B., 295
Wang, C. L. See Klempner, D., 4197
Wang, L.-F. See Lee, Y.-D., 4639
Wang, S.-K. See Lee, Y.-D., 6317, 6329
Ward, T. C. See Lance-Gomez, E. T., 333
Warren, J. B. See Sugama, T., 3469
Wasan, D. T. See Borwankar, R. P., 5749
Watamoto, H. See Sabaa, M. W., 1131
Watanabe, K.
—; Amari, T.: Rheological Properties of Coatings During Drying Processes, 3435
—; See Otsubo, Y., 323
Watanabe, S.
—; Ichimura, K.; Suda, Y.: Preparation and Reactions of Polymers Having 1-Aroyl-2-(3-pyridyl)ethylenes as Photosensitive Groups, 4127
Wei, S. L. See Lai, J. Y., 5763
Weiner, F. See Oprea, C. V., 951
Weyer, L. G.
Utilizing Zero Crossover Points in the Near Infrared Reflectance Analysis of Industrial Polymers, 2417
White, J. L. See Santamaria, A., 209
Whitley, J. Q. See Kusy, R. P., 4263
Whittaker, A. K. See Earnshaw, R. G., 5337
Wiebe, W. See Garton, A., 3941
Williams, H. L. See Bradley, W. V., 2889
—; See Ng, T. H., 4883
—; See Ong, E. S., 367
—; See Yeung, M. W.-Y., 3695
Williams, M. C. See Ilano, A. L., 3649
Williams, R. J. J. See Riccardi, C. C., 3445
Williams, T. R.
Preparation and Morphology of a Silicone-Acrylate Copolymer System, 1293
Wilson, K. V. See Dandge, D. K., 3775, 5373
Wilson, L. R. See Buchholz, F. L., 5399
Wink, W. A. See Habeger, C. C., 4503
Wódzski, R. See Narębska, A., 1537
Woo, E. M.
—; Barlow, J. W.; Paul, D. R.: Phase Behavior of Blends of Aliphatic Polyesters with a Vinylidene Chloride/Vinyl Chloride Copolymer, 3889
Wood, B. F.
—; Conner, A. H.; Hill, Jr., C. G.: The Effect of Precipitation on the Molecular Weight Distribution of Cellulose Tricarbanilate, 3703
Woodhams, R. T. See Jew, P., 2685
Wu, M-S. S.
Intrinsic Birefringence of Amorphous Poly(Bisphenol-A Carbonate), 3263
Wu, Y.
—; Tesoro, G. C.: Chemical Modification of Kevlar Fiber Surfaces and of Model Diamides, 1041
Wu, Z. J. See Lai, J. Y., 4709

Xie, H. K. See Kim, S. H., 5543
Xu, B.
—; Khanna, D. N.; Lillya, C. P.; Chien, J. C. W.: Structure-Property Relationships in Thermoplastic Elastomers III. Segmented Polyacetal-Polyurethanes, 123

Yamada, K.
—; Uchida, M.; Takayanagi, M.; Goto, K.: Preparation of Poly(*p*-Phenylene Terephthalamide)/Poly(vinyl Chloride) Molecular Composite and Its Thermal and Mechanical Properties, 5231
Yamada, S. See Lai, J.-Y., 4625

Yamada, T. See Morooka, T., 3575
Yamaguchi, S. See Okubo, M., 1075
Yamaguchi, Y. See Nakamura, S., 955
Yamakita, H. See Hayakawa, K., 3565
Yamane, K. See Kondo, S., 4255
Yamaoka, T. See Zhang, Y.-C., 6005
Yamaura, K.
—; See Tanigami, T., 4491
—; Mizutani, I.; Monma, K.; Tanigami, T.; Matsuzawa, S.: Fiber of Poly(vinyl Alcohol) Derived from Vinyl Trifluoroacetate. III. Production and Properties of Fibers, 521
—; Tada, M.; Tanigami, T.; Matsuzawa, S.: Mechanical Properties of Films of Poly(vinyl Alcohol) Derived from Vinyl Trifluoroacetate, 493
—; Tanigami, T.; Matsuzawa, S.: Properties of Syndiotacticity-Rich Poly(vinyl Alcohol) Thin Film in Water. IV. Elastic Behavior of Untreated Thin Film by Repeated Elongation and Contraction in Water, 4343
Yang, C.-P.
—; Hsiao, S.-H.: Synthesis and Properties of Copolypyromellitimides, 979
—; Lee, T-W.:Synthesis and Properties of 4-Hydroxy-2,3,5,6-Tetrabromobenzyl Phosphonates and Effects of Their Flame Retardance on Impact Polystyrene, 3005
Yang, D. K.
—; Koros, W. J.; Hopfenberg, H. B.; Stannett, V. T.: The Effects of Morphology and Hygrothermal Aging on Water Sorption and Transport in Kapton® Polyimide, 1619
Yaseen, M. See Ram Mohan Rao, M. V., 2501
Yates, W. R. See Harrison, D. J., 1393
Yavornitzky, C. M. See Nakajima, N., 3749
Yavorsky, J. A.
—; Spencer, H. G.: Temperature Dependence of Sorption Parameters near T_g for Propane in a Miscible Blend of Polystyrene and Poly(vinyl Methyl Ether), 501
Yellin, N.
—; Ben-Dor, L.; Zelingher, N.: Selective Transport of Inorganic Ions along CA Membranes, 1261
Yelon, A. See Chauvin, C., 583
Yeo, R. S.
—; Cheng, C.-H.: Swelling Studies of Perfluorinated Ionomer Membranes, 5733
Yeung, M. W.-Y.
—; Williams, H. L.: Stress Relaxation of Some Linear Aliphatic Nylons, 3695
Yilmaz, L.
—; McHugh, A. J.: Analysis of Nonsolvent–Solvent–Polymer Phase Diagrams and Their Relevance to Membrane Formation Modeling, 997
Yin, R. See Hua, J., 2667
Yokota, H.
Alkalization Mechanism of Cellulose in Hydroxypropylcellulose Preparation Process, 3423
Yoshida, H.
—; Kataoka, T.; Nango, M.; Ohta, S.; Kuroki, N.; Maekawa, M.: Transport of Direct Dye into Cellulose Membrane, 4185
Yoshii, F.
—; Makuuchi, K.; Ishigaki, I.: Durability of Radiation-Sterilized Polymers. VI. Irradiation Effect of Thermal Quenching Polymer, 5669
—; Sasaki, T.; Makuuchi, K.; Tamura, N.: Durability of Radiation-Sterilized Polymers III. Oxidation Layer Determined by Chemiluminescence, 1343
Youn Kim, C. S.
—; Ahmad, J.; Bottaro, J.; Farzan, M.: Improvements in the Stress–Strain Behavior of Urethane Rubbers by Bimodal Network Formation, 3027
Youssef, Y. A. See Abu-Zeid, M. E., 1575, 3345

Zachariades, A. E.
—; See Shih, H. H., 4897
Crystalline Morphology of Ultrahigh-molecular-weight Polyethylene Pseudogels, 4277
Zadorecki, P.
—; Flodin, P.: Surface Modification of Cellulose Fibers III. Durability of Cellulose–Polyester Composites Under Environmental Aging, 1699
Zahran, A. H. See Hebeish, A., 249, 273, 6237
—; Zohdy, M. H.: Effect of Radiation Chemical Treatment on Sisal Fibers I. Radiation Induced Grafting of Ethyl Acrylate, 1925
Zakaria, M. B. See Huglin, M. B., 457
Zavargo, Z. Z. See Petrović, Z. S., 4353
Zelingher, N. See Yellin, N., 1261
Zeronian, S. H. See Cimecioglu, A. L., 4719
Zhang, Y.-C.
—; Morita, H.; Yamaoka, T.: Sensitivity and Sensitization Mechanism of Halomethylated Polystyrene to Near UV Region, 6005
Zhikuan, C.
—; Tiangui, W.; Qipeng, G.: Poly(phenylene Oxide) Composites Containing Crosslinked Polystyrene Microspheres. I. Stress–Strain Properties, 6259
Zhiqiang, S.
—; Huigen, Y.; Zuren, P.: Studies On the Rheological Behavior of High-Impact Polystyrene Prepolymerizing Systems, 3349
Zhu, G. H. See Jang, B. Z., 2627
Ziderman, I. I.
—; Belayche, J.: Using Disaccharides as a Kinetic Model for Alkaline Degradation of Celluloses and Starches, 3255
—; Belayche, J.: Role of Polyacrylate Starch Copolymer in Water Sorption, 5791
Zieliński, R.
—; Rutkowska, M.: A Dielectric Study of the Glass Transition Region in Urethane Elastomers Modified by Ionic Bonds, 1111
Zimmt, W. S. See Collette, J. W., 4209
Zohdy, M. H. See Zahran, A. H., 1925
Zuren, P. See Zhiqiang, S., 3349

Subject Index to Volumes 31 and 32

ABA-type block copolymer, 55
Acid hydrolysis, 197
Acid Yellow 38, adsorption, 1093
Acrylated azo dyes, photoinitiated grafting, 4323
Acrylic acid grafted cellulose, 5799
Acrylic fibers, effect of annealing, 1413
—, physical structure, 1413
Acrylic polyols, 4209
Acrylonitrile, 2969
Acrylonitrile copolymer, radiation resistance, 5713
—, thermal stability, 5713
Acrylonitrile polymerization, 849
Acrylonitrile, redox aqueous polymerization, 2969
Acrylonitrile-vinyl acetate (AN-VAc) end groups, 4001
Addition polyimides, 6033
Adhesives, pull-off forces, 4689
Alginate fiber papers, physical properties, 1735
Aliphatic polyesters, 3889
n-Alkanes, diffusion coefficients, 4765
n-Alkanes, partition coefficients, 4765
n-Alkanes, solubility in polyolefines, 1805
Alkyd synthesis, 723
Alloys, crystallization behavior, 5817
—, thermal behavior, 5817
Amidated polybutadiene, 3109
—, crosslinking, 3675
—, with resole, 3109
Amine-cured epoxy coatings, 6339
Amine-epoxy reaction, 3445
Aminoacetophenone, preparation of resins, 5071
Amorphous poly(bisphenol-A carbonate), 3263
—, birefringence, 3263
Anion exchange membranes, 4137
Anion exchange resins, 733
Anionic polymerization, 1019
Antimony compounds, 4393
Antioxidants, 685, 4857
Aqueous polymer solutions, high shear rheology, 5399
—, shear degradation, 5399
Aromatic compounds, transport behavior, 1199
Aromatic diamides, 1041
Aromatic diamines, 3761
Aromatic polyimides, gas transmisssion rates, 3725
—, thermal expansion behavior, 101
Aromatic polyphosphonates, synthesis, 2961
Aspen wood meal, 621
Asphalt group components, 283
Asphaltenes, 283
Asphaltic paving materials, 2685
Azo dyes, cis-trans isomerization, 1251

Bimodal network formation, 3027
Binary mixtures, phase behavior, 5357
Bis-hydroxyethyl terephthalate, polycondensation, 2483
Bismaleimides, cure reaction, 6033
—, thermal decomposition, 6033
Blend miscibilty, 3863
Blends, natural rubber (NR) and high-density polyethylene (HDPE), 4169
Block copolymers, 123
—, ABA-type, 55
Block copolypeptide membrane, permeability, 1935
Buffed polymers, topographic orientation, 477
Bulk homopolymers, 3809
—, effects of temperature, 3809
Bulk ultrahigh molecular weight polyethylene (UHMWPE), molecular weight distribution (MWD), 4263
Butadiene-acrylonitrile copolymer (NBR)/poly(vinyl chloride) (PVC) blends, 2867
Butadiene polymerization, 5287
Butadiene–styrene-based rubber, 2875
—, accelerated weathering, 2875
—, thermal degradation, 1575

Carbon black, 3899
Carbon black-PVC composite, electrical conductivity, 1913
—, melt viscosity, 1913
Carbon tetrachloride, concentration profiles, 1721
Carbondioxide gas, sorption and permeation behavior, 3335
Carboxymethyl cellulose (CMC), azid derivatives, 5657
Catalyst residues, 2407
Cationic polyelectrolytes, counterion binding, 4701
Cationic polymerization by salts, 5727
Cellulose, 1901, 4241
—, adsorption, 1901
—, alkalization mechanism, 3423
—, thermal degradation, 667
Cellulose accessibility, 4241
Cellulose-bound drugs, 2851
Cellulose dyeing, 777
Cellulose enzymes, 823
Cellulose ethers, 341
Cellulose fibers, 1699
Cellulose flammability, 4945
Cellulose graft copolymers, 4971
Cellulose graft polymerization, 1069
Cellulose model compounds, 2433
Cellulose–polyester composites, durability, 1699
—, environmental aging behavior, 1699
Cellulose solutions, rheological properties, 5829
Cellulose thermolysis, 2433
Cellulose–thiocarbamate, grafting, 179
Cellulose tricarbanilate, molecular weight distribution, 3703
Cellulose wastes, 823
Cellulosic fiber papers, 1735
Chain extenders, 4581, 5193
Chemical stress relaxation, 385
Chemiluminescence (CL) analysis, 1343
Chitin, adsorption of metal cations, 1951
—, crosslinking, 1169
Chitosan, adsorption of metal cations, 1951
Chlorinated polydimethylsiloxanes, photocrosslinking, 3853
Chlorinated polyethylene, rheological properties, 911
^{13}CNMR, sequence determination, 4607
^{13}CNMR specroscopy, 5337
Coals, macromolecular structure, 39
Coatings, drying processes, 3435
—, rheological properties, 3435
Cobalt complexes, effect on epoxy resins, 225
Collagen synthesis, 4939
Compatible polymer alloys, 6095
Composite membranes, gas permeability, 4625
Composites, glass transition phenomena, 2845
—, heat capacity, 1869
—, thermal properties, 1869
Condensation polymers, 3713
Continuous stirred tank reactor (CSTR), 3713

Copolymer analysis, by UV spectroscopy, 5865
Copolymers, lower critical solution temperature (LCST), 1879
—, molecular weight distribution, 4303
—, of vinylidene chloride, 3889
—, rheological properties, 1483
Copolypyromellitimides, properties, 979
Corn stalks, soda and kraft process, 1609
Cornstarch gelatinization, 2779
Cotton, chemical modification, 1131
—, γ-irradiation, 5439
—, oxidative susceptibility, 273
—, partially carboxymethylated cotton, 273
—, soil release properties, 197
—, structural changes, 197
—, swelling in ethylene diamine, 2443
Cotton celluloses, electrical conductivity, 5439
Cotton fiber, chemical modification, 5175
—, decrystallization, 5175
Cotton fibers, ethylene diamine treatment, 1219
Cotton graft copolymers, 1645
Cotton samples, degradative treatments, 1645, 4453
—, enzyme-hydrolyzed, 6001
CPVC/styrene copolymer alloys, 6151
Cross-linked epoxy resins, 3941
—, exposure to space environment, 3941
Cross-linked polystyrene polymers, 1797
Crosslinked polyethylene, mechanical properties, 1061
Crosslinked polystyrene microspheres, 6259
Crosslinking, 197
—, IPNs, 645
Cryoground rubber (CGR), 4063
Crystalline films, polyacrylic acid-modified, 3469
Crystallite dispersion, 2443
Crystallization kinetics, 3317
CSTR, bulk polymerization, 885
Cure reactions, 6177
Cured resin, rheological behavior of the melt, 5933
Curing behaviors, 7
Curing process, 135
Cyanoethylated cellulose, 3575
Cycloaliphatic diamines, and epoxy thermosetting systems, 5147

DBS removal, 791
Degradation kinetics, 3255
Density titration method, 4977
Dental resins, 5337
Dielectric spectroscopy, 1155
Differential scanning calorimetry (DSC), 487, 3309, 4242, 4353, 4439
Diisocyanates, 4959
Dimethyl terephthalate (DMT) with 1,4 butanediol (BD), transesterification, 3117
Dipole relaxation, 1771
Direct cotton dyes, effect of electrolytes, 5841
Disaccharides, 3255
Dye, 4185
Dyeing process, cellulose membranes–direct dye system, 4185
Dyes, 553
—, color fastness, 1131
Dynamically cured EPDM / PP blends, properties, 6281

Elastic polyurethanes, viscoelastic properties, 135
Elastomer laminates, water permeation, 3719
Elastomer solvent interactions, 3515
Elastomeric networks, 385
Elastomeric stocks, cross-links, 3683
Elastomers, dynamic mechanical properties, 3899
Electrolytes, effect on direct cotton dyes, 5841
Electron beam preirradiation, 4649
Electron microprobe analysis, 4313
Emulsion acrylic multipolymer, gas sorption, 2583
—, transport properties, 2583
Emulsion polymerization, 3051, 3079
—, and SCOPE dynamic model, 3051, 3079
—, radiation-induced, 27
Enhanced miscibility, 6151
Environmental media, effect on polymer properties, 2401
Enzyme-hydrolyzed cotton samples, electron diffraction study, 6001
EPDM rubber, peroxidized, 5619
Epoxy composite formulations, 3097
Epoxy matrix systems, 1155
Epoxy resin cure, 929
Epoxy resin, curing reaction, 5095
Epoxy resin, isothermal reticulation, 6043
Epoxy resin matrix, environmental degradation, 5777
Epoxy resin systems, 1309
Epoxy resins, 225, 1351, 3211, 3445, 3589, 4865, 6177, 6317, 6329,
—, acrylic-modified, 4865
—, curing, 2829
—, cure kinetics, 3761
—, curing, 5215
—, dielectric properties, 1771
—, internal stress, 4865
—, morphological changes, 3211
—, thermoinitiated, 5727
—, water adsorption, 3589
—, water interaction, 1531
Epoxy systems, cure kinetics, 1177
Epoxy thermosetting systems, 5147
EPR composites, spin–spin relaxation time, 2661
Esterification, 723, 831
Ethane, plasma polymerization, 4027
Ethyl cellulose manufacture, 2467
—, mass transfer effects, 2467
Ethylcellulose, transport of gases, 1441
Ethylene diamine treatment, 1219
Ethylene ionomers, 3335
—, viscoelasticity, 4295
Extinction coefficient difference (ED) diagrams, 4127

Fabric, grafting behavior, 1119
Fabrics, fiber blends, 597
—, viscose–polyester, 597
Fibers, from poly(vinyl alcohol), 521
—, properties, 521
Fick's law(s), 291 4625
Filament-wound case (FWC), composite epoxy resin system, 5215
Filled polychloroprene vulcanizates, 4873
Filled polymers, thermal conductivity, 5705
Filler dispersion, 4229
Fire retardants, 4155
Flame retardant cotton, 1655
Flame-retardant chloropolyesters, 5203
Flame retardant polyesters, 1943
Flame retardants, 567, 589, 597, 635, 3005
Flame-retardant twill fabrics, 4945
Flory–Huggins solution theory, 997
Fluorocarbon elastomers, 3515
Foams, 3551
—, dielectric behavior, 3551
—, mechanical behavior, 3551
Four-component system, phase behavior, 4383
Fourier transform infrared (FTIR) spectroscopy, 5021, 5035
Fracture criteria, 5585
Freundlich's adsorption isotherm, 791, 3791

Gamma radiation, 273
Gamma radiation-induced graft copolymerization, 249
Gas chromatography, and polymer–solvent interactions, 5917
Gas diffusion, 1805
Gas liquid chromatography, 1709
Gas separation, by membrane, 5763
Gel permeation chromatography, 1671
Gel permeation chromatography (GPC), 919, 3959
Glass transition temperature, 873, 955, 6177
Glassy polymers, 163, 501, 3627, 5567
—, influence of convection, 3627
Glow discharge polymerization, 4553

Graft copolymerization, 189, 1499, 1763, 4271, 5693
—, gamma radiation-induced, 249
—, vinyl monomers onto cellulose fibers, 5693
Graft copolymers, 6163
—, molecular weight distribution, 1671
Graft polymerization, 1119, 1275
Grafted poly(acrylic acid), distribution, 4405
Grafting, 179
—, acrylamide to nylon-6, 4649

Hall effect measurement, 4299
Halomethylated polystyrene, sensitivity, 6005
Hard elastic poly(4-methyl-1-pentene) film, deformation, 4491
Heavy metal ions, adsorption behavior, 4971
Heavy metal removal, 1797
Heavy metals, removal from waste water, 75
Henry's law constant, 501
Heterogeneous styrene–divinylbenzene (S–DVB) copolymers, porosity, 5533
1-Hexene polymerization, kinetics, 5373
High-impact polystyrene (HIPS), 3349
—, rheological behavior, 3349
High-modulus poly(ethylene terephthalate) film, 429
High-speed reverse-phase liquid chromatography, 3097
High-strength poly(ethylene terephthalate) film, 429
Hollow fiber membranes, effects of irradiation, 3541
Homopolymer crystallization, effect of additives, 1859
Hydantoin vinyl ether (HVE) polymers, adhesive properties, 3971
Hydrogels, 457
—, synthesis, 4939
Hydrolysis of poly(α-olefin-co-maleic anhydride), kinetics, 4679
Hydroxy compounds, solubility, 2711
Hydroxypropylcellulose (HPC) films, properties, 1327
Hydroxypropylcellulose preparation, 3423
4-Hydroxy-2,3,5,6-tetrabromobenzyl phosphonates, synthesis, 3005

Infrared chromatography, 1309
Infrared spectroscopy, 3853, 4043
Inherent friction factor, 1567
Injection-molded polycarbonate discs, 3457
—, molecular orientation distribution, 3457
Inorganic ions, transport, 1261
In situ polymerization, 6299
Intermacromolecular complexes, 2667
Interpenetrating networks (IPNs), 3881
Interpenetrating polymer networks, 709
Interpenetrating polymer networks (IPN), 645
Interpenetrating polymer networks (IPNs), 4197, 6227
Interpenetrating polymer network (IPN) foams, 4197
—, sound attenuation, 4197
Intrinsic velocity, 2501
—, determination, 2501
Inverse relaxation, 1101
Iodine, 3919
Ion-exchange membranes, 4827
—, radiation stability, 5743
Ion exchange resins, 5665
Ionic photoinitiators, 6209
Ionic polyurethanes, 1469
IPN-related materials, 3489
Iron compounds, 685
Irradiation, 3541
Isobutylene polymerization, 2523
Isotactic poly(butene-1)-chlorinated polyethylene blends, 5261
Isotactic polypropylene, crystallization, 2919
—, influence of chalk, 2919
Isothermal crystallization, 4119
Isotropic low-density polyethylene (LDPE), mechanical relaxations, 5883

Kapton® polyamide, water sorption, 1619
—, transport, 1619
Kevlar fabrics, chemical modification, 1041
Kevlar fiber-reinforced composite, polar–polar interaction, 5345
Kevlar fiber-reinforced composites, reinforcement-matrix interaction, 5057
Kinetic parameters, determination, 4353

Langmuir adsorption constants, 2851
Laser interferometer, 65
Laser light scattering, 15
Latex viscosity, 5085
Light scattering, 4751
Lignin, 4815
—, grafting, 4815
—, heterogeneity, 4561
Lignocellulose materials, 303, 621
Lignosulfonate, copolymerization, 4815
Lignosulfonate polymerization, 1363
Linear aliphatic nylons, stress relaxation, 3695
Linear aromatic polyesters, stress–strain properties, 4883
Linear high-density polyethylene (LHDPE), limited swelling, 4465
Linear homopolymers, 3847
—, fractionation analysis, 3847
Linear polythioesters, 3277
Linear regression analysis studies, 4075
Liquid-ammonia-treated cotton cellulose, pore structure, 2769
Liquid chromatography, 1309
Liquid crystal polymers, as thermoplastic matrix, 965
Liquid–liquid dispersions, 5749
Liquid-rubber-modified epoxy adhesives, 6317, 6329
Liquid-time curves, 111
LLDPE–cellulose composites, water sorption, 5661
Long chain α-olefins, 657, 699
Low-angle laser light scattering, 6121
Liquid-ammonia-treated cotton cellulose, pore structure, 2769
Low-density polyethylene film, gas transport, 2617
Low density polyethylene (LDPE), 85, 209, 1143
Low-density polyethylene pellets, 4313
—, carbon tetrachloride absorption, 4313
Low-molecular weight crystalline (LMC) materials, 2739
Lubricating greases, 1

Macroreticular chelating resins, 1677
Matter transfers, 111
Mechanical drawing, 2583
Mechanical impedance analysis (MIA), 2627
Mechanochemical degradation of polymers, 5557
Mechanochemical grafting, 951
Melamine formaldehyde polymerization, 2805
Melaminium molybdates, 4155
Melt spun poly(ethylene terephthalate) (PET) fibers, structure evolution, 4989
Melt stabilizers, 4857
Membrane formation modeling, 997
Membrane permeability, 1935
Mesophase, 6267
Metal halides, 3987
Metal ions, 75
Metal sulfonate ionomers, 1843
Methacrylic acid grafted cellulose, 5799
Methyl acrylate graft copolymerization, 2839
Methyl methacrylate, aqueous polymerization, 1403
Methyl methacrylate (MMA), graft copolymerization, 189, 1499
Methyl methacrylate polymerization, 283
Micelle-forming three-block copolymers, 4281
Microhardness testing, 717
Microporous membranes, 1147
Miller and Macosko procedure, 4209
Moisture sensor devices, 2473
Molar mass distribution (MMD), 919
Molecular composites, 6299
Molecular weight distribution, 399, 4303
Monomers, copolymerization kinetics, 1509
—, γ-irradiation polymerization, 1515
Multicomponent polymer systems, 5647

Multiphase polymer systems, 6131
Murga fiber, 2883
—, sodium hydroxide-treated, 2883
Mutual coefficients, 739
MY 720/DDS epoxy laminating system, 3971

NaCl, membrane potentials, 419
—, permeation, 419
Nafion membrane, 4137
Natural rubber (NR), 4063, 4169, 4271
—, aging, 3345
—, short-fiber reinforcement, 5123
Natural rubber blends, thermoplastic elastomers, 5123
Natural rubber/chlorobutyl rubber compounds, vulcanization, 4849
Near infrared reflectance (NIRR) techniques, 2417
Neat epoxy resins, morphological changes, 3211
Never-dry cellulose, 777
Nitrogen-incorporated polyethylene films, 5543
Nitroxyl radicals, and PVC stabilization, 6063
NMR spectral analysis, 55
Nonionic surfactants, removal, 3791
Nonisothermal crystallization, 4119
Non-Newtonian fluids, calendering, 2457
Norplastics, as polymer fillers, 6107
—, characteristics, 6107
Novel incremental drawing process, 441
NP removal, 791
Nylon, diffusion of acid dye, 5567
Nylon 4 membranes, irradiation, 4709
Nylon 6, 3929
—, blends, 747
—, films, talc-filled, 2569
—, radiation resistance, 5713
—, reactive disperse dye in, 3929
—, thermal stability, 5713
Nylon-6 fibers, 441
Nylon-66, blends, 747
Nylons, 2889
—, blends, 367
—, mechanical properties of, 367
—, stress–relaxation data, 2889
—, viscoelastic properties, 2889

Olefins, polymerization, 2935
Oligomers, proerties, 4719
One-component sealants, 4657
On-line measuring devices, 3239
Optical microscopy, 15
Organic compounds, membrane separation, 1199
Oscillating plate rheometer, 323
Oxycelluloses, acidic groups, 3913

Paper, ultrasonic velocity measurements, 4503
Paraformaldehyde (PF)-DMSO system, 3575
Partially carboxymethylated cotton (PCMC), modification, 6237
Particulate polymers, swelling, 2721
Pentachlorophenylcellulose, as controlled release fungicide, 5273
—, preparation, 5273
Percolation conductance, 1537
Perfluorinated ionomer membranes, swelling behavior, 5733
Peroxidized EPDM rubber, graft copolymers, 5619
Persulfate–bisulfite redox system, 849
PE–sodium lignosulfonate blends, 4837
PET film, PEG–diamine-treated, 6017
Phase separation, 15
Phenol-formaldehyde (PF) resins, 4291
Phenolic resins, brittleness, 3109
Phosphorous-containing compounds, as flame retardants, 1655
Photoacoustic spectroscopy (PAS), 2875
Photoacoustic spectroscopy (PAS) technique, 1575
Photodegradation of polyethylene, 3299
Photoregulation, 553
Photosensitive polymers, 861
Physical aging behavior, effects of epoxy networks, 4595
PIB-based model urethane networks, 2523
Plasma-deposited films, properties, 4369
Plasma polymerization, 4027, 4369, 5543
Plasma surface modification, 901
Plastic zones, in glassy polymers, 163
Plasticized PVC, 111
Polar cosolvents, 1843
Polar polymer blends, 5345
Poly-1-hexene, synthesis in dense carbon dioxide, 3775
Polyacetal-polyurethanes, 123
Polyacrylamide, gamma-ray-induced crosslinking, 3783
Polyacrylate starch copolymer, role in water sorption, 5791
Polyacrylates, 6073
—, synthesis of IPN-related materials, 3489
Polyacrylonitrile fibers, 5719
Polyamic acid solution film, drying rates, 4541
Polyamide–phenol hybrid compounds, 5161
Polyamideimide composite films, elastic properties, 4735
—, tensile properties, 4735
Polyamides, flame retardant, 635
Polyaryl ether ketones, crystallization kinetics, 3317
Polybutadiene hydroperoxide, synthesization by singlet oxygen, 1827
Polybutadienes, 145
1,2-Polybutadiene, chain flexibility, 873
—, glass transition temperature, 873
Polycarbonate, 4909
—, exposure to humid environments, 5965
—, microcavity formation, 5965
—, stress cracking, 4909
Polycarbonate/polyarylate blends, 6191
Polychloroprene compounds, marine applications, 4873
Polychloroprene rubber, diffusion of volatile liquid, 5279
Polydiallylamine, 733
Polydimethylsiloxane (PDMS), effect of particle concentration, 3393
—, filled with fumed silica, 3393
Polyelectrolyte complexes (PECs), formation, 2491
Polyelectrolyte complexes, *in vivo* blood compatibility, 3413
—, *in vitro* blood compatibility, 3413
Polyester blends, 3889
Polyester fabrics, radiation resistance, 5713
—, thermal stability, 5713
Polyester (PET) fibers, chemical modification, 4009
Polyester resins, effect of thermal aging, 4473
Polyesters, chain extenders, 4581, 5193
Polyethersulfone/poly(ethylene oxide) blends, water sorption, 295
Polyethylene blends, 5105, 5261
Polyethylene films, radiation-induced grafting of MAc, 4827
Polyethylene-modified bitumen, 2685
Polyethylene–polypropylene-based grease, thermal degradation, 1
Polyethylene, shear modification, 85
Polyethylene, talc-filled, 2569
Polyethyloxazoline, miscibility, 1189
Poly-1-hexene, synthesis in dense carbon dioxide, 3775
Polyimide cure, 4043
Polyimide fibers, 3133, 3151
Polyimide films, composition, 583
—, thickness, 583
Polyimides, 101
—, effect of metal halides, 3987
Polyion-enzyme complexes, 2667
Polyisobutylene, 4075
Polyisobutylene–sodium carboxymethylcellulose, adhesive properties, 627
Polymer blends, 1075, 6073
—, compatibility, 5247
—, compatibility studies, 6095
—, commercial applications, 6191
—, effect of pressure on phase behavior, 4423
Polymer chain, cross-sectional area, 1521
Polymer combustion, 589
Polymer complexes, 1687
Polymer-containing pyridylazoresorcinol moiety, chelating property, 1663

Polymer degradation, during aerosol formation, 3649
Polymer emulsion particles, 1075
Polymer–filler composition, 4299
Polymer films, permeation process, 291
Polymer melt blends, 2753
Polymer particle modeling, 2935
Polymer powders, plasma surface modification, 901
Polymer solutions, rheological properties, 145
Polymer-solvent interaction, 5007
Polymer–solvent interactions, study by gas chromatography, 5917
Polymer swelling, 1749
Polymer thermolysis, 1943
Polymer toughness screening, 5653
Polymer transitions, 4075
Polymeric blends, 4837
Polymeric composites, 2705
Polymeric films, 2473
Polymeric sealants, 4109
Polymeric suspension stabilizers, 5749
Polymerization reactors, 3239
Polymers, determination of weight-average molecular weights, 6121
—, flow-induced phase separation, 399
—, photochemical reaction, 4127
Polyolefin blends, melt spinning instability, 209
—, rheological properties, 209
Polyolefines, 2711
Polyoxymethylene, 3499
Polyoxymethylene (POM) sheets, roller drawing, 3499
Polyphenylquinoxalines (PPQ), containing alkylenedioxy units, 5957
Polypropylene (PP), blends, 535
—, as material for medical supplies, 5669
—, properties, 535
Polypropylene, crosslinking, 5431
—, flame retardation, 4393
—, peroxide-initiated crosslinking, 5431
Polypropylene laminates, manufacturing, 5811
Polypropylene melts, shear history, 809
—, thermal history, 809
Polypropylene oxide benzene solutions, molecular weight/viscosity number, 1151
Polystyrene, brittle, 5585
Polystyrene (PS)–polybutadiene (PBD) blends, 2989
Polystyrenes, 4255
—, as phase transfer catalysts, 4255
Polysulfide sealants, water immersion, 5415
Polytetrafluoroethylene (PTFE), thermal effects, 4049
Polyurethane degradation, 2407
Polyurethane elastomers, 1549
Polyurethanes (PUs), 1549, 4959
Polyurethaneureas, synthesis, 5627
Poly(acrylic acid), dyeability, 249
Poly(arylene ether ketone)s, crosslinking, 5933
Poly(butylene terephthalate) (PBT) filaments, 1595
—, mechanical properties, 1595
Poly(ethyl methacrylate), blends, 237
Poly(ethylene glycol) (PEG), molecular weight effect, 4229
Poly(ethylene oxide), in aqueous solutions, 333
—, viscoelastic character, 333
Poly(ethylene terephthalate), molecular weight, 1239
Poly(ethylene terephthalate) (PET), cold-drawing behavior, 1631
—, effect of annealing temperature, 3371
—, effect of diethylene glycol content, 3371
—, melting behavior, 4439
—, oligomers, 4719i
—, solid state polymerization, 5315
Poly(ethylene terephthalate) (PET) fibers, influence of annealing, 4787
—, manufacturing, 3841
—, properties, 3371
—, thermal properties, 3841, 4787
Poly(fluoroalkyl methacrylate-co-methyl methacrylate), thermogravimetry, 3565
Poly(methyl methacrylate) (PMMA) films, dissolution rates, 65
Poly(phenylene oxide) composites, stress–strain properties, 6259
Poly(phenylene sulfide) (PPS), 3959
—, polymerization kinetics, 4479
Poly(*p*-phenylene terephthalamide) (PPTA)/poly(vinyl chloride) (PVC) blends, properties, 5231
Poly(styrene-co-acrylonitrile), miscible blends, 3407
Poly(vinyl acetate), properties, 2675
Poly(vinyl acetate) (PVAc), blends, 237
Poly(vinyl acetate)-based adhesives, 2675
Poly(vinyl acetate-co-ethylene) (VAE), rheological behavior, 5597
Poly(vinyl alcohol) (PVA), fibers, 521
Poly(vinyl alcohol) (PVA) films, mechanical properties, 493
Poly(vinyl alcohol) (PVA) thin film, in water, 4343
Poly(vinyl alcohol-vinyl acetate) (p(VA-VAc)), 3919
Poly(vinyl chloride) compounds, pyrolysis, 3737
Poly(vinyl chloride) (PVC) gels, elasticity, 5385
—, tear strength, 5385
Poly(vinyl chloride) (PVC), glass transition temperature, 2561
Poly(vinyl chloride) (PVC) plastisol, gelation, 3749
Poly(vinyl chloride) (PVC) sheets, long-term migration data, 6025
Poly(vinyl chloride) (PVC), stabilization, 6063
Poly(vinyl chloride) (PVC), thermal degradation, 717
Poly(vinyl chloride), rheological properties, 911
Poly(vinylidene fluoride) (PVF_2), gas sorption, 2533
—, transport properties, 2533
Poly(α-methyl styrene-co-acrylonitrile), miscible blends, 3407
Poly(ϵ-caprolactam) (PCL), flame retardant properties, 1373
Polyvinyl pyrrolidone (PVP), fluorescent compound-binding capacity, 1227
Polyvinyl pyrrolidone (PVP) and stilbene compounds, interaction, 4333
Polyvinylimidazoles, themal degradation, 5021, 5035
Postirradiation polymerization, 509
Potassium monopersulfate, as initiator, 5693
PP/glass fiber composites, viscoelasticity, 4663
Pressure-modified yield criteria, 163
Pressure-sensitive adhesives, 1393
Propane, sorption, 501
Propylene, glow discharge polymerization, 4553
PS–PBD blends, thermal analysis, 2989
PTFE microfiber network, 2721
PTFE, heat transfer characteristics, 5523
Pulp, effect of accelerated aging, 3913
Pulping processes, 1609
PVC/styrene copolymer alloys, 6131
PVC stabilizer, 2867
PVF_2/PMMA blends, gas sorption, 4793
—, gas transport, 4793
—, sorption of CO_2, 2897
—, transport of CO_2, 2897
Pyrolysis gas chromatography, 5719

Quench air temperature (QAT), 4989

Radiation, 4169
Radiation chemical treatment, 1925
Radiation-induced grafting, 4827
Radiation-sterilized polymers, 1343, 5669
Radical polymerization, direct micelles, 6209
Reflection/absorption Fourier transform infrared spectroscopy (FTIR-RA), 6339
Remote Manipulator Arm (Canadarm), 3941
Residual birefringences, in quenched samples, 2791
Residual stresses, in quenched samples, 2791
Resol, curing behaviors, 7
Reverse gel permeation chromatography, 2769
Rheology, cellulose solutions, 5829
Rice hulls, dyestuff-treated, 75
Rubber, and antioxidants, 487
—, dielelectric properties, 841
—, stress–strain measurements, 841
Rubber latex, beta dielectric dispersion, 5085
Rubber-modified thermoset resins, 15
Rubbers, vulcanization, 4849
Rubbery polymers, sorption of gases, 1425

Saponified starch–graft-polyacrylonitrile, molecular properties, 3323

Saponified starch–polyacrylonitrile graft copolymer, 3309
SBR vulcanizates, determination of molecular weight, 3039
Scanning electron microscopy (SEM), 4169
SCOPE dynamic process model, 3051, 3079
Screw extrusion, 353
Segmented polyurethanes, morphology, 1281
Selective adsorption resin, 1677
Self-diffusion coefficients, 739
Self-sensitized grafting, 4323
Semiflexible crystalline polymers, 4897
Sepiolite, 5105
Sequential extraction technique, 4263
Shear modification, 85
Side chain branching, 3809
Silicone acrylate (SiAc) copolymers, analysis, 1293
Silk, physical properties, 955
Simultaneous interpenetrating networks (SINs), 3881
Single-package silicone sealant, 4109
Single phase polymer systems, 6151
Single specific viscosity measurement, 2501
Sisal fibers, 1925
—, radiation chemical treatment, 1925
Size exclusion chromatography (SEC), 1393, 3703, 4281, 4751
Smoke retarder additives, 3737
Solid solvent processing aids, 2739
Solutes, permeation in water-swollen membranes, 3229
Solution copolymerization, kinetics, 5981
Solvent-induced crystallization, 2401
Sorption dyes, 1093
Specific counterion binding, 4701
Spinnable polyimides, 3133, 3151
Spin–spin relaxation time, 2661
Stress cracking, polycarbonate, 4909
Strong acid end groups (SAG), 4001
Styrene–divinylbenzene copolymerization, 1785
—, phase separation, 1785
Suspension polymerization, 2647
Suspension poly(vinyl chloride) (PVC), density distribution, 4977
Synthetic membranes, transport phenomena, 419
Synthetic resins, 5071
Synthetic wood pulp, 4837

TCNQ salts, 1383
Temperature-sensing devices, 5161
Tensile retraction measurements, 3039, 3683
Ternary blends, 3863
Ternary polymer mixtures, 5945
Tertiary aromatic amines, 4919
Tetrakis complexes, thermal antioxidants, 4857
Textile materials, inverse relaxation, 1101
Thermal analytic techniques, 39
Thermal conductivity, 5705
Thermal degradation, 2407
Thermal expansion behavior, 101
Thermogravimetry (TG), 3565, 4353
Thermomechanical analyzer (TMA), 2509
Thermoplastic carbon fiber composites, 965
Thermoplastic elastomers, 123
Thermoplastic interpenetrating polymer networks (IPNs), 5903
Thermoplastic polymers, 941, 1189
Thermoplastic polyurethanes, 1585
Thermoplastic resin composites, crystallinity, 1525
Thermoplastic structural foams, 4639
Thermoplastics, 353
Thermoset viscosity, prediction, 2509
Thomson equation, 4049
Time lag theory, 1209
Transesterification, 1709
Transmission electron microscopy, 957
Tri-*O*-alkylcelluloses, 341
Turbulent drag reduction, 6163
Two-component polymer membranes, 1537
Two-ring aromatic dicarboxylic acids, 4145

Ultrahigh-molecular-weight polyethylene (UHMWPE), 4277
Ultrahigh molecular weight polyethylene (UHMWPE) blends, 5575
Ultrahigh-molecular-weight polyethylene (UHMWPE) pseudogels, 4277
Ultrasonic detection, 1585
Ultraviolet (UV) curing, 323
UNIFAC group-contribution method, 5007
Unsaturated polyester resins, cure reaction promoters, 4919
—, curing process, 1083
Unsaturated polyesters, 1567, 2705
Untreated PVA thin film, elasticity, 4343
Urease, immobilization, 4931
Urethane elastomers, 1111
Urethane rubbers, 3027
—, stress–strain behavior, 3027
UV spectroscopy, copolymer analysis, 5865

Vinyl acetate, radiation-induced emulsion polymerization, 27
Vinyl monomers, 509
—, grafting, 179, 1763
—, polymerization, 509
Vinyl polymers, flammability, 1269
4-Vinyl pyridine-grafted SBS triblock copolymer, preparation, 4615
Vinyl trifluoroacetate, 493
Vinylidene polymers, flammability, 1269
Viscoelastic properties, 135
Viscoelasticity, 2627
Viscosity, concentrated polymer solutions, 763
Viscosity data, 145
Visible light irradiation, 861
Vulcanizates, cure, 5301
—, temperature effect, 5301
Vulcanization, NR, 5849

Wastewaters, purification, 5665
Water/alcohol mixture, application of *N*-methoxymethylated Nylon-3, 4573
Water-soluble polyethyloxazoline (PEOx) blends, 3657
Water-soluble polymers, 3177
Water-soluble surface coatings, 3177
Water sorption, PEO blends, 295
Water sorption, PES blends, 295
Water sorption, role of polyacrylate starch copolymer, 5791
Water-swollen membranes, 3229
Water vapor, sorption and permeation behavior, 3335
Wax buffing, 477
Wet-spinning, 5557
Whole viscoelastic spectrum, 6267
Wild silk fibroins, glass transition temperature, 955
Wind-up speed (WUS), 4989
Wood adhesives, 4291
Wood, effects of transmission electron microscopy, 957
Wood flour, 4285
—, influence on polyethylene, 4285
Wood lignins, differential scanning calorimetry (DSC) studies, 4561
Wood–phenol adhesives, 3189
Wood–phenol adhesives, prepared from carboxymethylated wood, 3189
Wood polysaccharide alkylation, 303
Wood processing variables, 2979
Wood surface topography, 2979
Wood, thermoplasticity, 831
Wool fibers, 2839

Xerogels, 457

Zero crossover points, and near infrared reflectance (NIRR) analysis, 2417
Zero shear rate viscosity, 763
Ziegler–Natta catalysts, 657, 5373
Ziegler–Natta polymerization, 5287

Journal of Applied Polymer Science

Volume 32, 1986

Editors: H. MARK
P. WEISS

Associate Editor: H. BARTH
European Editor: O. F. OLAJ
Far East Editor: Y. NISHIJIMA

Advisory Board:

J. C. ARTHUR, JR.
Metairie, Louisiana
J. H. BRADBURY
Canberra, Australia
E. CERNIA
Rome, Italy
H. CHERDRON
Frankfurt, Germany
S. L. COOPER
Madison, Wisconsin
H. W. COOVER, JR.
Kingsport, Tennessee
L. G. DONARUMA
Brooklyn, New York
N. S. ENIKOLOPIAN
Moscow, USSR
Z. G. GARDLUND
Warren, Michigan
T. W. GEORGE
Raleigh, North Carolina
J. K. GILHAM
Princeton, New Jersey
M. A. GOLUB
Moffet Field, California
H. B. HOPFENBERG
Raleigh, North Carolina
F. E. KARASZ
Amherst, Massachusetts
M. KRYSZEWSKI
Lodz, Poland
M. LEWIN
Jerusalem, Israel
J. E. McGRATH
Blacksburg, Virginia
D. J. METZ
Upton, New York
J. S. MILLER
Wilmington, Delaware
N. OGATA
Tokyo, Japan
J. A. PARKER
Moffet Field, California
D. R. PAUL
Austin, Texas
N. A. PEPPAS
West Lafayette, Indiana
R. H. PETERS
Manchester, England
QIAN BAOGONG
People's Republic of China
B. RANBY
Stockholm, Sweden
L. REBENFELD
Princeton, New Jersey
F. RODRIGUEZ
Ithaca, New York
R. SALOVEY
Los Angeles, California
M. T. SHAW
Storrs, Connecticut
D. S. SOONG
Berkeley, California
G. L. WILKES
Blacksburg, Virginia
H. L. WILLIAMS
Toronto, Ontario
N. WOODING
London, England

An Interscience® Publication
Published by JOHN WILEY & SONS

The *Journal of Applied Polymer Science* is published in two sections as follows: *Journal of Applied Polymer Science* (ISSN 0021-8995), sixteen issues per year, *Applied Polymer Symposia* (ISSN 0570-4898), irregularly. Published sixteen issues per year, two volumes per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158. Second-class postage paid at New York, New York, and at additional mailing offices.

Copyright © 1986 by John Wiley & Sons, Inc. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 and 108 of the U.S. Copyright Law without the permission of the copyright owner is unlawful. Second-class postage paid at New York, NY, and at additional mailing offices.

The code and copyright notice appearing at the bottom of the first page of an item in the journal indicate the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 and 108 of the U.S. Copyright Law. The per-copy fee for each item is $4.00 and is to be paid through the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970.

This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Publisher, Wiley Periodicals.

Subscription price (1986): $640.00 per volume. Postage and handling outside USA: $85.00 (surface mail); $380.00 (air mail). Please allow four weeks for change of address. Back volumes, microfilm, and microfiche available for previous years.

Claims for undelivered copies will be accepted only after the following issue has been received. Please enclose mailing label or cite your subscriber reference number in order to expedite handling. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.

Postmaster: Send address changes to *Journal of Applied Polymer Science*, Subscription Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

Advertising: Inquiries concerning advertising should be forwarded to Dora Castiblanco, Advertising Sales, John Wiley & Sons, Periodicals Division, 605 Third Avenue, New York, New York 10158, (212) 692-6026.

The contents of this journal are indexed in the following: *Current Contents/Physical, Chemical and Earth Sciences; Engineering Index; Current Contents/Engineering Technology and Applied Sciences; Science Citation Index; Chemical Abstracts; Excerpta Medica; Applied Mechanics Reviews; RAPRA Abstracts;* and *Chemical Titles.*

Journal of Applied Polymer Science

Contents

Volumes 31 and 32, 1986

Volume 31

Issue No. 1, January 1986

Investigation of Thermal Degradation of Polyethylene-Polypropylene-Based Grease
D. Al-Sammerrai 1

Study on the Curing Behavior of Resol. IV. Comparison of the Curing Behavior of Resols Prepared with either Sodium Hydroxide or Barium Hydroxide
A. Fukuda, K. Hasegawa, and H. Horiuchi 7

Phase Separation in Rubber-Modified Thermoset Resins: Optical Microscopy and Laser Light Scattering
H. N. Naé 15

Radiation-Induced Emulsion Polymerization of Vinyl Acetate in a Pilot Plant Reactor II. Kinetics
R. R. Challa, J. H. Drew, E. P. Stahel, and V. Stannett 27

Transport of Penetrants in the Macromolecular Structure of Coals III. Dynamic Swelling of Stiff Polymer Networks That Simulate the Coal Structure
B. D. Barr-Howell, N. A. Peppas, and T. G. Squires 39

New Block Copolymer II. Synthesis and Characterization of an ABA-Type Block Copolymer
S. C. Shit, B. Madhab Mahoto, M. M. Maiti, and S. Maiti 55

Dissolution Rates of Poly(Methyl Methacrylate) Films in Mixed Solvents
W. J. Cooper, P. D. Krasicky, and F. Rodriguez 65

The Use of Dyestuff-treated Rice Hulls for Removal of Heavy Metals from Waste Water
R. S. Suemitsu, R. Uenishi, I. Akashi, and M. Nakano 75

Shear Modification of Polyethylene
A. Ram and L. Izrailov 85

Thermal Expansion Behavior of Various Aromatic Polyimides
S. Numata, S. Oohara, K. Fujisaki, J. Imaizumi, and N. Kinjo 101

Modelization of Matter Transfers Between Plasticized PVC and Liquids in Case of a Maximum for Liquid-Time Curves
J. L. Taverdet and J. M. Vergnaud 111

Structure-Property Relationships in Thermoplastic Elastomers III. Segmented Polyacetal-Polyurethanes
B. Xu, D. N. Khanna, C. P. Lillya, and J. C. E. Chien 123

Viscoelastic Properties of Elastic Polyurethaneureas in the Curing Process
A. Raszczuk, J. Kozakiewicz, and A. Orzechowski 135

Rheological Properties of Concentrated Polymer Solution: Polybutadiene in Good and θ Solvents
P. Roy-Chowdhury and V. D. Deuskar 145

Plastic Zones in Glassy Polymers around Cracks Approaching a Bimaterial Interface under Small-Scale Yielding
E. E. Theotokoglou and G. Tsamasphyros 163

Grafting of Cellulose-Thiocarbamate with Vinyl Monomers: Antimicrobial Activity
Z. A. Nagieb and A. A. El-Gammal 179

Graft Copolymerization of Methyl Methacrylate (MMA) on Hydrazine Treated Oxycellulose in Limited Aqueous System
P. Ghosh and J. C. Dalal 189

Effect of Structural Changes of Cotton by Acid Hydrolysis and Crosslinking on Soiling and Soil Release
A. Hebeish, H. I. Nasr, L. A. Abdou, S. T. El Sheltawi, and K. Haggag 197

Rheological Properties, Shrinkage and Melt Spinning Instability of Blends of Linear Polyolefins with Low Density Polyethylene
A. Santamaria and J. L. White 209

The Effect of Cobalt Complex Addition on the Cure and Properties of an Epoxy Matrix Resin
D. M. Stoakley and A. K. St. Clair 225

Blends of Poly(vinyl Acetate) and Poly(ethyl Methacrylate): Some Mechanical Properties
J. Y. Olayemi and M. K. Ibiyeye 237

Moisture Regain and Dyeability of Poly(acrylic Acid)- and Poly(styrene)-Carbamolyethylated Cotton Graft Copolymers Induced by Gamma Radiation
A. Hebeish, A. H. Zahran, A. M. K. El-Naggar, and A. M. Rabie 249

Oxidative Susceptibility of Partially Carboxymethylated Cotton to Gamma Radiation
A. Hebeish, A. H. Zahran, and A. M. K. El-Naggar 273

Investigations on Methyl Methacrylate Polymerization Course in the Presence of Petroleum Asphalt Group Components
A. Bukowski and B. Liszyńska 283

Variation in Polymer Film Structure and Thickness-Dependent Permeability
R. S. Okor and W. Anderson 291

Sorption of Water in Polyethersulfone/Poly(ethylene Oxide) Blends
V. B. Singh, J. A. Barrie, and D. J. Walsh 295

Issue No. 2, February 5th, 1986

New Aspects in Cationization of Lignocellulose Materials. III. Influence of Delignification on Reactivity and Extractability of TMAHP—Hemicelluloses
A. Ebringerovà, M. Antal, I. Simkovic, and M. M. Micko 303

The Application of Coherent Optics to the Study of Adhesive Joints. I. Speckle Photography
M. F. Vallat, P. Martz, J. Fontaine, and J. Schultz 309

Rheological Studies of Ultraviolet Curing with an Oscillating Plate Rheometer
Y. Otsubo, T. Amari, and K. Watanabe 323

Viscoelastic Character of Poly(ethylene Oxide) in Aqueous Solutions: Effect of Shear Rate, Concentration, Salt, and Anionic Surfactant
E. T. Lance-Gomez, and T. C. Ward 333

Preparation of Tri-*O*-Alkylcelluloses by the Use of a Nonaqueous Cellulose Solvent and Their Physical and Characteristics
A. Isogai, A. Ishizu, and J. Nakano 341

Effects of Die Temperature on Extrudate Swell in Screw Extrusion
A. M. Henderson, and A. Rudin 353

Dynamic Mechanical Properties of Some Nylons and Their Blends
E. S. Ong, Y. Kim, and H. L. Williams 367

Structural Differences Exhibited by Networks Prepared by Chemical and Photochemical Reactions IV Chemical Relaxation
B. Haidar, A. Vidal, and J. B. Donnet 385

Thermodynamics of Flow-Induced Phase Separation in Polymers. II. The Effect of Molecular Weight Distribution
E. P. Vrahopoulou, and A. J. McHugh 399

Membrane Potentials and Permeation of NaCl in Poly(Vinyl Alcohol-co-Itaconic Acid) Membranes
A. Higuchi, and T. Iijima 419

Preparation of High-Modulus and High-Strength Poly(ethylene Terephthalate) Film by Zone-Annealing Method
T. Kunugi, C. Ichinose, and A. Suzuki 429

Drawing of Nylon-6 by the Novel Incremental Drawing Process
A. Misra, B. Dutta, and V. K. Prasad 441

Swelling Properties of Copolymeric Hydrogels Prepared by Gamma Irradiation
M. B. Huglin, and M. B. Zakaria 457

Topographic Orientation on Buffed Polymeric Substrates: the Mechanism of Wax Buffing
S. B. Pence, and A. H. Sporer 477

Efficiency of Antioxidants in Thick-Walled Natural Rubber Samples Evaluated by Differential Scanning Calorimetry and Compression Stress-Relaxation
B. Stenberg, and F. Björk 487

Mechanical Properties of Films of Poly(vinyl Alcohol) Derived from Vinyl Trifluoroacetate
K. Yamaura, M. Tada, T. Tanigami, and S. Matsuzawa 493

Temperature Dependence of Sorption Parameters near T_g for Propane in a Miscible Blend of Polystyrene and Poly(vinyl Methyl Ether)
J. A. Yavorsky, and H. G. Spencer 501

Postirradiation polymerization of Vinyl Monomers on Poly(ethylene Terephthalate)
Y.-L. Hsieh, M. Shinawatra, and M. D. Castillo 509

Fiber of Poly(vinyl Alcohol Derived from Vinyl Trifluoroacetate. III. Production and Properties of Fibers
K. Yamaura, I. Mizutani, K. Monma, T. Tanigami, and S. Matsuzawa 521

Dynamic Mechanical and Impact Properties of PP/SEBS Blend
A. K. Gupta, and S. M. Purwar 535

Photoregulated Sorption of Dyes to Polymers I. The Effect of Polymers on Some Photochemical Properties of Acid Yellow 38
K. Petrak, P. Douglas, and L. L. Leyshon 553

Pyrolysis of Model Compounds of the Flame Retardant Poly *N*-Dimethylphosphonomethyl Acrylamide
T. E. Lawler, M. J. Drews, and R. H. Barker 567

The Density of Composition of Polyimide Surface Layers
C. Chauvin, E. Sacher, and A. Yelon 583

The Mass Burning Rate of Flame-Retarded Polypropylene in an Oxygen-Enriched Atmosphere
I. Špilda, M. Košík, and Blažej 589

Flame-Retardant Viscose—Polyester Fabrics
P. Nousiainen, and M.-R. Mattila-Nurmi 597

New Aspects in Cationization of Lignocellulose Materials. IV. Modification of Aspen Wood Meal with Quarternary Ammonium Groups
M. Antal, I. Šimkovic, and A. Ebringerová 621

Adhesive Behavior of the Two Phase System: Polyisobutylene-Sodium Carboxymethylcellulose
J. Piglowski, and M. Kozlowski 627

Synthesis of *N,N'*-Bis [(Dialkoxyphosphinyl) Methyl]-1, 4-Benzenediamines and the Corresponding Polymers
J. K. Kallitsis, and A. K. Tsolis 635

Semi- and Fully Interpenetrating Polymer Networks Based on Polyurethane-Polyacrylate Systems. VIII The Influence of the Degree of Crosslinking of the Second Formed Network on the Morphology and Properties of Polyurethane-Polymethylacrylate Interpenetrating Polymer Networks
D. J. Hourston, and J. A. McCluskey 645

Copolymers of Ethylene with Butene-1 and Long Chain α-Olefins. II. Dodecene-1 as Long Chain α-Olefin
J. V. Seppälä, and N. Oy 657

Studies on Thermal Degradation of Cellulose and Cellulose Phosphoramides
B. Kaur, I. S. Gur, and H. L. Bhatnagar 667

Mechanisms of Antioxidant Action: Time-Controlled Photoantioxidants for Polyethylene Based on Soluble Iron Compounds
S. Al-Malaika, A. M. Marogi, and G. Scott 685

Copolymers of Ethylene with Butene-1 and Long Chain α-Olefins, III. Hexadecene-1 As Long Chain α-Olefin
J. V. Seppälä, and N. Oy 699

Semi- and Fully Interpenetrating Polymer Networks Based on Polyurethane-Polyacrylate Systems. IX. Properties of an Isomerically Related Interpenetrating Network
D. J. Hourston, M. G. Huson, and J. A. McCluskey 709

Thermal Degradation of Stabilized Rigid Poly(vinyl Chloride) Monitored by Microhardness Measurements
A. Gonzalez, J. Martin-Gil, J. A. De Saja, and R. Rodriguez 717

Analytical and Physical Investigation of Alkyd Resin in the Course of its Preparation. I. Determination of Composition of Reaction Mixture Using Volatile Monocarboxylic Acid for Alkyd Snythesis
A. Kastánek, Karel Hájek, and O. Dufka 723

Combustion Products from Polydiallylamine
M. N. Galbraith, J. H. Hodgkin, and I. Vit 733

Segmentwise Diffusion in Molten Polystyrene
J. S. Vrentas, J. L. Duda, and A. C. Hou 739

Issue No. 3, February 20th, 1986

A Study on Blends of Nylon-6 and Nylon-66
A. Verma, B. L. Deopura, and A. K. Sengupta 747

The Viscosity of Concentrated Polymer Solutions Containing Low Molecular Weight Solvents
W. D. Richards and R. K. Prud'Homme 763

Diffusion/Adsorption Model of Cellulose Dyeing. I. The Diffusion through Never-Dry Cellulose
Z. Morita, T. Tanaka, and H. Motomura 777

Removal of Polyethylene Glycol Mono-*p*-Nonylphenyl Ether and Dodecylbenzenesulfonate by Chloromethylated Polystyrene-Polyethylenepolyamines and -Polyethyleneimines
T. Tashiro 791

Shear and Thermal History Effects in Polypropylene Melts
R. Schertzer, A. Rudin, and H. P. Schreiber 809

Effect of Pretreatment of Cellulosic Wastes on the Production of Cellulase Enzymes by *Trichoderma Reesei*
E. A. Kassim, I. M. Ghazi, and Z. A. Nagieb 823

Chemical Conversion of Wood to Thermoplastic Material
M. Morita and I. Sakata 831

Dielectric Properties and Stress-Strain Measurements of Chloroprene Rubber Based on Different Carbon Black Fillers
S. N. Lawandy and K. N. Abd-el-Nour 841

On Loci of Acrylonitrile Polymerization with Bisulfite-Persulfate Initiators under the Conditions of Low Water/Monomer Ratio
S. Ito and O. Plant 849

Preparation of Polymers with Pendant Quinonoid Groups and Their Photocrosslinking with Visible Light Irradiation
Y. Cha, M. Tsunooka, and M. Tanaka 861

Glass Transition Temperature and Chain Flexibility of 1,2-Polybutadiene
T. He, B. Li, and S. Ren 873

Nonisothermal Bulk Copolymerization of Styrene and Methyl Methacrylate in a CSTR: Multiplicity and Stability Analysis
K. S. Balaraman, B. D. Kulkarni, R. A. Mashelkar, and K. P. Madhavan 885

Plasma Surface Modification of Polymer Powders with Application to Thermal Energy Storage
I.-H. Loh, E. Cohen, and R. F. Baddour 901

A Comparison of Some Rheological Properties of Concentrated Solutions of Chlorinated Polyethylene and Polyvinyl Chloride in Dioctyl Phthalate
M. E. Muñoz, J. J. Peña, and A. Santamaría 911

Analysis of the Accuracy of Determination of Molar Mass Distribution by the GPC with the On-Line Light-Scattering Detector
O. Procházka and P. Kratochvíl 919

Epoxy Resin Cure III: Boron Trifluoride Catalysts
R. E. Smith and C. H. Smith 929

Thermal Behavior of Polyethyloxazoline
H. Keskkula and D. R. Paul 941

Mechanochemical Grafting of Some Inorganic Supports
C. V. Oprea and F. Weiner 951

Physical Properties and Structure of Silk. XI. Glass Transition Temperature of Wild Silk Fibroins
S. Nakamura, Y. Saegusa, and Y. Yamaguchi 955

Issue No. 4, March 1986

Mass Loss of Wood and Its Components During Transmission Electron Microscopy
M. Mary, J.-F. Revol, and D. A. I. Goring 957

Thermotropic Polyester Amide-Carbon Fiber Composites
T.-S. Chung and P. E. McMahon 965

Synthesis and Properties of Copolypyromellitimides
C.-P. Yang and S.-H. Hsiao 979

Analysis of Nonsolvent-Solvent-Polymer Phase Diagrams and Their Relevance to Membrane Formation Modeling
L. Yilmaz and A. J. McHugh 997

Optimal Periodic Control of a Continuous "Living" Anionic Polymerization. I. Theoretical Study
G. L. Frontini, G. E. Eliçabe, D. A. Couso, and G. R. Meira 1019

Chemical Modification of Kevlar Fiber Surfaces and of Model Diamides
Y. Wu and G. C. Tesoro 1041

Mechanical Properties of Crosslinked Polyethylene
A. G. Andreopoulos and E. M. Kampouris 1061

Effect of Stirring on Cellulose Graft Copolymerization. VI. Grafting of Methyl Acrylate by Ceric Salt
T. Graczyk 1069

Morphology of Composite Polymer Emulsion Particles Consisting of Two Kinds of Polymers Between Which Ionic Bonding Intermolecular Interaction Operates
M. Okubo, S. Yamaguchi, and T. Matsumoto 1075

N-Phenyl Piprazine-Polyester Derivative as Curing Activator of Unsaturated Resins
M. C. Tanzi, F. Pornaro, A. Miuccio, L. Grassi, and F. Danusso 1083

Photoregulated Sorption Dyes to Polymers. II. Adsorption of Acid Yellow 38 to Hydrophilic Polymers and Its Light-Induced Desorption
K. Petrak, L. Leyshon, and P. Douglas 1093

Inverse Relaxation in Spun Yarns
R. P. Nachane, G. F. S. Hussain, G. S. Patel, and K. R. Krishna Iyer 1101

A Dielectric Study of the Glass Transition Region in Urethane Elastomers Modified by Ionic Bonds
R. Zieliński and M. Rutkowska 1111

Studies on Structural Transformation of the Sytrene-Grafted Polyethylene Film and Fabric-Grafting Behavior and Cavity Formation Mechanism
G.-H. Hsiue and W.-K. Huang 1119

Effect of the Chemical Modification of Cotton Fabric with Propane Sultone and Through Grafting with Acrylonitrile on the Dyeability with Basic Dyes
M. W. Sabaa, H. Watamoto, M. Sakamoto, and K. Furuhata 1131

Differences between Low Density Polyethylenes Synthesized at Homogeneous and Heterogeneous Reacting Conditions
V. Bogdanović and J. Srdanović 1143

Preparation of Microporous Membrane-Containing Sulfonic Acid Group
Y. Mizutani and M. Nishimura 1147

A Polydispersity Corrected Limiting Viscosity Number-Molecular Weight Relationship for Polypropylene Oxide Benzene Solutions
P. Szewczyk 1151

Issue No. 5, April 1986

Dielectric Studies of the Cure of Epoxy Matrix Systems
J. W. Lane, J. C. Serferis, and M. A. Bachmann 1155

Studies on Chitin. IX. Crosslinking of Water-Soluble Chitin and Evaluation of the Products as Adsorbents for Cupric Ion
K. Kurita, Y. Koyama, and A. Taniguchi 1169

Cure Kinetics of Neat Versus Reinforced Epoxies
J. Mijović 1177

Miscibility of Polyethyloxazoline with Thermoplastic Polymers
H. Keskkula and D. R. Paul 1189

Selective Permeation of o-, m-, and p-Isomers of Benzene Derivatives Through Polymer Membranes Based on Cyclodextrin Complexation in the Bulk Aqueous Solution
J.-I. Anzai, Y. Kobayashi, A. Ueno, and T. Osa 1199

Time Lag in Diffusion
R. Ash and J. A. Barrie 1209

Orientation Behavior of Ethylene Diamine-Treated Cottons with Stress
A. R. Kalyanaraman 1219

Studies in Interactions between Polyvinyl Pyrrolidone and Stilbene Fluorescent Compounds. Part I: Interaction with Individual Compounds
G. N. Sheth 1227

Influence of Molecular Weight on the Ordered State in Poly(ethylene Terephthalate)
M. V. S. Rao and N. E. Dweltz 1239

Thermal Cis-Trans Isomerization and Photofading of Some Azo Dyes in Poly(ethylene Terephthalate) Matrices: A Kinetic Study
E. Dubini-Paglia, P. L. Beltrame, B. Marcandalli, P. Carniti, A. Seves, and L. Vicini 1251

Selective Transport of Inorganic Ions along CA Membranes
N. Yellin, L. Ben-Dor, and N. Zelingher 1261

The Role of Intumescence on the Flammability of Vinyl and Vinylidene Polymers
G. Impallomeni, G. Montaudo, C. Puglisi, E. Scamporrino, and D. Vitalini .. 1269

Grafting Acrylonitrile and Acrylic Acid Monomers on Cellulosic Materials
E. F. Okieimen and J. E. Ebhoaye 1275

Electron-Microscopical Investigation of the Morphology of Segmented Polyurethanes
J. Foks and G. Michler 1281

Preparation and Morphology of a Silicone-Acrylate Copolymer System
T. R. Williams 1293

Infrared and Liquid Chromatographic Characterization of Epoxy Cresol Novolac-Phenol Formaldehyde Novolac-Tertiary Amine Resin Systems
D. J. Belton and E. Sullivan 1309

Static Tensile and Dynamic Mechanical Properties of Hydroxypropylcellulose Films Prepared under Various Conditions
S. Suto, M. Kudo, and M. Karasawa 1327

Durability of Radiation-Sterilized Polymers III. Oxidation Layer Determined by Chemiluminescence
F. Yoshii, T. Sasaki, K. Makuuchi, and N. Tamura 1343

Dynamic Mechanical Properties and Adhesive Strengths of Epoxy Resins Modified with Liquid Rubber. II. Modification with CTBN
A. Takemura, K. Shiozawa, B.-I. Tomita, and H. Mizumachi 1351

Lignosulfonate Polymerization: Effect of Crosslinking Agents
A. M. Bialski, H. Bradford, N. G. Lewis, and C. E. Luthe 1363

Flame-Resistant Polycaproamide by Anionic Polymerization of ε-Caprolactam in the Presence of Suitable Flame-Retardant Agents
G. C. Alfonso, G. Costa, M. Pasolini, S. Russo, A. Ballistreri, G. Montaudo, and C. Puglisi 1373

Dielectric Properties of Polymers Containing Dispersed TCNQ Salts
H. Kita and K. Okamoto 1383

Aging of Pressure-Sensitive Adhesives III. Studies of Surface Oxidation with Multidetector Size Exclusion Chromatography
D. J. Harrison, W. R. Yates, and J. F. Johnson 1393

Effect of Modified Calcium Phosphate Surface on the Aqueous Polymerization of Methyl Methacrylate
A. B. Moustafa, A. A. Abd El-Hakim, A. S. Badran, M. A. Abd El-Ghaffar, and M. A. I. E. Sakr 1403

Effect of Comonomer Content and Annealing on Morphological Changes in Acrylic Copolymers and Fibers
A. K. Kulshreshtha, V. N. Garg, Y. N. Sharma, and N. E. Dweltz 1413

Sorption of *N*-Butane, Propane, and Ethane in Ethylcellulose
E. Casur and T. G. Smith 1425

Permeation of *N*-Butane, Propane and Ethane Through Ethylcellulose
E. Casur and T. G. Smith 1441

Polyester Polyurethane Ionomers
M. Rutkowska 1469

Effect of Synthesis Conditions on the Rheological Properties of Styrene Butyl Acrylate Copolymers
A. Garci-Rejón 1483

(Photo) Graft Copolymerization of Methyl Methacrylate (MMA) on Polyamine-Modified Oxycellulose in a Limited Aqueous System
P. Ghosh and A. R. Bandyopadhyay 1499

Copolymerization Kinetics for 2-Isopropenyl-2-Oxazoline (Methods and Results)
D. M. Dibona, R. F. Fibiger, E. F. Gurnee, and J. E. Shuetz 1509

NOTES

Postirradiation Polymerization of Acrylic Acid and Vinyl Pyrrolidinone on Polypropylene
Y.-L. Hsieh and M. Shinawatra 1515

Estimating Cross-sectional Area of a Polymer Chain by Additive Method
T. He 1521

Estimation of Crystallinity in a Model Thermoplastic Composite
N. T. Wakelyn 1525

Thermogravimetric Analysis of Water-Epoxy Interaction
A. N. Netravali, R. E. Fornes, R. D. Gilbert, and J. D. Memory 1531

Issue No. 6, May 5th, 1986

Percolation Transition and Conductivity in Macroscopically Anisotropic Two-Component Polymer Membranes
A. Narebska, R. Wódzski, and Z. Bukowski 1537

Polymers from Renewable Sources. IV. Polyurethane Elastomers Based on Myrcene Polyols
J. L. Cawse, J. L. Stanford, and R. H. Still 1549

Estimation of the Inherent Friction Factor per Main-Chain Friction Unit of Liquid Low-Molecular-Weight Unsaturated Polyesters
A. Kaštánek, M. Balcr, M. Bohdanecky, F. Lesek, and J. Kitzler 1567

Thermal Degradation of Butadiene—Styrene-Based Rubber
M. E. Abu-Zeid, Y. A. Youssef, and F. A. Abdul-Rasoul 1575

Ultrasonic Detection of Segmental Relaxations in Thermoplastic Polyurethanes
A. W. Aziz and S. N. Lawandy 1585

Influence of Processing Conditions on Structure Development and Mechanical Properties of Poly(butylene Terephthalate) Filament
F.-M. Lu and J. E. Spruiell 1595

Effect of Temperature on the Soda and Kraft Cooking of Corn Stalks
Z. A. Nagieb 1609

The Effects of Morphology and Hygrothermal Aging on Water Sorption and Transport in Kapton Polyimide
D. K. Yang, W. J. Koros, H. B. Hopfenberg, and V. T. Stannett 1619

Cold-drawing Behavior of Naturally Aged Poly(ethylene Terephthalate)
N. Avramova, S. Fakirov, and J. M. Schultz 1631

Effect of Degradative Treatments on Cotton Graft Copolymers. Part V. Behavior of Poly(Acrylamide)-Cotton Graft Copolymers Toward Acid Treatments
A. Hebeish, M. H. El Rafie, E. M. Khalil, and S. A. Abdel-Hafiz 1645

Nitrogen-Phosphorous Antagonism in Flame-Retardant Cotton
D. Davies and A. R. Horrocks 1655

Chelating Polymer Bearing Triazolylazophenol Moiety as the Functional Group
Y. Onari 1663

Molecular Weight Distribution of the Graft Copolymer Comprising Mixtures of Styrene and Acrylamiae on Cellulose Acetate Film by means of Gel Permeation Chromatography
S. N. Bhattacharyya and D. Maldas 1671

Studies of Selective Adsorption Resin. XXIV. Preparation and Properties of Macroreticular Chelating Resins Containing Both Polyethylenepolyamine Side Chains and Mercapto Groups
H. Egawa and T. Nonaka 1677

Polymer Complex from Copolymers of Acrylonitrile and Ionic Vinyl Benzyl Compounds
M. Senuma, S. Kuwabara, K. Kaeriyama, F. Hase, and Y. Shimura 1687

Surface Modification of Cellulose Fibers III. Durability of Cellulose-Polyester Composites Under Environmental Aging
P. Zadorecki and P. Flodin 1699

Gas Chromatographic Determination of Acid-Catalyzed Transesterified Antioxidant Additive Irganox 1076® in Polypropylene
H. Hayashi and S. Matsuzawa 1709

Carbon Tetrachloride Absorption in L-O-W-Density Polyethylene Pellets: Mathematical Analysis of Concentration Profiles
J. P. Gupta and M. V. Sefton 1721

Manufacture and Physical Properties of Alginate Fiber Papers as an Analysis Model of Cellulosic Fiber Papers
Y. Kobayashi, R. Matsuo, and H. Kawakatsú 1735

Polymer Swelling 2: A Restudy of Poly(Styrene-co-Divinylbenzene) Swelling in Terms of the Cross-link Density[1]
L. A. Errede 1749

Vanadium-Cyclohexanone-Initiated Graft Copolymerization of Methyl Methacrylate onto Jute Fibers
A. K. Mohanty, B. C. Singh, and M. Mishra 1763

Dielectric Properties of an Epoxy Resin and Its Composite I. Moisture Effects on Dipole Relaxation
J. D. Reid, W. H. Lawrence, and R. P. Buck 1771

Heterogeneous Styrene-Divinylbenzene Copolymers in Collapsed and Reexpanded States
O. Okay and T. I. Balkas 1785

Cross-linked Polystyrene-Dithiocarbamate Polymers: Use in Heavy Metal Removal
C. K. Wagner, G. Hall, B. Riegel, J. DeVirgilio, V. Kamath, and G. Germann ... 1797

Diffusion and Solubility of *n*-Alkanes in Polyolefins
J. Koszinowski ... 1805

Polybutadiene Hydroperoxide by Singlet Oxygen: Its Grafting and Morphology in Polystyrene Matrix
F. M. Peng ... 1827

Solution Studies of Metal Sulfonate Ionomers IV: Effects of Cosolvents
R. D. Lundberg ... 1843

Effect of Nucleating Agents on the Temperature-Dependent Melt Crystallization Kinetics of Poly(1-Butene)
R. D. Icenogle and A. M. Chatterjee ... 1859

Morphological, Structural, and Interfacial Changes Produced in Composites on the Basis of Polypropylene and Surface-Treated Sepiolite with Organic Acids II. Thermal Properties
J. L. Acosta, M. C. Ojeda, E. Morales, and A. Linares ... 1869

Lower Critical Solution Temperature Behavior of Ethylene Propylene Copolymers in Multicomponent Solvents
C. A. Irani and C. Cozewith ... 1879

Thermodynamics of the Process of Adsorption of Aliphatic Amidpolyamine on Cellulose
M. Nedelcheva, S. Mladenova, and E. Valcheva ... 1901

Melt Viscosity and Electrical Conductivity of Carbon Black-PVC Composites
T. Noguchi, T. Nagai, and J. Seto ... 1913

Effect of Radiation Chemical Treatment on Sisal Fibers I. Radiation Induced Grafting of Ethyl Acrylate
A. H. Zahran and M. H. Zohdy ... 1925

Control of Solute Permeability Based on pH-Induced Reversible Conformational Change in Block Copolypeptide Membrane
N. Minoura, S. Aiba, and Y. Fujiwara ... 1935

Invariant Kinetic Parameters of Polymer Thermolysis. I. Oxidative Degradation of Flame-Retardant Polyesters
A. I. Lesnikovich, S. V. Levchik, and G. F. Levchik ... 1943

Studies on Chitin X. Homogeneous Crosslinking of Chitosan for Enhanced Cupric Ion Adsorption
Y. Koyama and A. Taniguchi ... 1951

Issue No. 7, May 20th, 1986

Latex Interpenetrating Polymer Networks Based on Acrylic Polymers. II. The Influence of the Degree of Network Compatibility on Morphology
D. J. Hourston, R. Satgurunathan, and H. Varma ... 1955

Polymers from Renewable Sources. III. Hydroxy-Terminated Myrcene Polymers
J. L. Cawse, J. L. Stanford, and R. H. Still ... 1963

Influencing the Crystallization Behavior of PET-Based Segmented Copoly(ether Ester)
J. J. Zeilstra ... 1977

Plasma Polymerized Membranes and Gas Permeability. II
J. Sakata, M. Yamamoto, and M. Hirai ... 1999

Grafting of 2-Hydroxyethyl Methacrylate and Methyl Methacrylate onto Chrome Tanned Collagen Fibers
A. Klásek, A. Kaszonyiová, and F. Pavelka ... 2007

Grafting of 3-Chloro-2-Hydroxypropyl Acrylate onto Chrome Tanned Collagen Fibers
A. Klásek, J. Šimoníková, A. Kaszonyiová, F. Pavelka, and L. Janda ... 2021

Irradiation of Cotton Celluloses I and II in Presence of Organic Solvents.
N. A. Hakeem, K. N. Abd-El-Nour, and M. A. Moharram ... 2035

The Preparation and Properties of Vinyl Cellulose
B. Träskman and V. Tammela 2043

Miscible Blends of Poly(styrene-co-Acrylonitrile) and Poly(α-Methyl Styrene-co-Acrylonitrile) with Poly(methyl Methacrylate) Containing Sterically Hindered Amine Group
S. H. Goh, S. Y. Lee, and K. S. Siow 2055

On a Blending Law for Two-Component Blends of Narrow-Distribution Polystyrene Components
R. H. Bersted 2061

Mathematical Analysis of Transport Properties of Polymer Films for Food Packaging. VI. Coupling of Moisture and Oxygen Transport Using Langmuir Sorption Isotherms
G. J. Howsmon and N. A. Peppas 2071

Polymeric Reaction of Polymer-Monomer System Irradiated by Low Energy Electron Beam. III. Adhesive Property of Pressure Sensitive Adhesive
R. Takiguchi and T. Uryu 2083

Rheological Measurements of Cure Rate of UV Inks
Y. Otsubo, T. Amari, and K. Watanabe 2099

Sorption of Carbon Tetrachloride in Low-Density Polyethylene Pellets
J. P. Gupta and M. V. Sefton 2109

A Study on the Soap-Free Emulsion Polymerization of Styrene
W-Y. Chiu and C-C. Shih 2117

Aging of Polypropylene Using High Oxygen Pressure: Influence of Sample Thickness and Stabilization
D. L. Faulkner 2129

Properties of Syndiotactic-rich Poly(vinyl Alcohol) Thin Film in Water. III. Contraction and Extension of Drawn and Annealed Thin Film in Water
K. Yamaura and S. Matsuzawa 2139

A Study on Blends of Different Molecular Weights of Polypropylene
B. L. Deopura and S. Kadam 2145

Determination of Effectiveness of 2,6-Ditertiarybutyl Cathecol Tri(Mono-and-Di-Nonyl-Phenyl Mixtures) Phosphite and Their Mixtures as Antioxidants for CBR, By DSC
O. Tunç Savaşci, Petkim, and S. M. Baysal 2157

Preparation of Block Copolymers with Polymeric Azocarbamate as an Initiator
H. Yürük, A. B. Özdemir, and B. M. Baysal 2171

Factors Causing Variations in Electrical Properties and Hardness of Silicone Rubbers
T. Yokoyama, N. Kinjo, and Y. Wakashima 2185

Crystallinity and Dicumyl Peroxide Diffusivity in Low Density Polyethylene with Different Thermal Histories
J. P. Gupta and M. V. Sefton 2195

Effect of Molecular Weight on High-Speed Melt Spinning of Nylon 6
K. Koyama, J. Suryadevara, and J. E. Spuriell 2203

Polymerization of Olefins Through Heterogeneous Catalysis IV. Modeling of Heat and Mass Transfer Resistance in the Polymer Particle Boundary Layer
S. Floyd, K. Y. Choi, T. W. Taylor, and W. H. Ray 2231

Detection of Secondary Relaxation in Polyacetal, Polycarbonate and Polyether-Sulfone by Ultrasonic and Dielectric Methods
A. W. Aziz and K. N. Ab-El-Nour 2267

Relationship between Phenolic Adhesive Chemistry and Adhesive Joint Performance: Effect of Filler Type on Fraction Energy
R. O. Ebewele, B. H. River, and J. A. Koutsky 2275

Preparation of Cellulose Graft Copolymers Having Polypeptide Side Chains and Their Blood Compatibility
T. Miyamoto, S-I. Takahashi, S-I. Tsuji, H. Ito, H. Inagaki, and Y. Noishiki 2303

Quantitative and Qualitative IR Studies of Some Synthesized Aromatic Polysulfides
I. K. Ahmed, M. A. M. Rashid, and J. K. Jawad 2315

Changes of Spin-spin Relaxation Time for EPR Composites During Mixing Process
M. Furuta, T. Hikasa, and E. Kato 2325

Optical Recording by a 823-nm GaAlAs Laser, Based on Stretched-Polymer Birefringence Relaxation
P. S. Murthy, K. A. Klingensmith, and J. Michl 2331

Rheological Characterization of Dextran-Enzymatic Synthesis Media
A. Tecante, A. López-Munguia C., and A. García-Rejón 2337

Morphological, Structural, and Interfacial Changes Produced in Composites on the Basis of Polypropylene and Surface-Treated Sepiolite with Organic Acids I. Surface Treatment and Characterization of the Sepiolites
J. L. Acosta, M. C. Ojeda, E. Morales and A. Linares 2351

Physical Properties of Vinyl Chloride-Propylene Copolymers
M. Langsam and P. A. Mango 2361

Calculation of Temperature and Pressure Dependence of Heat Capacities in Polymer Melts
B. Hartmann and E. Balizer 2377

Clustering of Absorbed Water in Amorphous Polymer Systems
A. Misra, D. J. David, J. A. Snelgrove, and G. Matis 2387

Issue No. 8, June 1986

Solvent-Vapor-Induced Crystallization of Branched Polydisperse Polycarbonate
I. Daniewska, Z. Dobkowski, and Z. Członkowska-Kohutnicka 2401

Effect of Catalyst Residues on the Degradation of Rigid Foam Polyurethane
M. E. Abu-Zeid and E. E. Nofal 2407

Utilizing Zero Crossover Points in the Near Infrared Reflectance Analysis of Industrial Polymers
L. G. Weyer 2417

Thermal Degradation of Cellulose Model Compounds in Inert Atmosphere
I. Šimkovic, M. Ďurindová, V. Mihálov, J. Königstein, and P. Ambrovič 2433

Swelling of Cotton in Ethylene Diamine: Variation of the Spiral Angle and the Angle of Crystallite Dispersion with Stress
A. R. Kalyanaraman 2443

Calendering of Non-Newtonian Fluids
W. R. W. Daud 2457

Analysis of Mass Transfer Effects in Ethyl Cellulose Manufacture
A. Chakrabarti, R. Jaganathan, and R. V. Chaudhari 2467

Capacitive Moisture Sensor Devices from Plasma Films
N. Inagaki, K. Oh-ishi, and K. Suzuki 2473

A Study on the Polycondensation of Bis-Hydroxyethyl Terephthalate
C-C. Lin and S. Baliga 2483

Formation of Polyelectrolyte Complexes between Cellulose Derivatives and Their Blood Compatibility
H. Ito, T. Shibata, T. Miyamoto, Y. Noishiki, and H. Inagaki 2491

Determination of Intrinsic Viscosity by Single Specific Viscosity Measurement
M. V. Ram Mohan Rao and M. Yaseen 2501

Prediction of Thermoset Viscosity Using a Thermomechanical Analyzer
H-M. Tong and G. Appleby-Hougham 2509

Characterization of Polyisobutylene-Based Model Urethane Networks
T. Miyabayashi and J. P. Kennedy 2523

Gas Transport in Poly(vinylidene Fluoride): Effects of Uniaxial Drawing and Processing Temperature
M. J. El-Hibri and D. R. Paul 2533

Thermal Analysis of the Glass Transition of Plasticized Poly(vinyl Chloride)
K. J. Beirnes and C. M. Burns 2561

Structure and Properties of Talc-Filled Polyethylene and Nylon 6 Films
N. S. Murthy, A. M. Kotliar, J. P. Sibilia, and W. Sacks 2569

Effects of Mechanical Drawing on Gas Transport in an Emulsion Acrylic Multipolymer
M. J. El-Hibri and D. R. Paul 2583

Gas Transport in Partially Fluorinated Low-Density Polyethylene
C. L. Kiplinger, D. F. Persico, R. J. Lagow, and D. R. Paul 2617

Monitoring the Dynamic Mechanical Behavior of Polymers and Composites Using Mechanical Impedance Analysis (MIA)
B. Z. Jang and G. H. Zhu 2627

Reaction Engineering Aspects of Suspension Polymerization
A. G. Mikos, C. G. Takoudis, and N. A. Peppas 2647

Changes of Spin-spin Relaxation Time for EPR Composites During Mixing Process
M. Furuta, T. Hikasa, and E. Kato 2661

A Study of Polyion-Enzyme Complexes: Quaternized Poly(vinyl Dimethylaminobenzal)-Glucose Oxidase-Potassium Poly(acrolein Bissulfate) Complex
J. Hua, L. Liu, R. Yin, S. Fang, and Y. Jiang 2667

Improvement in Properties of Poly(vinyl acetate): Emulsion with Dibasic Acids
S. K. Verma and S. C. Bisarya 2675

Polyethylene-Modified Bitumen for Paving Applications
P. Jew, J. A. Shimizu, M. Svazic, and R. T. Woodhams 2685

Preparation and Testing of Local Polyester Composites Based on Unsaturated Polyesters as Binder
M. H. Nosseir, N. L. Doss, and S. Y. Toufik 2705

Diffusion and Solubility of Hydroxy Compounds in Polyolefines
J. Koszinowski 2711

Swelling of Particulate Polymers Enmeshed in Poly(tetrafluoroethylene)
L. A. Errede, J. D. Stoesz, and L. M. Sirvio 2721

The Concept of Solid Solvent as a Processing Aid
C. I. Chung 2739

Orientation Suppression in Fibers Spun From Polymer Melt Blends
H. Brody 2753

Effect of Mode of Agent Removal on Pore Structure of Liquid Ammonia Treated Cotton Cellulose
N. R. Bertoniere, W. D. King, and S. P. Rowland 2769

Kinetics of Gelatinization of Cornstarch Adhesive
M. Inoue and P. Lepoutre 2779

Residual Stresses and Birefringences in Large, Quenched Samples
S. Lee, J. De La Vega and D. C. Bogue 2791

Modeling of Melamine Formaldehyde Polymerization. II. Development of a Simpler Model
S. K. Gupta 2805

The Effect of Some Catalysts on the Curing of Oxiranes with p-Phenylenediamine
K. Kishore, M. Joseph, V. Dharumaraj, and M. N. Vijayshree 2829

NOTES

Localization of Methyl Acrylate Graft Copolymerization in Exposed Cortex of Abraided Wool Fibers
R. R. Bresee, P. A. Annis, and B. M. Reagan 2839

Authors' Reply to the Remarks made by Dr. S. Paipetis Concerning Their Paper Entitled: "Glass Transition Behavior of Particle Composites Modelled on the Concept of Interphase" [J. Appl. Polym. Sci., 27(8), 3019–3025 (1982)]
P. S. Theocaris 2845

ERRATA

Analysis of Nonsolvent-Solvent-Polymer Phase Diagrams and Their Relevance to Membrane Formation Modeling
L. Yilmaz and A. J. McHugh 2847

Chemical Modification of Kevlar Fiber Surfaces and of Model Diamides
Y. Wu and G. C. Tesoro 2849

Volume 32

Issue No. 1, July 1986

Specific-Enzyme Release of Cellulose-Bound Drugs, Experimental and Theoretical Study
F. Lapicque and E. Dellacherie 2851

Studies on NBR/PVC Blends
K. E. George, R. Joseph, and D. J. Francis 2867

Accelerated Weathering of Butadiene-Styrene-Based Rubber
M. E. Abu-Zeid 2875

Studies on Fiber Properties of Sodium Hydroxide-Treated and Grafted Murga Fibers—Microscopical Study
B. B. Samal, L. M. Mahapatra, T. R. Mohanty, and A. R. Ray 2883

Prediction of Stress-Relaxation Data of Some Nylons from Stress-Strain Data
W. V. Bradley and L. Williams 2889

Sorption and Transport of CO_2 in PVF_2/PMMA Blends
J. S. Chiou and D. R. Paul 2897

Influence of Chalk and its Surface Treatment on Crystallization of Filled Polypropylene
T. Kowalewski and A. Galeski 2919

Polymerization of Olefins through Heterogeneous Catalysis. III. Polymer Particle Modelling with an Analysis of Intraparticle Heat and Mass Transfer Effects
S. Floyd, K. Y. Choi, T. W. Taylor, and W. H. Ray 2935

Synthesis and Characterization of Some Aromatic Polyphosphonates
A. Natansohn 2961

The Redox Aqueous Polymerization of Acrylonitrile under Pressure
B. Mohanty, S. K. Palit, and M. Biswas 2969

Wood Processing Variables and Adhesive Joint Performance
R. O. Ebewele, J. A. Koutsky, and B. H. River 2979

Compatibility Studies of Polystyrene-Polybutadiene Blends by Thermal Analysis
W-N. Kim and C. M. Burns 2989

Synthesis and Properties of 4-Hydroxy-2,3,5,6-Tetrabromobenzyl Phosphonates and Effects of Their Flame Retardance on Impact Polystyrene
C-P. Yang and T-W. Lee 3005

Improvements in the Stress-Strain Behavior of Urethane Rubbers by Bimodal Network Formation
C. S. Youn Kim, J. Ahmad, J. Bottaro, and M. Farzan 3027

Determination of the Molecular Weight Between Cross-links of Elastomeric Stocks by Tensile Retraction Measurements I. SBR Vulcanizates
W. L. Hergenrother 3039

The SCOPE Dynamic Model for Emulsion Polymerization I. Theory
E. P. Dougherty 3051

The SCOPE Dynamic Model for Emulsion Polymerization II. Comparison with Experiment and Applications
E. P. Dougherty 3079

High-Speed Reverse-Phase Liquid Chromatography with 3 μm Packing for Analysis of Fiber-Reinforced Epoxy Composite Formulations
D. Noël, K. C. Cole, J.-J. Hechler, A. Chouliotis, and K. C. Overbury 3097

Crosslinking of Amidated Polybutadiene with Resole. I
H. Hara, Y. Araki, and S. Orii 3109

Kinetics of Transesterification of Dimethyl Terephthalate With 1,4-Butanediol Catalyzed by Tetrabutyl Titanate
J. Hsu and K. Y. Choi 3117

High-Strength—High-Modulus Polyimide Fibers I. One-Step Synthesis of Spinnable Polyimides
T. Kaneda, T. Katsura, K. Nakagawa, H. Makino, and M. Horio 3133

High-Strength—High-Modulus Polyimide Fibers II. Spinning and Properties of Fibers
T. Kaneda, T. Katsura, K. Nakagawa, H. Makino, and M. Horio 3151

Surface Coatings Based on Water-Soluble Epoxy Allyl Ether Polymer Systems
N. Krishnamurti, M. M. Shirsalkar, and M. A. Sivasamban 3177

Wood-Phenol Adhesives Prepared from Carboxymethylated Wood. I
N. Shiraishi and H. Kishi 3189

Time-Dependent Changes in Morphology of Neat and Reinforced Epoxy Resins Part I. Neat Epoxies
J. Mijovic and K-F. Lin 3211

Permeation of Solutes in Water-Swollen Poly(vinyl Alcohol-Co-Itaconic Acid) Membranes
A. Higuchi and T. Iijima 3229

On-Line Monitoring of Polymer Quality in a Batch Polymerization Reactor
S. Ponnuswamy, S. L. Shah, and C. Kiparissides 3239

Using Disaccharides as a Kinetic Model for Alkaline Degradation of Celluloses and Starches
I. Irving Ziderman and J. Belayche 3255

Intrinsic Birefringence of Amorphous Poly(Bisphenol-A Carbonate)
M-S. S. Wu 3263

Linear Polythioesters. XI. Products of Polycondensation of Some Isomeric Di(mercaptomethyl)Dimethylbenzenes with Isophthaloyl and Terephthaloyl Chlorides
W. Podkościelny and S. Szubińska 3277

Cinnamylidene-Amine-Sensitized Photodegradation of Polyethylene
T. Czekaj 3299

Characterization of Sorbed Water in Saponified Start-g-Polyacrylonitrile with Differential Scanning Calorimetry
C. Rodehed and B. Rånby 3309

Crystallization Kinetics of Polyaryl Ether Ketones
J. P. Jog and V. M. Nadkarni 3317

Structure and Molecular Properties of Saponified Starch-Graft-Polyacrylonitrile
C. Rodehed and B. Rånby 3323

Sorption and Permeation Behavior of Water Vapor and Carbon Dioxide Gas through Ethylene Ionomer Membranes
K-I. Itoh, Y. Tsujita, A. Takizawa, and T. Kinoshita 3335

Accelerated Aging of Natural Rubber
M. E. Abu-Zeid, Y. A. Youssef, and F. A. Abdul-Rasoul 3345

Issue No. 2, August 5th, 1986

Studies On the Rheological Behavior of High-Impact Polystyrene Prepolymerizing Systems
S. Zhiqiang, Y. Huigen, and P. Zuren 3349

Effect of Diethylene Glycol Content and Annealing Temperature on the Structure and Properties of Poly(ethylene Terephthalate)
I. Seganov, J. M. Schultz, and S. Fakirov 3371

The Effect of Particle Concentration on the Rheology of Polydimethylsiloxane Filled with Fumed Silica
L. E. Kosinski and J. M. Caruthers 3393

Miscible Blends of Poly(styrene-co-Acrylonitrile) and Poly(α-Methyl Styrene-co-Acrylonitrile) with Hydroxyl-Containing Polymethacrylates
S. H. Goh and K. S. Siow 3407

In Vivo and *In Vitro* Blood Compatibility of Polyelectrolyte Complexes Formed Between Cellulose Derivatives
H. Ito, T. Miyamoto, H. Inagaki, Y. Noishiki, H. Iwata, and T. Matsuda 3413

Alkalization Mechanism of Cellulose in Hydroxypropylcellulose Preparation Process
H. Yokota 3423

Rheological Properties of Coatings During Drying Processes
K. Watanable and T. Amari 3435

A Kinetic Scheme for an Amine-Epoxy Reaction with Simultaneous Etherification
C. C. Riccardi and R. J. J. Williams 3445

Molecular Orientation Distribution in Injection-Molded Polycarbonate Discs
M. Takeshima and N. Funakoshi 3457

Factors Affecting Improvement in the Flexural Modulus of Polyacrylic Acid-Modified Crystalline Films
T. Sugama, L. E. Kukacka, N. Carciello, and J. B. Warren 3469

Synthesis of IPN-Related Materials from Solution of Polyacrylates
A. Takemura, B-I. Tomita, and H. Mizumachi 3489

Roller Drawing of Polyoxymethylene
A. Kaito, K. Nakayama, and H. Kanetsuna 3499

Elastomer Solvent Interactions III-Effects of Methanol Mixtures on Fluorocarbon Elastomers
M. E. Myers and I. A. Abu-isa 3515

Effect of Ionizing Radiation on Styrene/Acrylonitrile Copolymer Hollow Fiber Membranes
A. K. Fritzsche 3541

Microwave Dielectric and Mechanical Behavior of Foams From Polystyrene and Poly(methyl methacrylate) Blends
T. K. Chaki and P. C. Bandyopadhyay 3551

Depolymerization of Poly(fluoroalkyl methacrylate-co-methyl methacrylate) as Studied with Thermogravimetry
K. Hayakawa, K. Kawase, H. Yamakita, and H. Taoda 3565

Cyanoethylated Cellulose Prepared by Homogeneous Reaction in Paraformaldehyde-DMSO System
T. Morooka, M. Norimoto, and T. Yamada 3575

Effect of Time-Temperature Path of Cure On the Water Absorption of High T_g Epoxy Resins
M. T. Aronhime, X. Peng, J. K. Gillham, and R. D. Small 3589

Transport of Swelling Penetrants in Glassy Polymers: Influence of Convection
G. C. Sarti, C. Gostoli, G. Riccioli, and R. G. Carbonell 3627

Degradation of Polymers During Aerosol Formation from Antimisting Polymer Solutions
A. L. Ilano, M. C. Williams, and E. A. Grens 3649

Water Extraction of Polyethyloxazoline from Miscible and Immiscible Polymer Blends
J.-L. G. Pfennig, H. Keskkula, and D. R. Paul 3657

Cross-linking of Amidated Polybutadiene with Resole. II.
H. Hara, Y. Araki, and S. Orii 3675

Determination of the Molecular Weight Between Cross-links of Elastomeric Stocks by Tensile Retraction Measurements. II. Polyurethanes
W. L. Hergenrother 3683

Stress Relaxation of Some Linear Aliphatic Nylons
M. W.-Y. Yeung and H. L. Williams 3695

The Effect of Precipitation on the Molecular Weight Distribution of Cellulose Tricarbanilate
B. F. Wood, A. H. Conner, and C. G. Hill, Jr. 3703

Effect of Reversible and Interchange Reactions on MWD of Condensation Polymers in a CSTR
K. Ravindranath and R. A. Mashelkar 3713

Water Permeation through Elastomer Laminates. IV. NBR/EPDM
T. M. Aminabhavi, L. S. Manjeshwar, and P. E. Cassidy 3719

The Effect of Molecular Structure on the Gas Transmission Rates of Aromatic Polyimides
G. F. Sykes and A. K. St. Clair 3725

The Effects of a Synergistic Molybdenum-Copper Smoke Retarder Additive During the Pyrolysis and Combustion of Rigid Poly(vinyl chloride) Compounds
W. J. Kroenke and R. P. Lattimer 3737

The Glass Transition and Gelation of PVC Resins in Plastisol
N. Nakajima, C. M. Yavornitzky, E. J. Roche, and E. R. Harrell 3749

Cure Kinetics of Epoxy Resins and Aromatic Diamines
A. Moroni, J. Mijovic, E. M. Pearce, and C. C. Foun 3761

Poly-*l*-Hexene, Synthesis and Solubility in Dense Carbon Dioxide
D. K. Dandge, J. P. Heller, and K. V. Wilson 3775

The Gamma-Ray-Induced Crosslinking of Polyacrylamide
S. G. Burillo and T. Ogawa 3783

Issue No. 3, August 20th, 1986

Removal of Polyethylene Glycol Mono-*p*-Nonylphenyl Ether and Dodecylbenzenesulfonate by Chloromethylated Polystyrene-Polyethylenepolyamines and -Polyethyleneimines
T. Tashiro 3791

Correlations of the First Normal Stress Difference with Shear Stress and of the Storage Modulus with Loss Modulus for Homopolymers
C. D. Han and M. S. Jhon 3809

The Influence of Annealing on the Thermal Properties of Poly(ethylene Terephthalate) Fibers I. The Heat Capacity of Annealed PET Fibers
G. W. Urbanczyk and G. Michalak 3841

Phase Equilibria and Fractionation of Linear Homopolymers in Solution: A Thermodynamic Numerical Interpretation
C. Chuquilín Terán, E. M. Macchi, and R. V. Fignini 3847

Photocrosslinking of Chlorinated Polydimethylsiloxanes
H. Inoue and S. Kohama 3853

Miscible Ternary Blends Containing Polycarbonate, SAN and Aliphatic Polyesters
V. S. Shah, J. D. Keitz, D. R. Paul, and J. W. Barlow 3863

Semi- and Fully Interpenetrating Polymer Networks Based on Polyurethane-Polyacrylate Systems. X. Polyurethane-Poly(ethyl Acrylate) Interpenetrating Polymer Networks
D. J. Hourston, M. G. Huson, and J. A. McCluskey 3881

Phase Behavior of Blends of Aliphatic Polyesters with a Vinylidene Chloride/Vinyl Chloride Copolymer
E. M. Woo, J. W. Barlow, and D. R. Paul 3889

Effect of Types of Carbon Black and Cure Conditions on Dynamic Mechanical Properties of Elastomers
H. E. Trexler and M. C. H. Lee 3899

Characterization of Acidic Groups in Oxycelluloses IV. Effect of Accelerated Aging on Yellowing as Well as Carboxyl Groups and Lactones in Pulp
W. B. Achwal and R. Murali 3913

Effect of Sequence Distribution of Poly(vinyl Alcohol-vinyl Acetate) on the Coloring Reaction with Iodine
T. Hirai, A. Okazaki, and S. Hayashi 3919

Reaction and Diffusion of Reactive Disperse Dye in Nylon 6
Z. Morita, T. Saito, and H. Motomura 3929

Exposure of Cross-linked Epoxy Resins to the Space Environment
A. Garton, P. D. McLean, W. Wiebe, and R. J. Densley 3941

Molecular Weight Distribution of Polyphenylene Sulfide by High Temperature Gel Permeation Chromatography
C. J. Stacy 3959

The Adhesive Properties of Hydantoin Vinyl Ether Polymers
S. H. Eldin 3971

Effect of Metal Halides on Thermal, Mechanical, and Electrical Properties of Polypyromellitimide Films
I. K. Varma, S. Saxena, A. Tripathi, T. C. Goel, and D. S. Varma 3987

Distribution of End Groups and Comonomer of the Acrylonitrile-Vinyl Acetate Copolymer
S. Ito, C. Okada, and K. Kamada 4001

Chemical Modification of Polyester Fiber Surfaces by Amination Reactions with Multifunctional Amines
Y. Avny and L. Rebenfeld 4009

Plasma, Polymerization of Ethane and Some Properties of PP Ethane as a Protective Coat
G. Akovali 4027

Optimizing Polyimide Cure Using Infrared Spectroscopy and a Factorial Design
A. I. Baise 4043

Thermal Effects in Polytetrafluoroethylene at High Hydrostatic Pressures
E. L. Rodriguez 4049

Effect of Cryoground Rubber on Properties of NR
A. A. Phadke, A. K. Bhowmick, and S. K. De 4063

Regression Analysis Studies of Polymer Transitions II. T_{11} from Specific Heat and Other Data for Polyisobutylene
R. F. Boyer and J. B. Enns 4075

Hydrolytic Stability of Single-Package Silicone Sealant
L. M. Gan, H.W.K. Ong, T.L. Tan, and S. O. Chan 4109

Morphological, Structural, and Interfacial Changes Produced in Composites on the Basis of Polypropylene and Surface-Treated Sepiolite with Organic Acids. III. Isothermal and Nonisothermal Crystallization
J. L. Acosta, M. C. Ojeda, E. Morales, and A. Linares 4119

Preparation and Reactions of Polymers Having 1-Aroyl-2-(3-pyridyl)ethylenes as Photosensitive Groups
S. Watanabe, K. Ichimura and Y. Suda 4127

Novel Anion Exchange Membranes Having Fluorocarbon Backbone: Preparation and Stability
K. Matsui, E. Tobita, K. Sugimoto, K. Kondo, T. Seita, and A. Akimoto 4137

Poly(*p*-Benzoquinono) Diimidazoles from Two-Ring Aromatic Dicarboxylic Acids
I. Sideridou-Karayannidou 4145

Melaminium Molybdate Smoke and Fire Retarders for Poly(vinyl chloride)
W. J. Kroenke 4155

Tensile Failure of γ-Ray Irradiated Blends of High-Density Polyethylene and Natural Rubber
S. Akhtar, P. P. De, and S. K. De 4169

Transport of Direct Dye into Cellulose Membrane
H. Yoshida, T. Kataoka, M. Nango, S. Ohta, N. Kuroki, and M. Maekawa 4185

Sound Attenuation of Interpenetrating Polymer Network Foams
D. Klempner, C. L. Wang, M. Ashtiani, and K. C. Frisch 4197

Mechanism and Kinetics of the Reaction of Acrylic Polyols with Hexa(Methoxymethyl) Melamine
J. W. Collette, P. Corcoran, H. P. Tannenbaum, and W. S. Zimmt 4209

Effect of the Molecular Weight of Poly(ethylene Glycol), Used for the Surface Treatment of Calcium Carbonate, on the Tensile Modulus of Filled Oriented Polypropylene
K. Mitsuishi, S. Kodama, and H. Kawasaki 4229

Determination of Cellulose Accessibility by Differential Scanning Calorimetry
M. S. Bertran and B. E. Dale 4241

Synthesis of Polystyrenes Having 2-Pyridylthio Group and Their Use as Phase Transfer Catalysts for the Reduction of Carbonyl Compounds by Sodium Borohydride
S. Kondo, M. Nakanishi, K. Yamane, A. Horibe, and K. Tsuda 4255

Use of a Sequential Extraction Technique to Determine the MWD of Bulk UHMWPE
R. P. Kusy and J. Q. Whitley 4263

Graft Copolymerization onto Natural Rubber. XV. Graft Copolymerization of Methyl Methacrylate onto Natural Rubber Using a Potassium Permanganate-Ascorbic Acid Redox System
P. L. Nayak and A. Basak 4271

Crystalline Morphology of Ultrahigh-molecular-weight Polyethylene Pseudogels
A. E. Zachariades 4277

Chromatographic Separation of Micelle-Forming Three-Block Copolymers: Effect of the Finite Rate of Micelle Formation on the Chromatographic Result
P. Špaček 4281

Influence of Wood Flour on the Mechanical Properties of Polyethylene
S. N. Maiti and K. Singh 4285

Rapid Determination of the MW of a PF Resin by HPSEC Using a Bondagel Column
A. R. Walsh and A. G. Campbell 4291

Viscoelastic Behaviors of Ethylene Ionomer Treated by Nitric Acid
I. Uematsu 4295

The Hall Effect Measurement of the Polymer-Filler Composition
S. Miyauchi, E. Togashi, Y. Sorimachi, and I. Tsubata 4299

Issue No. 4, September 1986

A New Method for Determining Molecular Weight Distributions of Copolymers
V. Grinshpun and A. Rudin 4303

Carbon Tetrachloride Absorption in Low-Density Polyethylene Pellets: Concentration Profiles by Electron Microprobe Analysis
J. P. Gupta and M. V. Sefton 4313

Photochemical Grafting of Acrylated Azo Dyes onto Polymeric Surfaces. VII. Kinetics and Mechanism of Dye-Sensitized Photoinitiation of Some Diacrylates
I. R. Bellobono, E. Selli, and B. Marcandalli 4323

Studies in Interaction Between Polyvinyl Pyrrolidone and Stilbene Fluorescent Compounds II. Interaction with Mixture of Compounds
G. N. Sheeth 4333

Properties of Syndiotacticity-Rich Poly(vinyl Alcohol) Thin Film in Water. IV. Elastic Behavior of Untreated Thin Film by Repeated Elongation and Contraction in Water
K. Yamaura, T. Tanigami, and S. Matsuzawa 4343

Reliability of Methods for Determination of Kinetic Parameters from Thermogravimetry and DSC Measurements
Z. S. Petrovic and Z. Z. Zavargo 4353

Preparation and Properties of Plasma-Deposited Films with Surface Energies Varying Over a Wide Range
Y. Haque and B. D. Ratner 4369

The Correlation Between Phase Behavior And Structure of A Four-Component System, Poly-Ethylene Glycol/Sodium Dodecyl Sulfate/Pentanol/H_2O
M. L. Chen, Y. G. Sheu, and D. Y. Chao 4383

Flame Retardation of Polypropylene: Effect of Organoantimony Compounds on the Flammability and Thermal Behavior
N. K. Jha, P. Bajaj, A. C. Misra, and P. L. Maurya 4393

Distribution of Grafted Poly(acrylic Acid) in Polyethylene Film
K. Kaji 4405

Effect of Pressure on Phase Behavior in Polymer Blends of Poly(2,6-Dimethyl-1,4-Phenylene Oxide) and Poly(*o*-Fluorostyrene-co-*p*-Fluorostyrene) Copolymers
Y. Maeda, F. E. Karasz, and W. J. MacKnight 4423

Studies on the Structural Dependence of Melting Behavior of Poly(ethylene terephthalate) by Differential Scanning Calorimetry
M. V. S. Rao, R. Kumar, and N. E. Dweltz 4439

Effect of Degradative Treatments on Cotton Graft Copolymers. Part IV. Hydrolytic Susceptibility of Poly(acrylonitrile)-Cotton Graft Copolymers
A. Hebeish, M. H. El-Rafie, E. M. Khalil, and S. A. Abdel-Hafiz 4453

The Application of Limited Swelling in the Studies of the Cohesive Energy Density of Polyethylene Thin Film
G. J. Osanaiye 4465

Effect of Thermal Aging on the Mechanical and Optical Properties of a Polyester Resin
R. J. A. Shalash and M. M. F. Al-Jarrah 4473

Poly(phenylene Sulfide): Polymerization Kinetics and Characterization
C. R. Rajan, S. Ponrathnam, and V. M. Nadkarni 4479

Crazelike Features in Deformation of Hard Elastic Poly(4-Methyl-1-Pentene) Film
T. Tanigami, K. Yamaura, S. Matsuzawa, K. Ohsawa, and K. Miyasaka 4491

Ultrasonic Velocity Measurements in the Thickness Direction of Paper
C. C. Habeger and W. A. Wink 4503

Drying Rates of Polyamic Acid Solution Film under (i) Natural Convection and (ii) Induced Draft Drying Conditions
S. K. Gupta 4541

Molecular Intermediates in Glow Discharge Polymerization
A. K. Sharma and E. W. Hellmuth 4553

Differential Calorimetric Study of Pine and Poplar Lignins between 300 and 525 K
C. Lapierre, B. Monties, A. Vassal-Gonthier, and A. Dworkin 4561

Preparation of *N*-Methoxymethylated Nylon-3 and Application of Its Membrane to Pervaporation of Water/Alcohol Mixture
F. Suzuki, H. Kimura, K. Onozato, and S. Kuroda 4573

Chain Extenders for Polyesters. III. Addition-Type Nitrogen-Containing Chain Extenders Reactive with Hydroxyl End Groups of Polyesters
H. Inata and S. Matsumura 4581

Epoxy Network Structure Effect on Physical Aging Behavior
Y. G. Lin, H. Sautereau, and J. P. Pascault 4595

Sequence Determination in MMA-EMA Copolymers by ^{13}C NMR
A. S. Brar and A. K. Saini 4607

Preparation and Characterization of 4-Vinyl Pyridine-Grafted SBS Triblock Copolymer
G.-H. Hsiue and B.-K. Hsu 4615

Gas Permeability of Composite Membranes
J.-Y. Lai, S. Yamada, K. Kamide, S.-I. Manabe, and T. Kawai 4625

Properties of Polypropylene Structural Foam Crosslinked by Vinyltrimethoxy Silane
Y.-D. Lee and L.-F. Wang 4639

Grafting of Acrylamide to Nylon-6 by Electron Beam Preirradiation. IV. Sorption of Water in Nylon Grafted Acrylamide Membranes
Y. Haruvy, L. A. Rajbenbach, and J. Jagur-Grodzinski 4649

A One-Component Sealant Based on 1,3-Dipoles
D. S. Breslow, K. Brack, and H. Boardman 4657

The Viscoelastic Properties of PP/Glass Fiber Composites in Molten State
W.-Y. Chiu and T.-C. Hsueh 4663

Kinetics of Hydrolysis of Poly(α-olefin-co-maleic anhydride)
P. B. Rim and K. M. O'Connor 4679

Pull-Off Forces for Adhesive Tapes
A. N. Gent and S. Kaang 4689

Specific Counterion Binding to Cationic Polyelectrolytes
C. W. Burkhardt, D. P. Parazak, K. J. McCarthy, and G. J. Jackson 4701

Vinyl Monomer Irradiation-Grafted Nylon 4 Membranes
J. Y. Lai, T. C. Chang, Z. J. Wu, and T. S. Hsieh 4709

Properties of Oligomers Present in Poly(ethylene Terephthalate)
A. L. Cimecioglu, S. H. Zeronian, K. W. Alger, M. J. Collins, and G. C. East 4719

Elastic and Tensile Properties of Aromatic Polyamideimide Composite Films with Aromatic Polyamide Fiber Reinforcements Having Various Textures and Fiber Orientations
Y. Ohmiya and H. Kambe 4735

Simultaneous Calibration of Separation and Axial Dispersion in Size Exclusion Chromatography Coupled with Light Scattering
K. Lederer, B. Imrich-Schwarz, and M. Dunky 4751

ERRATA

Melt Viscosity and Electrical Conductivity of Carbon Black-PVC Composite
T. Noguchi, T. Nagai, and J. Seto 4761

Polybutadiene Hydroperoxide by Singlet Oxygen: Its Grafting and Morphology in Polystyrene Matrix
F. M. Peng 4763

Issue No. 5, October 1986

Diffusion and Solubility of *n*-Alkanes in Polyolefines
J. Koszinowski 4765

The Influence of Annealing on the Thermal Properties of Poly(ethylene Terephthalate) Fibers II. The Thermal Volume Expansivity of Annealed Pet Fibers
G. W. Urbanczyk and G. Michalak 4787

Sorption and Transport of Inert Gases in PVF_2/PMMA Blends
J. S. Chiou and D. R. Paul 4793

Some Water-Soluble Copolymers from Lignin
R. L. Chen, B. V. Kotka, C. Daneault, and J. L. Valade 4815

Electrical and Other Properties of Mutual Radiation-Induced Methacrylic Acid Grafted Polythylene Films
H. Omichi, D. Chundury, and V. T. Stannett 4827

Long-Time Sulfenamide-Accelerated Sulfur Vulcanization of Natural Rubber/Chlorobutyl Rubber Compounds
V. Ducháček and A. Kuta 4849

Mechanisms of Antioxidant Action: Tellurium Dithiocarbamates as Antioxidants for Polypropylene
S. Abed-Ali, M. A. K. Ahmed, W. R. McWhinnie, and G. Scott 4857

Internal Stress of Epoxy Resin Modified with Acrylic Core-Shell Particles Prepared by Seeded Emulsion Polymerization
Y. Nakamura, H. Tabata, H. Suzuki, K. Iko, M. Okubo, and T. Matsumoto 4865

Effect of Water on the Strength of Filled Polychloroprene Vulcanizates
J. A. Hinkley and B. S. Holmes 4873

Stress-Strain Properties of Linear Aromatic Polyesters in the Nonlinear Viscoelastic Range
T. H. Ng and H. L. Williams 4883

The Reversible Plasticization of the Aromatic Copolyester of Poly(ethylene Terephthalate) and 60 Mol% *p*-Acetoxybenzoic Acid with 1,1,1,3,3,3-Hexafluoro-2-Propanol
H. H. Shih, L. E. Hornberger, R. L. Siemens, and A. E. Zachariades 4897

The Role of Surfactant Structure and Monoethanolamine in the Environmental Stress Cracking of Polycarbonate
D. L. Faulkner 4909

Tertiary Aromatic Amines As Cure Reaction Promoters For Unsaturated Polyester Resins. II. Low Temperature Studies
R. F. Storey, D. Sudhakar, and M. Hogue 4919

Preparation of New Hydrophilic Poly-vinylpyridine Beads and Their Application to Immobilization of Urease
A. Sugii, N. Ogawa, and M. Matsumoto 4931

Hydrogels Based on Graft Copolymers of Collagen Synthesis
S. Amudeswari, C. R. Reddy, and K. T. Joseph 4939

Thermal Analyses of Flame-Retardant Twills Containing Cotton, Polyester and Wool
B. J. Trask and J. V. Beninate 4945

Effect of Diisocyanate Structure on Viscoelastic, Thermal, Mechanical and Electrical Properties of Cast Polyurethanes
M. V. Pandya, D. D. Deshpande, and D. G. Hundiwale 4959

Adsorption Behavior of Heavy Metal Ions on Cellulose Graft Copolymers
E. F. Okieimen and J. E. Ebhoaye 4971

Determination of the Density Distribution of Suspension Poly(vinyl Chloride) by the Density Titration Method
S. Ševčík and M. Kolínský 4977

The Effect of Processing Conditions on Structure Evolution in Melt Spun Poly(Ethylene Terephthalate) Fibers
M. J. Napolitano and A. Moet 4989

Optimization of Polymer-Solvent Interaction in a Multisolvent System by the UNIFAC Group-Contribution Method
C.-M. Tseng, M. S. El-Aasser, and J. W. Vanderhoff 5007

Fourier Transform Infrared Studies on the Thermal Degradation of Polyvinylimidazoles. Part I
F. P. Eng and H. Ishida 5021

Fourier Transform Infrared Studies on the Thermal Degradation of Polyvinylimidazoles. Part II
F. P. Eng and H. Ishida 5035

Effects of Polar Groups of Polymer Matrix on Reinforcement-Matrix Interaction in Kevlar Fiber-Reinforced Composites
M. Kodama and I. Karino 5057

Synthetic Resins: II: Preparation and Characterization of Resins Prepared from Aminoacetophenone
S. Patra, S. Lenka and P. L. Nayak 5071

Beta Dielectric Dispersion in Natural Rubber Latex
A. A. Laogun 5085

Reactivity of Epoxy Resin in Dispersed Dicyandiamide System and Dynamic Viscoelasticity of the Resulting Product
S. Muroi, H. Ishimura, and M. Outsuka 5095

Optimization of a Composite Based on Polyethylene Blends and Sepiolite. Effect of Surface Treatment of the Filler and Morphology of the Composite on Mechanical Properties
M. Arroyo, F. Perez, and J. P. Vigo 5105

Short Fiber-Reinforced Thermoplastic Elastomers from Blends of Natural Rubber and Polyethylene
S. Akhtar, P. P. De, and S. K. De 5123

Epoxy Thermosetting Systems Based on Cycloaliphatic Diamines
A. Sabra, J. P. Pascault, and G. Seytre 5147

Thermosensitive Dielectric Properties in Polyamide-Phenol Hybrid Compounds and Their Application to the Temperature-Sensing Wire
Y. Kishimoto, T. Hosaka, and W. Shimotsuma 5161

Chemical Modification of Cotton Fiber by Alkali-Swelling and Substitution Reactions—Acetylation, Cyanoethylation, Benzoylation, and Oleoylation
W. Tsuji, T. Nakao, K. Ohigashi, K. Maegawa, N. Kobayashi, S. Shukri, S. Kasai, and K. Miyanaga 5175

Chain Extenders for Polyester. II. Reactivities of Carboxyl-Addition-Type Chain Extenders; Bis Cyclic-Imino-Ethers
H. Inata and S. Matsumura 5193

Tetrachlorophthalic Anhydride-Based Flame-Retardant Chloropolyesters for Inhibition of Double-Base Propellants
J. P. Agrawal and K. S. Kulkarni 5203

Kinetic Study of Polymerization/Curing of Filament-Wound Composite Epoxy Resin Systems with Aromatic Diamines
M. A. Golub and N. R. Lerner 5215

Preparation of Poly(*p*-Phenylene Terephthalamide)/Poly(vinyl Chloride) Molecular Composite and Its Thermal and Mechanical Properties
K. Yamada, M. Uchida, M. Takayanagi, and K. Goto 5231

ERRATUM

Thermotropic Polyester Amide-Carbon Fiber Composites
T-S. Chung and P. E. McMahon 5245

Issue No. 6, November 5th, 1986

Effect of Fillers on the Compatibility of Polymer Blends
N. K. Kalfoglou 5247

Property–Composition Dependence of Isotactic Poly(butene-1)-Chlorinated Polyethylene Blends
J. K. Kallitsis and N. K. Kalfoglou 5261

Pentachlorophenylcellulose Preparation and Investigation on its Applicability as a Controlled Release Fungicide
P. Mair, M. Bahadir, and F. Korte 5273

Diffusion of a Volatile Liquid in Polychloroprene Rubber
S. N. Lawandy and F. H. Helaly 5279

Application of Statistical Experimental Design in Ziegler–Natta Polymerization of Butadiene
F. K. W. Ho, C. C. Hsu, and D. W. Bacon 5287

Effect of Temperature of Motionless Air on the Cure of Vulcanizates after Removal from the Mold
A. Khouider and J. M. Vergnaud 5301

Solid State Polymerization of Poly(ethylene Terephthalate): Kinetic and Property Parameters
S. A. Jabarin and E. A. Lofgren 5315

Determination of Residual Unsaturation in Highly Crosslinked, Dough-moulded Poly(methyl methacrylate) Dental Polymers by Solid-State ^{13}C NMR
R. G. Earnshaw, C. A. Price, J. H. O'Donnell, and A. K. Whittaker 5337

Polar-Polar Interaction between the Reinforcement and Matrix for Kevlar Fiber-Reinforced Composite: Effect of Using the Blend of Polar Polymers as Matrix
M. Kodama and I. Karino 5345

Phase Behavior of Binary Mixtures of Styrene/Acrylonitrile Copolymers and Aliphatic Polyesters
A. C. Fernandes, J. W. Barlow, and D. R. Paul 5357

Kinetics of 1-Hexene Polymerization
D. K. Dandge, J. P. Heller, C. Lien, and K. V. Wilson 5373

Elasticity, Tear Strength, and Strength of Adhesion of Soft PVC Gels
A. N. Gent and N. Shimizu 5385

High Shear Rheology and Shear Degradation of Aqueous Polymer Solutions
F. L. Buchholz and L. R. Wilson 5399

Water Immersion of Polysulfide Sealants. II. An Interpretation of the Influence of Curing Systems on Water Resistance
P. J. Hanhela, R. H. E. Huang, D. B. Paul, and T. E. F. Symes 5415

Peroxide-Initiated Crosslinking of Polypropylene in the Presence of *p*-Benzoquinone
I. Chodák and M. Lazár 5431

Electrical Conductivity of γ-Irradiated Native and Mercerized Cotton Celluloses
M. A. Moharram, M. M. Abou-Sekkena, and N. A. Hakeem 5439

Polymerization of Olefins Through Heterogeneous Catalysis—V. Gas-Liquid Mass Transfer Limitations in Liquid Slurry Reactors
S. Floyd, R. A. Hutchinson, and W. H. Ray 5451

Blends Containing Polymers of Epichlorohydrin and Ethylene Oxide. Part I: Polymethacrylates
A. C. Fernandes, J. W. Barlow, and D. R. Paul 5481

Dynamic Mechnical Properties of Thermoplastic Elastomers from Polypropylene-Natural Rubber Blend
B. Kuriakose, S. K. De, S. S. Bhagawan, R. Sivaramkrishnan, and S. K. Athithan .. 5509

The Heat Transfer Characteristics of PTFE During Quasiadiabatic Decompression in Nitrogen Gas
B. J. Briscoe and H. Mahgerefteh 5523

Heterogeneous Styrene–Divinylbenzene Copolymers. Stability Conditions of the Porous Structures
O. Okay 5533

Dielectric and Optical Properties of Nitrogen-Incorporated Polyethylene Films Fabricated by Plasma Polymerization
S. H. Kim, H. K. Xie, and K. C. Kao 5543

On the Mathematical Modeling of Mechanochemical Degradation of Acrylonitrile–α-Methyl Styrene–Vinyl Acetate Terpolymer in Conditions Simulating the Wet-Spinning
C. V. Oprea, M. Popa, and S. Petrovan 5557

Diffusion of an Acid Dye in Nylon—in Relation to Sorption and Diffusion of a Gas in Glassy Polymers
E. Sada and H. Kumazawa 5567

Cocrystallization and Miscibility Studies of Blends of Ultrahigh Molecular Weight Polyethylene with Conventional Polyethylenes
T. Kyu and P. Vadhar 5575

An Experimental Examination of Fracture Criteria Using Brittle Polystyrene
S. K. Gupta, D. J. Quesnel, and J. Lambropoulos 5585

Rheological Behavior of Partially Hydrolyzed Poly(vinyl Acetate-Co-Ethylene)
C. D. Han, Y.-J. Ma, and S. G. Chu 5597

Graft Copolymers from Peroxidized EPDM Rubber
B. D. Dean 5619

New Linear Polyurethaneureas Based on Polyoxytetramethylene, Aliphatic Diisocyanates, and Aromatic Diamines
P. Knaub and Y. Camberlin 5627

NOTES

Molecular Design of Multicomponent Polymer Systems, XI, Emulsifying Effect of Poly(hydrogenated Diene-*b*-Methyl Methacrylate) in Poly(vinylidene Fluoride)/Polyolefins Blends
T. Ouhade, R. Fayt, R. Jérôme, and PH. Teyssié 5647

Small Compact Tension Specimens for Polymer Toughness Screening
J. A. Hinkley 5653

Active Ester of Carboxymethyl Cellulose
T. Teshirogi 5657

Kinetics and Equilibria of Water Sorption in LLDPE-Cellulose Composites
S. Sapieha, M. Caron, and H. P. Schreiber 5661

Adsorption of Fatty Acid Sodium Salts on Ion Exchange Resins
Y. Ihara 5665

Durability of Radiation-Sterlized Polymers. VI. Irradiation Effect of Thermal Quenching Polymer
F. Yoshii, K. Makuuchi, and I. Ishigaki 5669

ESR Spectrum of the γ-Irradiated Copolymer of Methyl Methacrylate and Ethylene Dimethacrylate
F. Szőcs 5673

Birefringence of Plastically Deforming Polymer Solid in Loading and Unloading Processes Under Variable Stress Rates
T. Nishitani and S. Yamashita 5675

Porous Structure of Biaxially Drawn Polytetrafluoroethylene Film
S. Hashida, S. Hirakawa and H. Namio 5685

ERRATUM

Nitrogen-Phosphorous Antagonism in Flame-Retardant Cotton
D. Davies and A. R. Horrocks 5691

Issue No. 7, November 20th, 1986

Graft Copolymerization with New Class of Acidic Peroxo Salts as Initiators. I. Grafting of Acrylamide onto Cotton–Cellulose Using Potassium Monopersulfate, Catalyzed by Co(II)
P. K. Sahoo, H. S. Samantaray, and R. K. Samal 5693

Estimation on Thermal Conductivities of Filled Polymers
Y. Agari and T. Uno 5705

Radiation Resistance and Thermal Stability of Nylon 6, Acrylonitrile Copolymer and Polyester Fabrics
S. N. Lawandy and N. Abd-El-Zaher 5713

Qualitative and Quantitative Analysis of Methyl Acrylate or Methyl Methacrylate of Acrylonitrile Fibers by Pyrolysis Gas Chromatography
M. Sağlam 5719

Thermoinitiated Cationic Polymerization of Epoxy Resins by Sulfonium Salts
K. Morio, H. Murase, H. Tsuchiya, and T. Endo 5727

Swelling Studies of Perfluorinated Ionomer Membranes
R. S. Yeo, C.-H. Cheng 5733

Studies on the Radiation Stability of Ion Exchange Membranes
V. Ramachandhran and B. M. Misra 5743

Drop Sizes in Turbulent Liquid–Liquid Dispersions Containing Polymeric Suspension Stabilizers. I. The Breakage Mechanism
R. P. Borwankar, S. I. Chung, and D. T. Wasan 5749

Preparation of Vinylpyridine Irradiation-Grafted Poly(4-Methyl-Pentene-1) Membrane for Oxygen Enrichment
J. Y. Lai and S. L. Wei 5763

Environmental Degradation of an Epoxy Resin Matrix
G. A. Luoma and R. D. Rowland 5777

Role of Polyacrylate Starch Copolymer in Water Sorption
I. I. Ziderman and J. Belayche 5791

The Preparation and Properties of Acrylic and Methacrylic Acid Grafted Cellulose Prepared by Ceric Ion Initiation. II. Water Retention Properties
S. B. Vitta, E. P. Stahel, and V. T. Stannett 5799

Manufacturing of Polypropylene Laminates and Related Structural Reorganization in the Crystalline Phase
G. Guerra, C. De Rosa, and V. Petraccone 5811

Thermal and Crystallization Behavior of Alloys of Polyphenylene Sulfide and High-Density Polyethylene
V. M. Nadkarni and J. P. Jog 5817

Shear Rheology of Diluted Solutions of High Molecular Weight Cellulose
P. Navard, J. M. Haudin, I. Quenin, and A. Peguy 5829

The Effect of Electrolytes on Direct Dyes for Cotton
A. O. Noah, C. M. O. A. Martins, and J. A. Braimah 5841

Studies on the Reactions between Thiocarbamyl Sulfenamide and 2-(Iminodithio) benzothiazole Accelerator System in the Early Stage of Vulcanization of NR
R. N. Datta, P. K. Das, and D. K. Basu 5849

Copolymer Analysis by UV Spectroscopy
U. Ramelow and B. M. Baysal 5865

Mechanical Relaxations and Moduli of Isotropic and Oriented Linear Low-Density Polyethylene
C. L. Choy, W. P. Leung, and H. C. Ng 5883

Ionomer/Ionomer Thermoplastic IPNs Based on Poly(*n*-Butyl Acrylate) and Polystyrene
Y. Nishiyama and L. H. Sperling 5903

Study of Polymer–Solvent Interactions by Gas Chromatography. Copolymers of Vinyl Acetate and Vinyl Alcohol with Hydrocarbons and Alcohols
R. C. Castells and G. D. Mazza 5917

Crosslinking of Poly(arylene Ether Ketone)s 1. Rheological Behavior of the Melt and Mechanical Properties of Cured Resin
C.-M. Chan and S. Venkatraman 5933

Ternary Polymer Mixtures: Polyarylate/Phenoxy/Poly(Butylene Terephthalate)
J. I. Eguiazabal, J. J. Iruin, M. Cortazar, and G. M. Guzman 5945

Polyphenylquinoxalines Containing Alkylenedioxy Groups
S. J. Havens, F. W. Harris, and P. M. Hergenrother 5957

Microcavity Formation in Poly(Ester–carbonate) Exposed to Hot, Humid Environments
L. M. Robeson, B. L. Dickinson, and S. T. Crisafulli 5965

The Kinetics of Solution Copolymerization of Vinyl Chloroacetate with Vinyl Acetate in a CSTR
S. Das and F. Rodriguez 5981

Electron Diffraction Study of Enzyme-Hydrolyzed Cotton Samples
K. M. Paralikar and S. P. Bhatawdekar 6001

Sensitivity and Sensitization Mechanism of Halomethylated Polystyrene to Near UV Region
Y.-C. Zhang, H. Morita, and T. Yamaoka 6005

The Evaluation of the Surface Characteristic of the PET Film and Fabric Treated with PEG–Diamine
K. J. Kim and S. W. Ko 6017

Some Aspects of Plasticizer Migration from Poly(Vinyl Chloride) Sheets
C. D. Papaspyrides 6025

Addition Polyimides. I. Kinetics of Cure Reaction and Thermal Decomposition of Bismaleimides
K. N. Ninan, K. Krishnan, and J. Mathew 6033

Rheological Study of the Isothermal Reticulation of an Epoxy Resin
D. Harran and A. Laudouard 6043

Mechanisms of Antioxidant Action: The Role of Nitroxyl Radicals in the Stabilization of PVC
J. B. Adeniyi, S. Al-Malaika, and G. Scott 6063

Blends Containing Polymers of Epichlorohydrin and Ethylene Oxide. II. Polyacrylates
A. C. Fernandes, J. W. Barlow, and D. R. Paul 6073

Compatibility Studies on Blends of Poly(ethylene Ortho-phthalate) and Poly(vinyl Acetate)
H. Vazquez-Torres and C. A. Cruz-Ramos 6095

Characteristics of Polymerization-Filled Polyethylenes ("Norplastics") and Compositions on the Basis of Norplastics
N. S. Enikolopian, A. A. Fridman, W. L. Popov, I. O. Stalnova, A. A. Brikenstein, W. M. Rudakov, N. P. Gherasina, and A. E. Tchalykh 6107

NOTE

Determination of Weight-Average Molecular Weights of Polymers in Chromophoric Solvents Using Low-Angle Laser Light Scattering
R. A. M. C. De Groote, M. G. Neumann, M. Cerqueira 6121

ERRATA

Estimation of Crystallinity in a Model Thermoplastic Composite
N. T. Wakelyn 6125

Studies on Thermal Degradation of Cellulose and Cellulose Phosphoramides
B. Kaur, I. S. Gur, and H. L. Bhatnagar 6127

Removal of Polyethylene Glycol Mono-*p*-Nonylphenyl Ether and Dodecylbenzenesulfonate by Chloromethylated Polystyrene–Polyethylenepolyamines and –Polyethyleneimines
T. Tashiro 6129

Issue No. 8, December 1986

Multiphase Polymer Systems: PVC/Styrene Copolymer Alloys
L. G. Bourland and D. M. Braunstein 6131

Single Phase Polymer Systems: CPVC/Styrene Copolymer Alloys
L. G. Bourland and D. M. Braunstein 6151

Drag Reduction Characteristics of Graft Copolymers of Xanthangum and Polyacrylamide
S. R. Deshmukh and R. P. Singh 6163

Influence of Cure Conditions on Glass Transition Temperature and Density of an Epoxy Resin
M. Cizmecioglu, A. Gupta, and R. F. Fedors 6177

Control of Interchange Reactions of Polycarbonate/Polyarylate Blends and Their Influence on Physical Behavior
I. Mondragon and J. Nazabal 6191

Ionic Photoinitiators for Radical Polymerization in Direct Micelles: The Role of the Excited States
J. P. Fouassier and D. J. Lougnot 6209

Semi-1 Thermoplastic Interpenetrating Polymer Networks of Physically Crosslinked Poly(*n*-Butyl Acrylate) and Polystyrene
Y. Nishiyama and L. H. Sperling 6227

Modification of Partially Carboxymethylated Cotton via Crafting with Acrylic Acid and Styrene Using Gamma Radiation
A. Hebeish, A. H. Zahran, A. M. Rabie, and A. M. KH. El-Naggar 6237

Poly(phenylene Oxide) Composites Containing Crosslinked Polystyrene Microspheres. I. Stress-Strain Properties
C. Zhikuan, W. Tiangui, and G. Qipeng 6259

Adhesion Quality and Extent of Mesophase in Particulates along the Whole Viscoelastic Spectrum
P. S. Theocaris and P. H. Ponirides 6267

Structure and Properties of Dynamically Cured EPDM/PP Blends
C. S. Ha, D. J. Ihm, and S. C. Kim 6281

Molecular Composites via *In Situ* Polymerization: Poly(Phenylene Terephthalamide)–Nylon 3
D. R. Moore and L. J. Mathias 6299

Liquid-Rubber-Modified Epoxy Adhesives Cured with Dicyandiamide. I. Preparation and Characterization
Y.-D. Lee, S.-K. Wang, and W.-K. Chin 6317

Liquid-Rubber-Modified Epoxy Adhesives Cured with Dicyandiamide. II.—Morphology and Adhesion Strengths
Y.-D. Lee, S.-K. Wang, and W.-K. Chin 6329

Characterization of Epoxy Coatings on Steel by Reflection/Absorption Fourier Transform Infrared Spectroscopy. I. Effects of Film Thickness and Angle of Incidence
T. Nguyen, E. Byrd, and A. Tsao 6339

ERRATUM

Effect of Time-Temperature Path of Cure on the Water Absorption of High T_g Epoxy Resins
M. T. Aronhime, X. Peng, J. K. Gillham, and R. D. Small 6353

Information for Contributors 6355

Author Index 6357

Subject Index 6375

Volume Title Page i

Volume Contents iii